

# Benchmarki procesora

Testowano ponad 1 000 000 procesorów

## Mega lista procesorów

Poniżej znajduje się lista wszystkich typów procesorów jednogniazdowych, które pojawiają się na wykresach. Klikając nagłówki kolumn, możesz sortować procesory, możesz także filtrować wyszukiwanie, wybierając jedną z rozwijanych kategorii lub używając suwaków zakresu. Kliknięcie na konkretną nazwę procesora przeniesie Cię do wykresu, na którym się pojawia, i podświetli go dla Ciebie.

**Systemy z jednym procesorem** *Ostatnia aktualizacja: 20 stycznia 2022 r.*

Kolumny

Pokażać  wpisy

| Nazwa procesora<br><input type="text" value="Szukaj..."/>      | Rdzenie | Znak procesora<br>Min...<br>Maks... | Znak wątku<br>Min...<br>Maks... | TDP (W)<br>Min...<br>Maks... | Gniazdo elektryczne | Kategoria         |
|--|---------|-------------------------------------|---------------------------------|------------------------------|---------------------|-------------------|
| <a href="#">06/8c</a>  | 8       | 5040                                | 2680                            | NA                           | Nieznany            | Mobilny/wbudowany |
| <a href="#">06/8e</a>  | 8       | 3848                                | 2388                            | NA                           | Nieznany            | Mobilny/wbudowany |
| <a href="#">Intel Core i3-1115GRE 11. generacji @ 3,00 GHz</a> | 2       | 4108                                | 1999                            | NA                           | BGA 1449            | Nieznany          |
| <a href="#">15/70</a>  | 2       | 1,085                               | 878                             | NA                           | Nieznany            | Nieznany          |
| <a href="#">AArch64 wer. 0 (aarch64)</a>                       | 8       | 2664                                | 1,098                           | NA                           | Nieznany            | Nieznany          |
| <a href="#">AArch64 wer. 1 (aarch64)</a>                       | 8       | 2301                                | 1,038                           | NA                           | Nieznany            | Nieznany          |
| <a href="#">AArch64 wer. 2 (aarch64)</a>                       | 8       | 2029                                | 927                             | NA                           | Nieznany            | Nieznany          |
| <a href="#">AArch64 wer. 4 (aarch64)</a>                       | 8       | 1,661                               | 645                             | NA                           | Nieznany            | Nieznany          |
| <a href="#">AC8257V/WAB</a>                                    | 8       | 707                                 | 443                             | NA                           | Nieznany            | Nieznany          |
| <a href="#">AMD 3015Ce</a>                                     | 2       | 1,386                               | 1264                            | 6                            | FT5                 | Mobilny/wbudowany |
| <a href="#">AMD 3015e</a>                                      | 2       | 2674                                | 1,403                           | 6                            | Nieznany            | Laptop            |
| <a href="#">AMD 3020e</a>                                      | 2       | 2479                                | 1427                            | 6                            | Nieznany            | Laptop            |
| <a href="#">AMD 4700S</a>                                      | 8       | 18 260                              | 2401                            | NA                           | Nieznany            | Pulpit            |
| <a href="#">AMD A10 Micro-6700T APU</a>                        | 4       | 1345                                | 700                             | 5                            | FT3b                | Laptop            |
| <a href="#">AMD A10 PRO-7350B APU</a>                          | 4       | 1 910                               | 911                             | 19                           | PR3                 | Laptop            |
| <a href="#">AMD A10 PRO-7800B APU</a>                          | 2       | 3179                                | 1500                            | 65                           | FM2+                | Pulpit            |
| <a href="#">AMD A10 PRO-7850B APU</a>                          | 2       | 3,458                               | 1587                            | 95                           | FM2+                | Pulpit            |
| <a href="#">AMD A10-4600M APU</a>                              | 2       | 1906                                | 1065                            | 35                           | FS1r2               | Laptop            |
| <a href="#">AMD A10-4655M APU</a>                              | 2       | 1,637                               | 909                             | 25                           | PR2                 | Laptop            |
| <a href="#">AMD A10-4657M APU</a>                              | 4       | 1,759                               | 940                             | 35                           | PR2                 | Laptop            |
| <a href="#">AMD A10-5700 APU</a>                               | 2       | 2724                                | 1,439                           | 65                           | FM2                 | Pulpit            |
| <a href="#">AMD A10-5745M APU</a>                              | 4       | 1,763                               | 1000                            | 25                           | PR2                 | Laptop            |
| <a href="#">AMD A10-5750M APU</a>                              | 4       | 1844                                | 1,066                           | 35                           | FS1r2               | Laptop            |

| <a href="#">AMD A10-5757M APU</a>      |                         |                                |                                    |                                   |                         |                           |
|--|-------------------------|--------------------------------|------------------------------------|-----------------------------------|-------------------------|---------------------------|
| <a href="#">AMD A10-6800B APU</a>      |                         |                                |                                    |                                   |                         |                           |
| <a href="#">Nazwa procesora</a>        | <a href="#">Rdzenie</a> | <a href="#">Znak procesora</a> | <a href="#">Znak wiatku</a><br>Min | <a href="#">TDP (W)</a><br>Min... | <a href="#">Gniazdo</a> | <a href="#">Kategoria</a> |
| <a href="#">AMD A10-6700T APU</a>      | 2                       | 2311                           | 1,310                              | 45                                | FM2                     | Pulpit                    |
| <a href="#">AMD A10-6790K APU</a>      | 2                       | 3124                           | 1569                               | 100                               | FM2                     | Pulpit                    |
| <a href="#">AMD A10-6800B APU</a>      | 2                       | 2824                           | 1513                               | 100                               | FM2                     | Pulpit                    |
| <a href="#">AMD A10-6800K APU</a>      | 2                       | 3 112                          | 1,594                              | 100                               | FM2                     | Pulpit                    |
| <a href="#">AMD A10-7300 APU</a>       | 4                       | 1,703                          | 842                                | 19                                | FP3                     | Laptop                    |
| <a href="#">AMD A10-7400P</a>          | 4                       | 2,093                          | 1,060                              | 35                                | FP3                     | Laptop                    |
| <a href="#">AMD A10-7700K APU</a>      | 2                       | 3,126                          | 1,416                              | 95                                | FM2+                    | Desktop                   |
| <a href="#">AMD A10-7800 APU</a>       | 2                       | 3,134                          | 1,443                              | 65                                | FM2+                    | Desktop                   |
| <a href="#">AMD A10-7850K APU</a>      | 2                       | 3,408                          | 1,522                              | 95                                | FM2+                    | Desktop                   |
| <a href="#">AMD A10-7860K</a>          | 2                       | 3,329                          | 1,539                              | 65                                | FM2+                    | Desktop                   |
| <a href="#">AMD A10-7870K</a>          | 2                       | 3,464                          | 1,489                              | 95                                | FM2+                    | Desktop                   |
| <a href="#">AMD A10-7890K</a>          | 2                       | 3,502                          | 1,583                              | 95                                | FM2+                    | Desktop                   |
| <a href="#">AMD A10-8700P</a>          | 2                       | 2,222                          | 1,136                              | 35                                | FP4                     | Laptop                    |
| <a href="#">AMD A10-8750</a>           | 2                       | 3,294                          | 1,547                              | 65                                | FM2+                    | Desktop                   |
| <a href="#">AMD A10-8850</a>           | 2                       | 3,525                          | 1,624                              | NA                                | Unknown                 | Desktop                   |
| <a href="#">AMD A10-9600P</a>          | 4                       | 2,219                          | 1,076                              | 15                                | FP4                     | Laptop                    |
| <a href="#">AMD A10-9620P</a>          | 4                       | 2,495                          | 1,283                              | 15                                | Unknown                 | Laptop                    |
| <a href="#">AMD A10-9630P</a>          | 4                       | 2,899                          | 1,355                              | 35                                | FP4                     | Laptop                    |
| <a href="#">AMD A10-9700</a>           | 4                       | 3,535                          | 1,614                              | 65                                | AM4                     | Desktop                   |
| <a href="#">AMD A10-9700E</a>          | 4                       | 2,763                          | 1,336                              | 35                                | AM4                     | Desktop                   |
| <a href="#">AMD A12-9700P</a>          | 4                       | 2,397                          | 1,180                              | 15                                | FP4                     | Laptop                    |
| <a href="#">AMD A12-9720P</a>          | 4                       | 2,606                          | 1,327                              | 15                                | FP4                     | Laptop                    |
| <a href="#">AMD A12-9730P</a>          | 4                       | 3,172                          | 1,487                              | 35                                | FP4                     | Laptop                    |
| <a href="#">AMD A12-9800</a>           | 2                       | 3,339                          | 1,574                              | 65                                | AM4                     | Desktop                   |
| <a href="#">AMD A12-9800E</a>          | 4                       | 3,466                          | 1,610                              | 35                                | AM4                     | Desktop                   |
| <a href="#">AMD A4 Micro-6400T APU</a> | 4                       | 1,004                          | 530                                | 4.5                               | FT3b                    | Laptop                    |
| <a href="#">AMD A4 PRO-3340B</a>       | 4                       | 1,652                          | 657                                | 25                                | BGA769 (FT3)            | Laptop                    |
| <a href="#">AMD A4 PRO-7300B APU</a>   | 1                       | 1,481                          | 1,522                              | 65                                | Unknown                 | Desktop                   |
| <a href="#">AMD A4 PRO-7350B</a>       | 1                       | 1,024                          | 1,174                              | 65                                | FM2+                    | Desktop                   |
| <a href="#">AMD A4-1200 APU</a>        | 2                       | 445                            | 327                                | 3.9                               | FT3                     | Laptop                    |
| <a href="#">AMD A4-1250 APU</a>        | 2                       | 432                            | 338                                | 8                                 | FT3                     | Laptop                    |
| <a href="#">AMD A4-3300 APU</a>        | 2                       | 961                            | 1,030                              | 65                                | FM1                     | Desktop                   |
| <a href="#">AMD A4-3300M APU</a>       | 2                       | 677                            | 763                                | 65                                | FM1                     | Laptop                    |
| <a href="#">AMD A4-3305M APU</a>       | 2                       | 709                            | 812                                | 35                                | FS1                     | Laptop                    |
| <a href="#">AMD A4-3310MX APU</a>      | 2                       | 785                            | 841                                | 45                                | FS1                     | Laptop                    |
| <a href="#">AMD A4-3320M APU</a>       | 2                       | 640                            | 656                                | 35                                | FS1                     | Laptop                    |
| <a href="#">AMD A4-3330MX APU</a>      | 2                       | 681                            | 909                                | 45                                | FS1 uPGA                | Laptop                    |
| <a href="#">AMD A4-3400 APU</a>        | 2                       | 1,041                          | 1,061                              | 65                                | FM1                     | Desktop                   |
| <a href="#">AMD A4-3420 APU</a>        | 2                       | 1,097                          | 1,161                              | 65                                | FM1                     | Desktop                   |
| <a href="#">AMD A4-4000 APU</a>        | 1                       | 1,182                          | 1,191                              | 65                                | FM2                     | Desktop                   |
| <a href="#">AMD A4-4020 APU</a>        | 2                       | 1,225                          | 1,238                              | 65                                | FM2                     | Desktop                   |
| <a href="#">AMD A4-4300M APU</a>       | 1                       | 992                            | 990                                | 35                                | FS1                     | Laptop                    |
| <a href="#">AMD A4-4355M APU</a>       | 2                       | 795                            | 783                                | 17                                | FP2                     | Laptop                    |
| <a href="#">AMD A4-5000 APU</a>        | 4                       | 1,275                          | 508                                | 15                                | FT3                     | Laptop                    |
| <a href="#">AMD A4-5050 APU</a>        | 4                       | 1,328                          | 538                                | 13.5                              | FT3                     | Laptop                    |
| <a href="#">AMD A4-5100 APU</a>        | 4                       | 1,346                          | 540                                | 15                                | FT3                     | Laptop                    |

| <a href="#">AMD A4-5150M APU</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo   | Kategoria |
|---|---|----------------|-------------------|-------------------|-----------|-----------|
| <a href="#">AMD A4-6210 APU</a>                     | 4 | 1,469          | 606               | 15                | FT3b      | Laptop    |
| <a href="#">AMD A4-6250J APU</a>                    | 4 | 1,685          | 700               | 25                | Unknown   | Unknown   |
| <a href="#">AMD A4-6300 APU</a>                     | 1 | 1,451          | 1,443             | 65                | FM2       | Desktop   |
| <a href="#">AMD A4-6300B APU</a>                    | 1 | 1,328          | 1,373             | 65                | Unknown   | Desktop   |
| <a href="#">AMD A4-6320 APU</a>                     | 1 | 1,563          | 1,550             | 65                | FM2       | Desktop   |
| <a href="#">AMD A4-7210 APU</a>                     | 4 | 1,670          | 726               | 25                | BGA       | Laptop    |
| <a href="#">AMD A4-7300 APU</a>                     | 1 | 1,483          | 1,480             | 65                | FM2       | Desktop   |
| <a href="#">AMD A4-9120</a>                         | 2 | 1,257          | 1,076             | 15                | BGA       | Laptop    |
| <a href="#">AMD A4-9120C</a>                        | 2 | 894            | 953               | 6                 | FT4       | Laptop    |
| <a href="#">AMD A4-9120e</a>                        | 2 | 902            | 776               | NA                | FT4       | Laptop    |
| <a href="#">AMD A4-9125</a>                         | 2 | 1,217          | 1,043             | 15                | BGA (FT4) | Laptop    |
| <a href="#">AMD A6 Micro-6500T APU</a>              | 4 | 1,146          | 630               | NA                | Unknown   | Laptop    |
| <a href="#">AMD A6 PRO-7050B APU</a>                | 2 | 1,015          | 884               | 17                | FP3       | Laptop    |
| <a href="#">AMD A6 PRO-7400B</a>                    | 1 | 1,598          | 1,473             | 65                | FM2+      | Desktop   |
| <a href="#">AMD A6-1450 APU</a>                     | 4 | 1,077          | 464               | 8                 | FT3       | Laptop    |
| <a href="#">AMD A6-3400M APU</a>                    | 4 | 1,202          | 713               | 35                | FS1       | Laptop    |
| <a href="#">AMD A6-3410MX APU</a>                   | 4 | 1,152          | 699               | 45                | FS1       | Laptop    |
| <a href="#">AMD A6-3420M APU</a>                    | 4 | 1,261          | 784               | 35                | FS1       | Laptop    |
| <a href="#">AMD A6-3430MX APU</a>                   | 4 | 1,448          | 822               | 45                | FS1       | Laptop    |
| <a href="#">AMD A6-3500 APU</a>                     | 3 | 1,382          | 970               | 65                | FM1       | Desktop   |
| <a href="#">AMD A6-3600 APU</a>                     | 4 | 1,595          | 886               | 65                | FM1       | Desktop   |
| <a href="#">AMD A6-3620 APU</a>                     | 4 | 1,754          | 974               | 65                | FM1       | Desktop   |
| <a href="#">AMD A6-3650 APU</a>                     | 4 | 2,019          | 1,095             | 100               | FM1       | Desktop   |
| <a href="#">AMD A6-3670 APU</a>                     | 4 | 2,040          | 1,128             | 100               | FM1       | Desktop   |
| <a href="#">AMD A6-4400M APU</a>                    | 1 | 1,012          | 1,033             | 35                | FS1r2     | Laptop    |
| <a href="#">AMD A6-4455M APU</a>                    | 1 | 795            | 788               | 17                | FP2       | Laptop    |
| <a href="#">AMD A6-5200 APU</a>                     | 4 | 1,645          | 655               | 25                | FT3       | Laptop    |
| <a href="#">AMD A6-5345M APU</a>                    | 2 | 1,122          | 1,094             | 17                | FP2       | Laptop    |
| <a href="#">AMD A6-5350M APU</a>                    | 2 | 1,131          | 1,183             | 35                | FS1r2     | Laptop    |
| <a href="#">AMD A6-5357M APU</a>                    | 2 | 1,260          | 1,268             | 35                | FP2       | Laptop    |
| <a href="#">AMD A6-5400B APU</a>                    | 1 | 1,428          | 1,380             | 65                | FM2       | Desktop   |
| <a href="#">AMD A6-5400K APU</a>                    | 1 | 1,252          | 1,253             | 65                | FM2       | Desktop   |
| <a href="#">AMD A6-6310 APU</a>                     | 4 | 1,674          | 752               | 15                | FT3       | Laptop    |
| <a href="#">AMD A6-6400B APU</a>                    | 1 | 1,616          | 1,608             | 65                | FM2       | Desktop   |
| <a href="#">AMD A6-6400K APU</a>                    | 1 | 1,452          | 1,427             | 65                | FM2       | Desktop   |
| <a href="#">AMD A6-6420B APU</a>                    | 1 | 1,550          | 1,629             | 65                | FM2       | Desktop   |
| <a href="#">AMD A6-6420K APU</a>                    | 2 | 1,538          | 1,557             | 65                | FM2       | Desktop   |
| <a href="#">AMD A6-7000</a>                         | 2 | 1,010          | 857               | 17                | FP3       | Laptop    |
| <a href="#">AMD A6-7310 APU</a>                     | 4 | 1,744          | 792               | 25                | Unknown   | Laptop    |
| <a href="#">AMD A6-7400K APU</a>                    | 2 | 1,592          | 1,420             | 65                | FM2+      | Desktop   |
| <a href="#">AMD A6-7470K</a>                        | 1 | 1,799          | 1,576             | 65                | FM2+      | Desktop   |
| <a href="#">AMD A6-7480</a>                         | 2 | 1,931          | 1,638             | 65                | FM2+      | Desktop   |
| <a href="#">AMD A6-8500P</a>                        | 2 | 1,453          | 1,252             | 15                | BGA (FP4) | Laptop    |
| <a href="#">AMD A6-8550</a>                         | 2 | 1,604          | 1,474             | 65                | FM2+      | Desktop   |
| <a href="#">AMD A6-9200</a>                         | 2 | 1,062          | 925               | 10                | BGA       | Laptop    |
| <a href="#">AMD A6-9210</a>                         | 2 | 1,260          | 1,101             | 15                | FP4       | Laptop    |
| <a href="#">AMD A6-9220</a>                         | 2 | 1,278          | 1,136             | 15                | Unknown   | Laptop    |

| <a href="#">AMD A6-9220C</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo       | Kategoria |
|---|---|----------------|-------------------|-------------------|---------------|-----------|
| <a href="#">AMD A6-9230</a>                     | 2 | 1,279          | 1,158             | 15                | Unknown       | Desktop   |
| <a href="#">AMD A6-9400</a>                     | 2 | 2,717          | 1,664             | 10                | FT4           | Laptop    |
| <a href="#">AMD A6-9500</a>                     | 2 | 1,846          | 1,612             | 65                | AM4           | Desktop   |
| <a href="#">AMD A6-9500E</a>                    | 2 | 1,841          | 1,478             | 35                | AM4           | Desktop   |
| <a href="#">AMD A8 PRO-7150B APU</a>            | 4 | 1,557          | 789               | 19                | FP3           | Laptop    |
| <a href="#">AMD A8 PRO-7600B APU</a>            | 4 | 2,755          | 1,312             | 65                | FM2+          | Desktop   |
| <a href="#">AMD A8-3500M APU</a>                | 4 | 1,305          | 778               | 35                | FS1           | Laptop    |
| <a href="#">AMD A8-3510MX APU</a>               | 4 | 1,457          | 826               | 45                | FS1           | Laptop    |
| <a href="#">AMD A8-3520M APU</a>                | 4 | 1,395          | 841               | 35                | FS1           | Laptop    |
| <a href="#">AMD A8-3530MX APU</a>               | 4 | 1,521          | 931               | 45                | FS1           | Laptop    |
| <a href="#">AMD A8-3550MX APU</a>               | 4 | 1,579          | 938               | 45                | FS1           | Laptop    |
| <a href="#">AMD A8-3800 APU</a>                 | 4 | 1,939          | 1,064             | 65                | FM1           | Desktop   |
| <a href="#">AMD A8-3820 APU</a>                 | 4 | 2,064          | 1,116             | 65                | FM1           | Desktop   |
| <a href="#">AMD A8-3850 APU</a>                 | 4 | 2,193          | 1,196             | 100               | FM1           | Desktop   |
| <a href="#">AMD A8-3870K APU</a>                | 4 | 2,348          | 1,233             | 100               | FM1           | Desktop   |
| <a href="#">AMD A8-4500M APU</a>                | 2 | 1,640          | 901               | 35                | FS1r2         | Laptop    |
| <a href="#">AMD A8-4555M APU</a>                | 2 | 1,296          | 786               | 19                | FP2           | Laptop    |
| <a href="#">AMD A8-5500 APU</a>                 | 2 | 2,562          | 1,330             | 65                | FM2           | Desktop   |
| <a href="#">AMD A8-5500B APU</a>                | 2 | 2,685          | 1,381             | 65                | FM2           | Desktop   |
| <a href="#">AMD A8-5545M APU</a>                | 4 | 1,557          | 834               | 19                | FP2           | Laptop    |
| <a href="#">AMD A8-5550M APU</a>                | 4 | 1,847          | 1,044             | 35                | FS1r2         | Laptop    |
| <a href="#">AMD A8-5557M APU</a>                | 4 | 1,719          | 1,047             | 35                | FP2           | Laptop    |
| <a href="#">AMD A8-5600K APU</a>                | 2 | 2,774          | 1,407             | 100               | FM2           | Desktop   |
| <a href="#">AMD A8-6410 APU</a>                 | 4 | 1,767          | 785               | 15                | BGA769 (FT3b) | Laptop    |
| <a href="#">AMD A8-6500 APU</a>                 | 2 | 2,813          | 1,495             | 65                | FM2           | Desktop   |
| <a href="#">AMD A8-6500B APU</a>                | 2 | 2,882          | 1,520             | 65                | FM2           | Desktop   |
| <a href="#">AMD A8-6500T APU</a>                | 2 | 1,816          | 1,048             | 45                | FM2           | Desktop   |
| <a href="#">AMD A8-6600K APU</a>                | 2 | 2,968          | 1,530             | 100               | FM2           | Desktop   |
| <a href="#">AMD A8-7050</a>                     | 2 | 1,129          | 890               | 15                | Unknown       | Laptop    |
| <a href="#">AMD A8-7100 APU</a>                 | 4 | 1,644          | 847               | 19                | FP3           | Laptop    |
| <a href="#">AMD A8-7200P</a>                    | 4 | 2,135          | 1,092             | 35                | FP3           | Laptop    |
| <a href="#">AMD A8-7410 APU</a>                 | 4 | 1,801          | 797               | 25                | Unknown       | Laptop    |
| <a href="#">AMD A8-7500</a>                     | 2 | 3,878          | 1,509             | 65                | FM2+          | Desktop   |
| <a href="#">AMD A8-7600 APU</a>                 | 2 | 3,205          | 1,446             | 65                | FM2+          | Desktop   |
| <a href="#">AMD A8-7650K</a>                    | 2 | 3,005          | 1,370             | 65                | FM2+          | Desktop   |
| <a href="#">AMD A8-7670K</a>                    | 4 | 3,198          | 1,516             | 95                | FM2+          | Desktop   |
| <a href="#">AMD A8-7680</a>                     | 4 | 3,571          | 1,639             | 45                | FM2+          | Laptop    |
| <a href="#">AMD A8-8600P</a>                    | 2 | 2,240          | 1,103             | 15                | FP4           | Laptop    |
| <a href="#">AMD A8-8650</a>                     | 4 | 2,774          | 1,408             | 65                | FM2+          | Desktop   |
| <a href="#">AMD A8-9600</a>                     | 4 | 3,274          | 1,481             | 65                | AM4           | Desktop   |
| <a href="#">AMD A9-9400</a>                     | 2 | 1,390          | 1,246             | 10                | FP4           | Laptop    |
| <a href="#">AMD A9-9410</a>                     | 2 | 1,507          | 1,320             | 25                | FP4           | Laptop    |
| <a href="#">AMD A9-9420</a>                     | 2 | 1,527          | 1,334             | 15                | Unknown       | Laptop    |
| <a href="#">AMD A9-9420e</a>                    | 2 | 1,139          | 999               | NA                | Unknown       | Laptop    |
| <a href="#">AMD A9-9425</a>                     | 2 | 1,550          | 1,356             | 15                | BGA (FT4)     | Laptop    |
| <a href="#">AMD A9-9430</a>                     | 2 | 1,676          | 1,441             | NA                | Unknown       | Desktop   |
| <a href="#">AMD A9-9820</a>                     | 8 | 3,662          | 798               | NA                | Unknown       | Unknown   |

| <a href="#">AMD Athlon 1500+</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo    | Kategoria |
|---|---|----------------|-------------------|-------------------|------------|-----------|
| <a href="#">AMD Athlon 220GE</a>                    | 2 | 4,518          | 1,997             | 35                | AM4        | Laptop    |
| <a href="#">AMD Athlon 240GE</a>                    | 2 | 4,547          | 2,001             | 35                | AM4        | Desktop   |
| <a href="#">AMD Athlon 2650e</a>                    | 1 | 274            | 304               | 15                | AM2        | Desktop   |
| <a href="#">AMD Athlon 2800+</a>                    | 1 | 291            | 439               | 89                | 754        | Unknown   |
| <a href="#">AMD Athlon 2850e</a>                    | 1 | 333            | 337               | 22                | AM2        | Desktop   |
| <a href="#">AMD Athlon 3000G</a>                    | 2 | 4,470          | 1,994             | 35                | AM4        | Desktop   |
| <a href="#">AMD Athlon 300GE</a>                    | 2 | 4,532          | 1,839             | 35                | AM4        | Desktop   |
| <a href="#">AMD Athlon 300U</a>                     | 2 | 4,006          | 1,845             | 15                | FP5        | Laptop    |
| <a href="#">AMD Athlon 320GE</a>                    | 2 | 4,237          | 1,810             | 35                | AM4        | Desktop   |
| <a href="#">AMD Athlon 5000 Dual-Core</a>           | 2 | 835            | 892               | 65                | AM2,AM2+   | Desktop   |
| <a href="#">AMD Athlon 5150 APU</a>                 | 4 | 1,400          | 551               | 25                | AM1,FS1b   | Desktop   |
| <a href="#">AMD Athlon 5200 Dual-Core</a>           | 2 | 734            | 882               | 75                | AM2        | Desktop   |
| <a href="#">AMD Athlon 5350 APU</a>                 | 4 | 1,770          | 702               | 25                | AM1,FS1B   | Desktop   |
| <a href="#">AMD Athlon 5370 APU</a>                 | 4 | 1,857          | 746               | 25                | AM1,FS1B   | Desktop   |
| <a href="#">AMD Athlon 64 2000+</a>                 | 1 | 154            | 173               | 8                 | Unknown    | Unknown   |
| <a href="#">AMD Athlon 64 2600+</a>                 | 1 | 243            | 292               | 15                | Unknown    | Unknown   |
| <a href="#">AMD Athlon 64 2800+</a>                 | 1 | 295            | 375               | 89                | 754        | Unknown   |
| <a href="#">AMD Athlon 64 3000+</a>                 | 1 | 303            | 506               | 89                | Socket 754 | Desktop   |
| <a href="#">AMD Athlon 64 3100+</a>                 | 1 | 484            | 600               | 89                | 754        | Desktop   |
| <a href="#">AMD Athlon 64 3200+</a>                 | 1 | 340            | 568               | 62                | AM2        | Unknown   |
| <a href="#">AMD Athlon 64 3300+</a>                 | 1 | 375            | 477               | NA                | Unknown    | Unknown   |
| <a href="#">AMD Athlon 64 3400+</a>                 | 1 | 375            | 429               | 89                | 754        | Unknown   |
| <a href="#">AMD Athlon 64 3500+</a>                 | 1 | 396            | 568               | 45                | AM2        | Unknown   |
| <a href="#">AMD Athlon 64 3700+</a>                 | 1 | 394            | 435               | 89                | 939        | Desktop   |
| <a href="#">AMD Athlon 64 3800+</a>                 | 1 | 292            | 461               | 45                | AM2        | Unknown   |
| <a href="#">AMD Athlon 64 4000+</a>                 | 1 | 340            | 565               | 62                | AM2        | Unknown   |
| <a href="#">AMD Athlon 64 FX-55</a>                 | 1 | 404            | 505               | 104               | 939        | Desktop   |
| <a href="#">AMD Athlon 64 FX-57</a>                 | 1 | 517            | 552               | 104               | 939        | Desktop   |
| <a href="#">AMD Athlon 64 FX-59</a>                 | 1 | 465            | 575               | NA                | 939        | Desktop   |
| <a href="#">AMD Athlon 64 FX-60 Dual Core</a>       | 2 | 709            | 912               | 110               | 939        | Desktop   |
| <a href="#">AMD Athlon 64 FX-62 Dual Core</a>       | 2 | 943            | 1,000             | 125               | AM2        | Desktop   |
| <a href="#">AMD Athlon 64 FX-74</a>                 | 2 | 972            | 617               | 125               | F (1207)   | Desktop   |
| <a href="#">AMD Athlon 64 X2 3800+</a>              | 2 | 566            | 745               | 89                | 939        | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual Core 3400+</a>    | 2 | 531            | 505               | 89                | 754        | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual Core 3600+</a>    | 2 | 596            | 686               | 65                | AM2        | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual Core 3800+</a>    | 2 | 611            | 723               | 89                | AM2        | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual Core 4000+</a>    | 2 | 647            | 724               | 65                | AM2        | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual Core 4200+</a>    | 2 | 662            | 781               | 89                | AM2        | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual Core 4400+</a>    | 2 | 680            | 783               | 65                | AM2        | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual Core 4600+</a>    | 2 | 716            | 839               | 65                | AM2        | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual Core 4800+</a>    | 2 | 722            | 885               | 65                | AM2        | Desktop   |



| <a href="#">AMD Athlon 64 X2 Dual Core 5000+</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo  | Kategoria |
|---|---|----------------|-------------------|-------------------|----------|-----------|
| <a href="#">AMD Athlon 64 X2 Dual Core 5400+</a>                    | 2 | 898            | 1,018             | 89                | AM2      | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual Core 5600+</a>                    | 2 | 797            | 1,008             | 89                | Unknown  | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual Core 5800+</a>                    | 2 | 917            | 1,019             | 89                | AM2      | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual Core 6000+</a>                    | 2 | 967            | 1,142             | 125               | AM2      | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual Core BE-2300</a>                  | 2 | 594            | 624               | 45                | AM2      | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual Core BE-2350</a>                  | 2 | 573            | 674               | 45                | AM2      | Desktop   |
| <a href="#">AMD Athlon 64 X2 Dual-Core TK-42</a>                    | 2 | 577            | 537               | 20                | Unknown  | Unknown   |
| <a href="#">AMD Athlon 64 X2 Dual-Core TK-53</a>                    | 2 | 535            | 600               | 31                | Unknown  | Unknown   |
| <a href="#">AMD Athlon 64 X2 Dual-Core TK-55</a>                    | 2 | 525            | 613               | 35                | Unknown  | Unknown   |
| <a href="#">AMD Athlon 64 X2 Dual-Core TK-57</a>                    | 2 | 617            | 667               | 31                | Unknown  | Unknown   |
| <a href="#">AMD Athlon 64 X2 QL-60</a>                              | 2 | 465            | 557               | 35                | S1       | Laptop    |
| <a href="#">AMD Athlon 64 X2 QL-62</a>                              | 2 | 553            | 685               | 35                | S1       | Laptop    |
| <a href="#">AMD Athlon 64 X2 QL-64</a>                              | 2 | 622            | 732               | 35                | S1       | Laptop    |
| <a href="#">AMD Athlon 64 X2 QL-65</a>                              | 2 | 609            | 653               | 35                | S1       | Laptop    |
| <a href="#">AMD Athlon 64 X2 QL-66</a>                              | 2 | 641            | 751               | 35                | S1       | Laptop    |
| <a href="#">AMD Athlon 64 X2 QL-67</a>                              | 2 | 582            | 515               | 35                | S1       | Laptop    |
| <a href="#">AMD Athlon 7450 Dual-Core</a>                           | 2 | 789            | 853               | 95                | AM2+     | Desktop   |
| <a href="#">AMD Athlon 7550 Dual-Core</a>                           | 2 | 859            | 919               | 95                | AM2+     | Desktop   |
| <a href="#">AMD Athlon 7750 Dual-Core</a>                           | 2 | 956            | 1,027             | 95                | AM2+     | Desktop   |
| <a href="#">AMD Athlon 7850 Dual-Core</a>                           | 2 | 1,037          | 1,110             | 95                | AM2+     | Desktop   |
| <a href="#">AMD Athlon Dual Core 4050e</a>                          | 2 | 616            | 732               | 45                | AM2      | Desktop   |
| <a href="#">AMD Athlon Dual Core 4450B</a>                          | 2 | 684            | 780               | 45                | AM2+     | Desktop   |
| <a href="#">AMD Athlon Dual Core 4450e</a>                          | 2 | 698            | 812               | 45                | AM2      | Desktop   |
| <a href="#">AMD Athlon Dual Core 4850B</a>                          | 2 | 727            | 887               | 45                | AM2+     | Desktop   |
| <a href="#">AMD Athlon Dual Core 4850e</a>                          | 2 | 735            | 879               | 45                | AM2      | Desktop   |
| <a href="#">AMD Athlon Dual Core 5000B</a>                          | 2 | 835            | 935               | 65                | AM2      | Desktop   |
| <a href="#">AMD Athlon Dual Core 5050e</a>                          | 2 | 811            | 914               | 45                | AM2      | Desktop   |
| <a href="#">AMD Athlon Dual Core 5200B</a>                          | 2 | 796            | 953               | 65                | AM2      | Desktop   |
| <a href="#">AMD Athlon Dual Core 5400B</a>                          | 2 | 826            | 969               | 65                | AM2      | Desktop   |
| <a href="#">AMD Athlon Dual Core 5600B</a>                          | 2 | 737            | 1,003             | 65                | AM2+     | Desktop   |
| <a href="#">AMD Athlon Gold 3150U</a>                               | 2 | 4,061          | 1,798             | 15                | FP5      | Laptop    |
| <a href="#">AMD Athlon Gold PRO 3150G</a>                           | 4 | 7,702          | 2,321             | 65                | AM4      | Desktop   |
| <a href="#">AMD Athlon Gold PRO 3150GE</a>                          | 4 | 7,212          | 2,178             | 35                | AM4      | Desktop   |
| <a href="#">AMD Athlon II 160u</a>                                  | 1 | 358            | 717               | 20                | Unknown  | Desktop   |
| <a href="#">AMD Athlon II 170u</a>                                  | 1 | 357            | 728               | 20                | AM2+,AM3 | Desktop   |
| <a href="#">AMD Athlon II Dual-Core M300</a>                        | 2 | 600            | 726               | 35                | Unknown  | Unknown   |
| <a href="#">AMD Athlon II Dual-Core M320</a>                        | 2 | 679            | 827               | 35                | Unknown  | Unknown   |
| <a href="#">AMD Athlon II Dual-Core M340</a>                        | 2 | 676            | 774               | 35                | Unknown  | Unknown   |
| <a href="#">AMD Athlon II N330 Dual-Core</a>                        | 2 | 665            | 813               | 35                | Unknown  | Unknown   |

| <a href="#">AMD Athlon II N350 Dual-Core</a>     |          |                |            |         |          |           |
|--|----------|----------------|------------|---------|----------|-----------|
| Nazwa procesora                                  | Procesor | Znak procesora | Znak wątku | TDP (W) | Gniazdo  | Kategoria |
|  |          |                | Min        | Min...  |          |           |
| <a href="#">AMD Athlon II N370 Dual-Core</a>     | 2        | 387            | 472        | 12      | Unknown  | Laptop    |
| <a href="#">AMD Athlon II Neo K325 Dual-Core</a> | 2        | 527            | 552        | 12      | Unknown  | Laptop    |
| <a href="#">AMD Athlon II Neo K345 Dual-Core</a> | 2        | 446            | 507        | 12      | Unknown  | Laptop    |
| <a href="#">AMD Athlon II Neo N36L Dual-Core</a> | 2        | 675            | 813        | 25      | Unknown  | Unknown   |
| <a href="#">AMD Athlon II P320 Dual-Core</a>     | 2        | 686            | 844        | 25      | S1g4     | Unknown   |
| <a href="#">AMD Athlon II P340 Dual-Core</a>     | 2        | 711            | 879        | 25      | S1g4     | Unknown   |
| <a href="#">AMD Athlon II P360 Dual-Core</a>     | 2        | 1,105          | 1,105      | 45      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 210e</a>            | 2        | 950            | 1,037      | 65      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 215</a>             | 2        | 1,009          | 1,100      | 65      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 220</a>             | 2        | 1,049          | 1,107      | 45      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 235e</a>            | 2        | 933            | 1,029      | 65      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 240</a>             | 2        | 962            | 1,099      | 45      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 240e</a>            | 2        | 1,010          | 1,107      | 65      | AM2+/AM3 | Desktop   |
| <a href="#">AMD Athlon II X2 245</a>             | 2        | 1,075          | 1,145      | 45      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 245e</a>            | 2        | 1,072          | 1,152      | 65      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 250</a>             | 2        | 1,046          | 1,153      | 45      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 250e</a>            | 2        | 604            | 632        | 25      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 250u</a>            | 2        | 1,155          | 1,246      | 65      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 255</a>             | 2        | 1,099          | 1,244      | 65      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 260</a>             | 2        | 663            | 703        | 25      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 260u</a>            | 2        | 1,233          | 1,344      | 65      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 265</a>             | 2        | 1,234          | 1,353      | 65      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 270</a>             | 2        | 675            | 791        | 25      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 270u</a>            | 2        | 1,355          | 1,462      | 65      | AM3      | Unknown   |
| <a href="#">AMD Athlon II X2 280</a>             | 2        | 990            | 1,074      | 13      | Unknown  | Unknown   |
| <a href="#">AMD Athlon II X2 4300e</a>           | 2        | 1,059          | 1,121      | 37      | Unknown  | Unknown   |
| <a href="#">AMD Athlon II X2 4400e</a>           | 2        | 867            | 1,066      | 45      | AM2      | Desktop   |
| <a href="#">AMD Athlon II X2 4450e</a>           | 2        | 1,036          | 1,124      | 65      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 B22</a>             | 2        | 1,073          | 1,206      | 65      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 B24</a>             | 2        | 1,229          | 1,302      | 65      | Unknown  | Unknown   |
| <a href="#">AMD Athlon II X2 B26</a>             | 2        | 1,091          | 1,329      | 65      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X2 B28</a>             | 2        | 1,320          | 908        | 45      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X3 400e</a>            | 3        | 1,331          | 973        | 45      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X3 405e</a>            | 3        | 1,441          | 1,028      | 45      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X3 415e</a>            | 3        | 1,557          | 1,058      | 45      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X3 420e</a>            | 3        | 1,547          | 1,109      | 95      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X3 425</a>             | 3        | 1,656          | 1,185      | 95      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X3 435</a>             | 3        | 1,660          | 1,203      | 95      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X3 440</a>             | 3        | 1,782          | 1,281      | 95      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X3 445</a>             | 3        | 1,763          | 1,292      | 95      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X3 450</a>             | 3        | 1,832          | 1,343      | 95      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X3 455</a>             | 3        | 1,924          | 1,390      | 95      | AM3      | Desktop   |
| <a href="#">AMD Athlon II X3 460</a>             | 3        | 2,418          | 1,204      | NA      | Unknown  | Unknown   |
| <a href="#">AMD Athlon II X4 553</a>             | 4        | 2,310          | 1,242      | NA      | Unknown  | Unknown   |
| <a href="#">AMD Athlon II X4 555</a>             | 4        |                |            |         |          |           |

| <a href="#">AMD Athlon II X4 557</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo        | Kategoria |
|---|---|----------------|-------------------|-------------------|----------------|-----------|
| <a href="#">AMD Athlon II X4 605e</a>                   | 4 | 1,959          | 1,028             | 45                | AM3            | Desktop   |
| <a href="#">AMD Athlon II X4 610e</a>                   | 4 | 1,859          | 1,003             | 45                | AM3            | Desktop   |
| <a href="#">AMD Athlon II X4 615e</a>                   | 4 | 1,967          | 1,037             | 45                | AM3            | Desktop   |
| <a href="#">AMD Athlon II X4 620</a>                    | 4 | 1,911          | 1,051             | 95                | AM3            | Desktop   |
| <a href="#">AMD Athlon II X4 630</a>                    | 4 | 2,079          | 1,140             | 95                | AM3            | Desktop   |
| <a href="#">AMD Athlon II X4 631 Quad-Core</a>          | 4 | 2,072          | 1,118             | 100               | FM1            | Desktop   |
| <a href="#">AMD Athlon II X4 635</a>                    | 4 | 2,050          | 1,123             | 95                | AM3            | Desktop   |
| <a href="#">AMD Athlon II X4 638 Quad-Core</a>          | 4 | 2,026          | 1,182             | 65                | FM1            | Desktop   |
| <a href="#">AMD Athlon II X4 640</a>                    | 4 | 2,150          | 1,202             | 95                | AM3            | Desktop   |
| <a href="#">AMD Athlon II X4 641 Quad-Core</a>          | 4 | 2,143          | 1,192             | 100               | FM1            | Desktop   |
| <a href="#">AMD Athlon II X4 645</a>                    | 4 | 2,246          | 1,260             | 95                | AM3            | Desktop   |
| <a href="#">AMD Athlon II X4 650</a>                    | 4 | 2,440          | 1,329             | 95                | Unknown        | Unknown   |
| <a href="#">AMD Athlon II X4 651 Quad-Core</a>          | 4 | 2,338          | 1,296             | 100               | FM1            | Unknown   |
| <a href="#">AMD Athlon II X4 655</a>                    | 4 | 2,078          | 1,473             | 95                | AM2+ (940-pin) | Unknown   |
| <a href="#">AMD Athlon L110</a>                         | 1 | 197            | 223               | 13                | Unknown        | Unknown   |
| <a href="#">AMD Athlon LE-1600</a>                      | 1 | 412            | 430               | 45                | AM2            | Desktop   |
| <a href="#">AMD Athlon LE-1620</a>                      | 1 | 421            | 475               | 45                | AM2            | Desktop   |
| <a href="#">AMD Athlon LE-1640</a>                      | 1 | 430            | 489               | 45                | AM2            | Desktop   |
| <a href="#">AMD Athlon LE-1660</a>                      | 1 | 416            | 428               | 45                | AM2            | Desktop   |
| <a href="#">AMD Athlon Neo MV-40</a>                    | 1 | 282            | 442               | 15                | Unknown        | Unknown   |
| <a href="#">AMD Athlon Neo X2 Dual Core 6850e</a>       | 2 | 456            | 566               | 22                | Unknown        | Unknown   |
| <a href="#">AMD Athlon Neo X2 Dual Core L325</a>        | 2 | 476            | 527               | 18                | Unknown        | Unknown   |
| <a href="#">AMD Athlon Neo X2 Dual Core L335</a>        | 2 | 487            | 547               | 18                | Unknown        | Unknown   |
| <a href="#">AMD Athlon PRO 200GE</a>                    | 2 | 4,139          | 1,821             | 35                | AM4            | Desktop   |
| <a href="#">AMD Athlon PRO 300GE</a>                    | 2 | 4,528          | 1,948             | 35                | AM4            | Desktop   |
| <a href="#">AMD Athlon Silver 3050e</a>                 | 2 | 2,930          | 1,460             | 6                 | Unknown        | Laptop    |
| <a href="#">AMD Athlon Silver 3050GE</a>                | 2 | 4,545          | 2,016             | 35                | AM4            | Laptop    |
| <a href="#">AMD Athlon Silver 3050U</a>                 | 2 | 3,083          | 1,714             | 15                | FP5            | Laptop    |
| <a href="#">AMD Athlon Silver PRO 3125GE</a>            | 2 | 4,633          | 2,074             | 35                | AM4            | Desktop   |
| <a href="#">AMD Athlon TF-20</a>                        | 1 | 268            | 269               | 15                | Unknown        | Unknown   |
| <a href="#">AMD Athlon TF-36</a>                        | 1 | 338            | 349               | 25                | Unknown        | Unknown   |
| <a href="#">AMD Athlon X2 215</a>                       | 2 | 996            | 1,107             | 65                | Unknown        | Unknown   |
| <a href="#">AMD Athlon X2 240</a>                       | 2 | 921            | 1,017             | 65                | Unknown        | Unknown   |
| <a href="#">AMD Athlon X2 240e</a>                      | 2 | 1,015          | 1,092             | 45                | Unknown        | Unknown   |
| <a href="#">AMD Athlon X2 250</a>                       | 2 | 993            | 1,132             | 65                | Unknown        | Unknown   |
| <a href="#">AMD Athlon X2 255</a>                       | 2 | 938            | 1,095             | 65                | AM2+/AM3       | Unknown   |
| <a href="#">AMD Athlon X2 280</a>                       | 2 | 1,327          | 1,258             | 65                | AM3            | Unknown   |
| <a href="#">AMD Athlon X2 340 Dual Core</a>             | 2 | 1,315          | 1,301             | 65                | Unknown        | Unknown   |
| <a href="#">AMD Athlon X2 370K Dual Core</a>            | 1 | 1,504          | 1,514             | 65                | Unknown        | Unknown   |
| <a href="#">AMD Athlon X2 Dual Core 3250e</a>           | 2 | 357            | 458               | 22                | Unknown        | Unknown   |
| <a href="#">AMD Athlon X2 Dual Core 6850e</a>           | 2 | 564            | 623               | 22                | Unknown        | Unknown   |



| <a href="#">AMD Athlon X2 Dual Core BE-2300</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo        | Kategoria |
|--|---|----------------|-------------------|-------------------|----------------|-----------|
| <a href="#">AMD Athlon X2 Dual Core BE-2400</a>                    | 2 | 688            | 693               | 18                | FT1            | Desktop   |
| <a href="#">AMD Athlon X2 Dual Core L310</a>                       | 2 | 379            | 434               | 13                | S1             | Laptop    |
| <a href="#">AMD Athlon X3 425</a>                                  | 3 | 1,516          | 845               | 95                | Unknown        | Unknown   |
| <a href="#">AMD Athlon X3 435</a>                                  | 3 | 1,781          | 1,192             | 95                | Unknown        | Unknown   |
| <a href="#">AMD Athlon X3 440</a>                                  | 3 | 1,438          | 1,129             | 95                | Unknown        | Unknown   |
| <a href="#">AMD Athlon X3 455</a>                                  | 3 | 1,783          | 1,227             | 95                | AM2+/AM3       | Unknown   |
| <a href="#">AMD Athlon X4 530</a>                                  | 4 | 1,786          | 690               | 25                | AM1            | Desktop   |
| <a href="#">AMD Athlon X4 620</a>                                  | 4 | 1,767          | 1,014             | 95                | Unknown        | Unknown   |
| <a href="#">AMD Athlon X4 640</a>                                  | 4 | 2,115          | 1,224             | 95                | Unknown        | Unknown   |
| <a href="#">AMD Athlon X4 740 Quad Core</a>                        | 2 | 2,655          | 1,354             | 65                | FM2            | Desktop   |
| <a href="#">AMD Athlon X4 750 Quad Core</a>                        | 4 | 1,986          | 1,338             | 65                | FM2            | Desktop   |
| <a href="#">AMD Athlon X4 750K Quad Core</a>                       | 2 | 2,717          | 1,433             | 100               | FM2            | Unknown   |
| <a href="#">AMD Athlon X4 760K Quad Core</a>                       | 2 | 2,914          | 1,509             | 100               | FM2            | Desktop   |
| <a href="#">AMD Athlon X4 830</a>                                  | 2 | 2,901          | 1,292             | 65                | FM2+           | Desktop   |
| <a href="#">AMD Athlon X4 840</a>                                  | 2 | 3,269          | 1,476             | 65                | FM2+           | Desktop   |
| <a href="#">AMD Athlon X4 845</a>                                  | 2 | 3,777          | 1,676             | 65                | FM2+           | Desktop   |
| <a href="#">AMD Athlon X4 860K</a>                                 | 2 | 3,435          | 1,535             | 95                | FM2+           | Desktop   |
| <a href="#">AMD Athlon X4 870K</a>                                 | 2 | 3,395          | 1,552             | 95                | FM2+           | Desktop   |
| <a href="#">AMD Athlon X4 880K</a>                                 | 2 | 3,667          | 1,625             | 95                | FM2+           | Desktop   |
| <a href="#">AMD Athlon X4 950</a>                                  | 4 | 3,562          | 1,643             | 65                | AM4            | Desktop   |
| <a href="#">AMD Athlon XP 1500+</a>                                | 1 | 167            | 251               | NA                | Unknown        | Unknown   |
| <a href="#">AMD Athlon XP 1600+</a>                                | 1 | 174            | 265               | NA                | Unknown        | Unknown   |
| <a href="#">AMD Athlon XP 1700+</a>                                | 1 | 176            | 272               | 64                | Socket A (462) | Desktop   |
| <a href="#">AMD Athlon XP 1800+</a>                                | 1 | 195            | 301               | 66                | Socket A       | Desktop   |
| <a href="#">AMD Athlon XP 1900+</a>                                | 1 | 203            | 312               | NA                | Unknown        | Unknown   |
| <a href="#">AMD Athlon XP 2000+</a>                                | 1 | 195            | 311               | 70                | Socket A       | Desktop   |
| <a href="#">AMD Athlon XP 2100+</a>                                | 1 | 210            | 327               | NA                | Unknown        | Unknown   |
| <a href="#">AMD Athlon XP 2200+</a>                                | 1 | 214            | 335               | NA                | Unknown        | Unknown   |
| <a href="#">AMD Athlon XP 2400+</a>                                | 1 | 234            | 375               | NA                | Unknown        | Unknown   |
| <a href="#">AMD Athlon XP 2500+</a>                                | 1 | 231            | 353               | NA                | Unknown        | Unknown   |
| <a href="#">AMD Athlon XP 2600+</a>                                | 1 | 242            | 380               | NA                | Unknown        | Unknown   |
| <a href="#">AMD Athlon XP 2700+</a>                                | 1 | 256            | 398               | NA                | Unknown        | Unknown   |
| <a href="#">AMD Athlon XP 2800+</a>                                | 1 | 260            | 408               | 89                | 754            | Unknown   |
| <a href="#">AMD Athlon XP 2900+</a>                                | 1 | 276            | 410               | NA                | Unknown        | Unknown   |
| <a href="#">AMD Athlon XP 3000+</a>                                | 1 | 262            | 396               | 62                | Socket A       | Desktop   |
| <a href="#">AMD Athlon XP 3100+</a>                                | 1 | 282            | 431               | NA                | Unknown        | Unknown   |
| <a href="#">AMD Athlon XP 3200+</a>                                | 1 | 281            | 430               | 62                | AM2            | Unknown   |
| <a href="#">AMD Athlon XP1600+</a>                                 | 1 | 183            | 272               | NA                | Unknown        | Unknown   |
| <a href="#">AMD Athlon XP2400+</a>                                 | 1 | 243            | 390               | NA                | Unknown        | Unknown   |
| <a href="#">AMD Athlon64 X2 Dual Core 4600+</a>                    | 2 | 803            | 755               | 110               | AM2            | Desktop   |
| <a href="#">AMD C-30</a>   | 1 | 178            | 375               | 9                 | FT1            | Laptop    |
| <a href="#">AMD C-50</a>   | 2 | 260            | 315               | 9                 | FT1            | Laptop    |
| <a href="#">AMD C-60</a>   | 2 | 290            | 354               | 9                 | Unknown        | Unknown   |
| <a href="#">AMD C-60 APU</a>                                       | 2 | 309            | 363               | 9                 | Unknown        | Unknown   |
| <a href="#">AMD C-70 APU</a>                                       | 2 | 300            | 354               | 9                 | Unknown        | Unknown   |

| <a href="#">AMD E-240</a><br>Nazwa procesora              |    | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo       | Kategoria               |
|---|----|----------------|-------------------|-------------------|---------------|-------------------------|
| <a href="#">AMD E-350D APU</a>                            | 2  | 478            | 521               | 18                | Unknown       | Unknown                 |
| <a href="#">AMD E-450 APU</a>                             | 2  | 424            | 503               | 18                | FT1           | Laptop                  |
| <a href="#">AMD E1 Micro-6200T APU</a>                    | 2  | 600            | 498               | 3.95              | FT3b          | Laptop                  |
| <a href="#">AMD E1-1200 APU</a>                           | 2  | 377            | 428               | 18                | FT1           | Laptop                  |
| <a href="#">AMD E1-1500 APU</a>                           | 2  | 398            | 462               | 18                | FT1           | Laptop                  |
| <a href="#">AMD E1-2100 APU</a>                           | 2  | 408            | 328               | 9                 | FT3           | Laptop                  |
| <a href="#">AMD E1-2200 APU</a>                           | 2  | 474            | 368               | 9                 | FT3           | Laptop                  |
| <a href="#">AMD E1-2500 APU</a>                           | 2  | 590            | 465               | 15                | FT3           | Laptop                  |
| <a href="#">AMD E1-6010 APU</a>                           | 2  | 540            | 430               | 10                | FT3b          | Laptop                  |
| <a href="#">AMD E1-6015 APU</a>                           | 2  | 551            | 436               | NA                | BGA769 (FT3b) | Laptop                  |
| <a href="#">AMD E1-6050J APU</a>                          | 2  | 1,385          | 787               | 10                | Unknown       | Unknown                 |
| <a href="#">AMD E1-7010 APU</a>                           | 2  | 585            | 493               | 10                | BGA769 (FT3b) | Laptop                  |
| <a href="#">AMD E2-1800 APU</a>                           | 2  | 437            | 530               | 18                | FT1           | Desktop                 |
| <a href="#">AMD E2-2000 APU</a>                           | 2  | 501            | 549               | 18                | BGA413,FT1    | Laptop                  |
| <a href="#">AMD E2-3000 APU</a>                           | 2  | 726            | 547               | 15                | FT3           | Laptop                  |
| <a href="#">AMD E2-3000M APU</a>                          | 2  | 665            | 735               | 35                | FS1           | Laptop                  |
| <a href="#">AMD E2-3200 APU</a>                           | 2  | 971            | 971               | 65                | FM1           | Desktop                 |
| <a href="#">AMD E2-3800 APU</a>                           | 4  | 1,114          | 446               | 15                | FT3           | Laptop                  |
| <a href="#">AMD E2-6110 APU</a>                           | 4  | 1,121          | 466               | 15                | AM1,FT3b      | Laptop                  |
| <a href="#">AMD E2-7110 APU</a>                           | 4  | 1,522          | 613               | 15                | FP4 BGA       | Laptop                  |
| <a href="#">AMD E2-9000</a>                               | 2  | 889            | 755               | 10                | Unknown       | Laptop                  |
| <a href="#">AMD E2-9000e</a>                              | 2  | 795            | 707               | 6                 | Unknown       | Laptop                  |
| <a href="#">AMD E2-9010</a>                               | 2  | 991            | 871               | 15                | FP4           | Laptop                  |
| <a href="#">AMD E2-9030</a>                               | 2  | 922            | 906               | NA                | BGA (FT4)     | Desktop                 |
| <a href="#">AMD Embedded G-Series GX-215JJ Radeon R2E</a> | 2  | 1,057          | 869               | 10                | FP4           | Laptop, Mobile/Embedded |
| <a href="#">AMD Embedded G-Series GX-224IJ Radeon R4E</a> | 2  | 1,271          | 1,119             | 15                | FP4           | Laptop, Mobile/Embedded |
| <a href="#">AMD Embedded G-Series GX-420GI Radeon R7E</a> | 4  | 1,603          | 852               | 16.1              | FP4           | Laptop, Mobile/Embedded |
| <a href="#">AMD Embedded R-Series RX-216GD</a>            | 2  | 1,628          | 1,313             | 15                | BGA (FP4)     | Laptop, Mobile/Embedded |
| <a href="#">AMD Embedded R-Series RX-418GD Radeon R6</a>  | 4  | 3,426          | 1,467             | 35                | FP4           | Laptop, Mobile/Embedded |
| <a href="#">AMD Embedded R-Series RX-421BD</a>            | 4  | 3,302          | 1,477             | 35                | BGA (FP4)     | Laptop, Mobile/Embedded |
| <a href="#">AMD EPYC 3201</a>                             | 8  | 10,258         | 1,928             | 30                | SP4r2         | Server                  |
| <a href="#">AMD EPYC 3251</a>                             | 8  | 13,749         | 1,857             | 50                | SP4r2         | Server                  |
| <a href="#">AMD EPYC 7232P</a>                            | 8  | 16,667         | 1,401             | 120               | SP3           | Server                  |
| <a href="#">AMD EPYC 7251</a>                             | 8  | 14,935         | 1,671             | 120               | SP3           | Server                  |
| <a href="#">AMD EPYC 7252</a>                             | 8  | 19,550         | 1,992             | 120               | SP3           | Server                  |
| <a href="#">AMD EPYC 7262</a>                             | 8  | 20,875         | 2,015             | 155               | SP3           | Server                  |
| <a href="#">AMD EPYC 7272</a>                             | 12 | 26,446         | 2,013             | 120               | SP3           | Server                  |
| <a href="#">AMD EPYC 7281</a>                             | 16 | 21,230         | 1,613             | 155               | SP3           | Server                  |
| <a href="#">AMD EPYC 7282</a>                             | 16 | 31,502         | 1,984             | 120               | SP3           | Server                  |
| <a href="#">AMD EPYC 7301</a>                             | 16 | 14,991         | 1,363             | 155               | SP3           | Server                  |
| <a href="#">AMD EPYC 7302</a>                             | 16 | 33,015         | 1,978             | 155               | SP3           | Server                  |
| <a href="#">AMD EPYC 7302P</a>                            | 16 | 32,480         | 1,878             | 155               | SP3           | Server                  |

| <a href="#">AMD EPYC 7313</a><br>Nazwa procesora |    | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|--|----|----------------|-------------------|-------------------|---------|-----------|
| <a href="#">AMD EPYC 7351</a>                    | 16 | 23,566         | 1,821             | 155               | SP3     | Server    |
| <a href="#">AMD EPYC 7351P</a>                   | 16 | 19,589         | 1,876             | 155               | SP3     | Server    |
| <a href="#">AMD EPYC 7352</a>                    | 24 | 40,472         | 1,995             | 155               | SP3     | Server    |
| <a href="#">AMD EPYC 7371</a>                    | 16 | 31,094         | 2,377             | NA                | SP3     | Server    |
| <a href="#">AMD EPYC 73F3</a>                    | 16 | 46,085         | 2,878             | 240               | SP3     | Server    |
| <a href="#">AMD EPYC 7401P</a>                   | 24 | 31,767         | 1,834             | 155               | SP3     | Server    |
| <a href="#">AMD EPYC 7402</a>                    | 24 | 45,684         | 2,090             | 180               | SP3     | Server    |
| <a href="#">AMD EPYC 7402P</a>                   | 24 | 41,741         | 1,970             | 180               | SP3     | Server    |
| <a href="#">AMD EPYC 7413</a>                    | 24 | 46,295         | 1,983             | 180               | SP3     | Server    |
| <a href="#">AMD EPYC 7443P</a>                   | 24 | 58,047         | 3,002             | 200               | SP3     | Server    |
| <a href="#">AMD EPYC 7451</a>                    | 24 | 20,471         | 1,975             | 180               | SP3     | Server    |
| <a href="#">AMD EPYC 7452</a>                    | 32 | 41,871         | 1,689             | 155               | SP3     | Server    |
| <a href="#">AMD EPYC 74F3</a>                    | 24 | 60,948         | 2,975             | 240               | SP3     | Server    |
| <a href="#">AMD EPYC 7501</a>                    | 32 | 24,925         | 1,925             | 155               | SP3     | Server    |
| <a href="#">AMD EPYC 7502</a>                    | 32 | 49,177         | 1,843             | 180               | SP3     | Server    |
| <a href="#">AMD EPYC 7502P</a>                   | 32 | 47,070         | 1,810             | 180               | SP3     | Server    |
| <a href="#">AMD EPYC 7513</a>                    | 32 | 57,408         | 2,289             | 200               | SP3     | Server    |
| <a href="#">AMD EPYC 7532</a>                    | 32 | 55,358         | 2,137             | 200               | SP3     | Server    |
| <a href="#">AMD EPYC 7542</a>                    | 32 | 56,728         | 2,207             | 225               | SP3     | Server    |
| <a href="#">AMD EPYC 7543</a>                    | 32 | 45,978         | 2,772             | 240               | SP3     | Server    |
| <a href="#">AMD EPYC 7543P</a>                   | 32 | 67,733         | 2,758             | 225               | SP3     | Server    |
| <a href="#">AMD EPYC 7551</a>                    | 32 | 23,002         | 1,784             | 180               | SP3     | Server    |
| <a href="#">AMD EPYC 7551P</a>                   | 32 | 23,927         | 1,651             | 180               | SP3     | Server    |
| <a href="#">AMD EPYC 7571</a>                    | 32 | 27,445         | 1,934             | 120               | SP3     | Server    |
| <a href="#">AMD EPYC 75F3</a>                    | 32 | 68,505         | 2,775             | 280               | SP3     | Server    |
| <a href="#">AMD EPYC 7643</a>                    | 48 | 76,455         | 2,695             | 225               | SP3     | Server    |
| <a href="#">AMD EPYC 7662</a>                    | 64 | 71,576         | 2,054             | 225               | SP3     | Server    |
| <a href="#">AMD EPYC 7702</a>                    | 64 | 71,677         | 2,098             | 200               | SP3     | Server    |
| <a href="#">AMD EPYC 7702P</a>                   | 64 | 58,119         | 2,126             | 200               | SP3     | Server    |
| <a href="#">AMD EPYC 7713</a>                    | 64 | 85,947         | 2,741             | 225               | SP3     | Server    |
| <a href="#">AMD EPYC 7742</a>                    | 64 | 68,749         | 2,145             | 225               | SP3     | Server    |
| <a href="#">AMD EPYC 7763</a>                    | 64 | 87,767         | 2,639             | 280               | SP3     | Server    |
| <a href="#">AMD EPYC 7B13</a>                    | 60 | 77,460         | 2,564             | NA                | Unknown | Server    |
| <a href="#">AMD EPYC 7F32</a>                    | 8  | 23,026         | 2,423             | 180               | SP3     | Server    |
| <a href="#">AMD EPYC 7F52</a>                    | 16 | 40,951         | 2,446             | 240               | SP3     | Server    |
| <a href="#">AMD EPYC 7J13</a>                    | 64 | 86,006         | 2,387             | NA                | Unknown | Server    |
| <a href="#">AMD EPYC 7R32</a>                    | 48 | 64,727         | 1,922             | NA                | Unknown | Server    |
| <a href="#">AMD FirePro A320 APU</a>             | 4  | 2,634          | 1,482             | 100               | FM2     | Desktop   |
| <a href="#">AMD FX-4100 Quad-Core</a>            | 2  | 2,557          | 1,280             | 95                | AM3+    | Desktop   |
| <a href="#">AMD FX-4130 Quad-Core</a>            | 2  | 2,712          | 1,361             | 125               | AM3+    | Desktop   |
| <a href="#">AMD FX-4150 Quad-Core</a>            | 4  | 3,327          | 1,465             | 125               | AM3+    | Desktop   |
| <a href="#">AMD FX-4170 Quad-Core</a>            | 2  | 3,121          | 1,501             | 125               | AM3+    | Desktop   |
| <a href="#">AMD FX-4200 Quad-Core</a>            | 4  | 3,134          | 1,285             | 125               | AM3+    | Desktop   |
| <a href="#">AMD FX-4300 Quad-Core</a>            | 2  | 2,942          | 1,491             | 95                | AM3+    | Desktop   |
| <a href="#">AMD FX-4320</a>                      | 2  | 3,073          | 1,545             | 95                | AM3+    | Desktop   |
| <a href="#">AMD FX-4330</a>                      | 2  | 3,248          | 1,563             | 95                | AM3+    | Desktop   |
| <a href="#">AMD FX-4350 Quad-Core</a>            | 2  | 3,238          | 1,604             | 125               | AM3+    | Desktop   |

| <a href="#">AMD FX-6100 Six-Core</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo       | Kategoria               |
|---|---|----------------|-------------------|-------------------|---------------|-------------------------|
| <a href="#">AMD FX-6200 Six-Core</a>                    | 3 | 3,986          | 1,381             | 125               | AM3+          | Desktop                 |
| <a href="#">AMD FX-6300 Six-Core</a>                    | 3 | 4,146          | 1,486             | 95                | AM3+          | Desktop                 |
| <a href="#">AMD FX-6330 Six-Core</a>                    | 3 | 4,455          | 1,540             | 95                | AM3+          | Desktop                 |
| <a href="#">AMD FX-6350 Six-Core</a>                    | 3 | 4,460          | 1,544             | 125               | AM3+          | Desktop                 |
| <a href="#">AMD FX-670K Quad-Core</a>                   | 2 | 2,897          | 1,566             | 65                | FM2           | Desktop                 |
| <a href="#">AMD FX-7500 APU</a>                         | 4 | 1,853          | 937               | 19                | FP3           | Laptop                  |
| <a href="#">AMD FX-7600P</a>                            | 4 | 2,406          | 1,162             | 35                | FP3           | Laptop                  |
| <a href="#">AMD FX-7600P APU</a>                        | 4 | 2,856          | 1,436             | 35                | FP3           | Laptop                  |
| <a href="#">AMD FX-770K Quad-Core</a>                   | 2 | 2,578          | 1,413             | 65                | FM2+          | Desktop                 |
| <a href="#">AMD FX-8100 Eight-Core</a>                  | 4 | 3,847          | 1,094             | 95                | AM3+          | Desktop                 |
| <a href="#">AMD FX-8120 Eight-Core</a>                  | 4 | 4,556          | 1,328             | 125               | AM3+          | Desktop                 |
| <a href="#">AMD FX-8140 Eight-Core</a>                  | 4 | 4,953          | 1,336             | 95                | AM3+          | Desktop                 |
| <a href="#">AMD FX-8150 Eight-Core</a>                  | 4 | 5,093          | 1,407             | 125               | AM3+          | Desktop                 |
| <a href="#">AMD FX-8300 Eight-Core</a>                  | 4 | 5,237          | 1,485             | 95                | AM3+          | Desktop                 |
| <a href="#">AMD FX-8310 Eight-Core</a>                  | 4 | 5,121          | 1,432             | 95                | AM3+          | Desktop                 |
| <a href="#">AMD FX-8320 Eight-Core</a>                  | 4 | 5,403          | 1,473             | 125               | AM3+          | Desktop                 |
| <a href="#">AMD FX-8320E Eight-Core</a>                 | 4 | 4,953          | 1,405             | 95                | AM3+          | Desktop                 |
| <a href="#">AMD FX-8350 Eight-Core</a>                  | 4 | 5,955          | 1,575             | 125               | AM3+          | Desktop                 |
| <a href="#">AMD FX-8370 Eight-Core</a>                  | 4 | 6,113          | 1,628             | 125               | AM3+          | Desktop                 |
| <a href="#">AMD FX-8370E Eight-Core</a>                 | 4 | 5,219          | 1,476             | 95                | AM3+          | Desktop                 |
| <a href="#">AMD FX-870K Quad Core</a>                   | 2 | 3,094          | 1,369             | NA                | Unknown       | Unknown                 |
| <a href="#">AMD FX-8800P</a>                            | 2 | 2,777          | 1,349             | 35                | FP4           | Laptop                  |
| <a href="#">AMD FX-9370 Eight-Core</a>                  | 4 | 6,008          | 1,675             | 220               | AM3+          | Desktop                 |
| <a href="#">AMD FX-9590 Eight-Core</a>                  | 4 | 6,715          | 1,820             | 220               | AM3+          | Desktop                 |
| <a href="#">AMD FX-9800P</a>                            | 4 | 2,185          | 1,090             | 15                | Unknown       | Laptop                  |
| <a href="#">AMD FX-9830P</a>                            | 4 | 3,138          | 1,529             | 35                | FP4           | Laptop                  |
| <a href="#">AMD FX-B4150 Quad-Core</a>                  | 2 | 3,369          | 1,425             | 95                | AM3+          | Desktop                 |
| <a href="#">AMD G-T40E</a>                              | 2 | 263            | 300               | 6.4               | FT1           | Laptop                  |
| <a href="#">AMD G-T40R</a>                              | 1 | 120            | 327               | 5.5               | FT1           | Laptop                  |
| <a href="#">AMD G-T44R</a>                              | 1 | 130            | 328               | 9                 | FT1           | Laptop                  |
| <a href="#">AMD G-T48E</a>                              | 2 | 416            | 454               | 18                | FT1           | Laptop                  |
| <a href="#">AMD G-T52R</a>                              | 1 | 177            | 381               | 18                | FT1           | Laptop                  |
| <a href="#">AMD G-T56E</a>                              | 2 | 442            | 522               | 18                | FT1           | Laptop                  |
| <a href="#">AMD G-T56N</a>                              | 2 | 476            | 530               | 18                | FT1           | Laptop                  |
| <a href="#">AMD Geode NX 2400+</a>                      | 1 | 400            | 634               | NA                | Unknown       | Unknown                 |
| <a href="#">AMD GX-210JA SOC</a>                        | 2 | 248            | 231               | 6                 | FT3 (769-BGA) | Laptop                  |
| <a href="#">AMD GX-212JC SOC</a>                        | 2 | 619            | 453               | 6                 | FT3b          | Laptop                  |
| <a href="#">AMD GX-217GA SOC</a>                        | 2 | 762            | 558               | 15                | FT3 (769-BGA) | Laptop                  |
| <a href="#">AMD GX-218GL SOC</a>                        | 2 | 754            | 627               | 15                | BGA769 (FT3b) | Laptop                  |
| <a href="#">AMD GX-222GC SOC</a>                        | 2 | 1,038          | 819               | 15                | BGA769 (FT3b) | Laptop, Mobile/Embedded |
| <a href="#">AMD GX-412HC</a>                            | 4 | 1,065          | 412               | 7                 | FT3b          | Laptop                  |
| <a href="#">AMD GX-415GA SOC</a>                        | 4 | 1,378          | 519               | 15                | FT3 (769-BGA) | Laptop                  |
| <a href="#">AMD GX-420CA SOC</a>                        | 4 | 1,715          | 653               | 25                | FT3 (769-BGA) | Laptop                  |
| <a href="#">AMD GX-420MC SOC</a>                        | 4 | 1,796          | 695               | 17.5              | FTB3b         | Laptop                  |
| <a href="#">AMD GX-424CC SOC</a>                        | 4 | 1,755          | 797               | 25                | FT3b          | Laptop                  |
| <a href="#">AMD Opteron 1212</a>                        | 2 | 593            | 729               | 103               | AM2           | Server                  |
| <a href="#">AMD Opteron 1214</a>                        | 2 | 696            | 830               | 103               | AM2           | Server                  |

| <a href="#">AMD Opteron 1214 HE</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo  | Kategoria |
|--|---|----------------|-------------------|-------------------|----------|-----------|
| <a href="#">AMD Opteron 1218</a>                       | 2 | 910            | 962               | 103               | AM2      | Server    |
| <a href="#">AMD Opteron 1220</a>                       | 2 | 1,036          | 1,077             | 103               | AM2      | Server    |
| <a href="#">AMD Opteron 1222</a>                       | 2 | 1,089          | 1,128             | 103               | AM2      | Server    |
| <a href="#">AMD Opteron 1352</a>                       | 4 | 1,464          | 849               | 75                | AM2      | Server    |
| <a href="#">AMD Opteron 1354</a>                       | 4 | 1,620          | 864               | 75                | AM2      | Server    |
| <a href="#">AMD Opteron 1356</a>                       | 4 | 1,703          | 918               | 75                | AM2      | Server    |
|  |   |                |                   |                   |          |           |
| <a href="#">AMD Opteron 1381</a>                       | 4 | 1,797          | 1,011             | 75                | AM3      | Server    |
| <a href="#">AMD Opteron 1385</a>                       | 4 | 1,898          | 1,035             | 115               | AM2+,AM3 | Server    |
| <a href="#">AMD Opteron 1389</a>                       | 4 | 2,079          | 1,102             | 75                | AM2      | Server    |
| <a href="#">AMD Opteron 144</a>                        | 1 | 316            | 376               | 67                | 939      | Server    |
| <a href="#">AMD Opteron 146</a>                        | 1 | 346            | 400               | 67                | 939      | Server    |
| <a href="#">AMD Opteron 148</a>                        | 1 | 392            | 443               | 85.3              | 939      | Server    |
| <a href="#">AMD Opteron 150</a>                        | 1 | 393            | 471               | 85.3              | 939      | Server    |
| <a href="#">AMD Opteron 152</a>                        | 1 | 428            | 487               | 104               | 939      | Server    |
| <a href="#">AMD Opteron 154</a>                        | 1 | 457            | 534               | 104               | 939      | Server    |
| <a href="#">AMD Opteron 165</a>                        | 2 | 531            | 638               | 110               | 939      | Server    |
| <a href="#">AMD Opteron 170</a>                        | 2 | 648            | 715               | 110               | 939      | Server    |
| <a href="#">AMD Opteron 175</a>                        | 2 | 682            | 773               | 110               | 939      | Server    |
| <a href="#">AMD Opteron 180</a>                        | 2 | 746            | 874               | 110               | 939      | Server    |
| <a href="#">AMD Opteron 185</a>                        | 2 | 695            | 884               | 110               | 939      | Server    |
| <a href="#">AMD Opteron 2218</a>                       | 2 | 1,036          | 491               | 95                | F (1207) | Server    |
| <a href="#">AMD Opteron 2220</a>                       | 2 | 1,106          | 553               | 95                | F (1207) | Server    |
| <a href="#">AMD Opteron 2220 SE</a>                    | 2 | 909            | 519               | 119               | F (1207) | Server    |
| <a href="#">AMD Opteron 2222</a>                       | 2 | 1,198          | 618               | 95                | F (1207) | Server    |
| <a href="#">AMD Opteron 2354</a>                       | 4 | 1,509          | 857               | 115               | F (1207) | Server    |
| <a href="#">AMD Opteron 2356</a>                       | 4 | 1,733          | 849               | 75                | F (1207) | Server    |
| <a href="#">AMD Opteron 2373 EE</a>                    | 4 | 1,635          | 814               | 60                | F (1207) | Server    |
| <a href="#">AMD Opteron 2378</a>                       | 4 | 1,864          | 936               | 75                | F (1207) | Server    |
| <a href="#">AMD Opteron 2384</a>                       | 4 | 2,074          | 1,074             | 75                | F (1207) | Server    |
| <a href="#">AMD Opteron 2393 SE</a>                    | 2 | 1,317          | 1,237             | 105               | F (1207) | Server    |
| <a href="#">AMD Opteron 2419 EE</a>                    | 6 | 1,902          | 396               | 60                | F (1207) | Server    |
| <a href="#">AMD Opteron 2427</a>                       | 6 | 1,995          | 386               | 75                | F (1207) | Server    |
| <a href="#">AMD Opteron 2431</a>                       | 6 | 2,936          | 570               | 75                | F (1207) | Server    |
| <a href="#">AMD Opteron 2435</a>                       | 6 | 3,061          | 593               | 75                | F (1207) | Server    |
| <a href="#">AMD Opteron 254</a>                        | 1 | 451            | 578               | 68                | 940      | Server    |
| <a href="#">AMD Opteron 270</a>                        | 2 | 761            | 411               | 95                | 940      | Server    |
| <a href="#">AMD Opteron 275</a>                        | 2 | 839            | 445               | 95                | 940      | Server    |
| <a href="#">AMD Opteron 280</a>                        | 2 | 765            | 430               | 95                | 940      | Server    |
| <a href="#">AMD Opteron 285</a>                        | 2 | 956            | 509               | 95                | 940      | Server    |
| <a href="#">AMD Opteron 290</a>                        | 2 | 952            | 570               | 95                | 940      | Server    |
| <a href="#">AMD Opteron 3250 HE</a>                    | 2 | 2,061          | 1,003             | 45                | AM3+     | Server    |
| <a href="#">AMD Opteron 3260 HE</a>                    | 2 | 2,283          | 900               | 45                | AM3+     | Server    |
| <a href="#">AMD Opteron 3280</a>                       | 8 | 3,720          | 1,043             | 65                | AM3+     | Server    |
| <a href="#">AMD Opteron 3320 EE</a>                    | 2 | 1,918          | 838               | 25                | AM3+     | Server    |
| <a href="#">AMD Opteron 3350 HE</a>                    | 4 | 2,825          | 1,362             | 45                | Unknown  | Server    |
| <a href="#">AMD Opteron 3365</a>                       | 4 | 3,973          | 1,107             | 65                | AM3+     | Server    |
| <a href="#">AMD Opteron 3380</a>                       | 8 | 4,134          | 1,107             | 65                | Unknown  | Server    |



| <a href="#">AMD Opteron 4162 EE</a><br>Nazwa procesora |    | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo    | Kategoria |
|--|----|----------------|-------------------|-------------------|------------|-----------|
| <a href="#">AMD Opteron 4170 HE</a>                    |    |                |                   |                   |            |           |
| <a href="#">AMD Opteron 4274 HE</a>                    | 4  | 5,776          | 1,060             | 65                | C32        | Server    |
| <a href="#">AMD Opteron 4280</a>                       | 4  | 4,504          | 1,141             | 95                | Socket C32 | Server    |
| <a href="#">AMD Opteron 4284</a>                       | 4  | 4,665          | 1,181             | 95                | Socket C32 | Server    |
| <a href="#">AMD Opteron 4332 HE</a>                    | 6  | 3,715          | 1,346             | 65                | Socket C32 | Server    |
| <a href="#">AMD Opteron 4334</a>                       | 3  | 3,949          | 1,269             | 95                | Socket C32 | Server    |
| <a href="#">AMD Opteron 4365 EE</a>                    | 4  | 3,263          | 933               | 40                | Socket C32 | Server    |
| <a href="#">AMD Opteron 4386</a>                       | 4  | 4,378          | 1,012             | 95                | C32        | Server    |
| <a href="#">AMD Opteron 6128</a>                       | 8  | 2,826          | 447               | 115               | G34        | Server    |
| <a href="#">AMD Opteron 6128 HE</a>                    | 8  | 2,932          | 823               | 85                | Socket G34 | Server    |
| <a href="#">AMD Opteron 6136</a>                       | 8  | 3,381          | 549               | 115               | Socket G34 | Server    |
| <a href="#">AMD Opteron 6164 HE</a>                    | 12 | 3,478          | 399               | 85                | Socket G34 | Server    |
| <a href="#">AMD Opteron 6172</a>                       | 12 | 2,789          | 432               | 115               | G34        | Server    |
| <a href="#">AMD Opteron 6174</a>                       | 12 | 3,697          | 488               | 115               | Socket G34 | Server    |
| <a href="#">AMD Opteron 6176 SE</a>                    | 12 | 3,564          | 507               | 140               | G34        | Server    |
| <a href="#">AMD Opteron 6212</a>                       | 4  | 4,007          | 1,085             | 115               | Socket G34 | Server    |
| <a href="#">AMD Opteron 6220</a>                       | 4  | 4,753          | 1,203             | 115               | Socket G34 | Server    |
| <a href="#">AMD Opteron 6234</a>                       | 6  | 4,072          | 547               | 115               | G34        | Server    |
| <a href="#">AMD Opteron 6238</a>                       | 6  | 5,625          | 1,157             | 115               | Socket G34 | Server    |
| <a href="#">AMD Opteron 6272</a>                       | 8  | 5,240          | 753               | 115               | G34        | Server    |
| <a href="#">AMD Opteron 6274</a>                       | 8  | 5,286          | 849               | 115               | G34        | Server    |
| <a href="#">AMD Opteron 6276</a>                       | 8  | 6,351          | 1,122             | 115               | Socket G34 | Server    |
| <a href="#">AMD Opteron 6281</a>                       | 8  | 7,279          | 1,129             | NA                | Socket G34 | Server    |
| <a href="#">AMD Opteron 6282 SE</a>                    | 16 | 6,385          | 953               | 140               | Unknown    | Server    |
| <a href="#">AMD Opteron 6287 SE</a>                    | 16 | 6,925          | 1,091             | NA                | G34        | Server    |
| <a href="#">AMD Opteron 6328</a>                       | 4  | 5,246          | 1,433             | 115               | G34        | Server    |
| <a href="#">AMD Opteron 6344</a>                       | 6  | 6,069          | 1,231             | 115               | Unknown    | Server    |
| <a href="#">AMD Opteron 6348</a>                       | 6  | 8,030          | 1,302             | 115               | Unknown    | Server    |
| <a href="#">AMD Opteron 6366 HE</a>                    | 8  | 4,858          | 793               | 85                | Unknown    | Server    |
| <a href="#">AMD Opteron 6376</a>                       | 8  | 5,572          | 1,165             | 115               | Socket G34 | Server    |
| <a href="#">AMD Opteron 6378</a>                       | 8  | 5,889          | 1,127             | 115               | G34        | Server    |
| <a href="#">AMD Opteron 6380</a>                       | 8  | 6,645          | 1,096             | 115               | G34        | Server    |
| <a href="#">AMD Opteron 6386 SE</a>                    | 16 | 7,017          | 1,262             | 140               | Socket G34 | Server    |
| <a href="#">AMD Opteron 8439 SE</a>                    | 6  | 2,479          | 590               | 105               | F (1207)   | Server    |
| <a href="#">AMD Opteron X2170 APU</a>                  | 4  | 1,911          | 832               | 25                | FT3        | Server    |
| <a href="#">AMD Opteron X3216 APU</a>                  | 2  | 1,525          | 1,294             | 15                | Unknown    | Server    |
| <a href="#">AMD Opteron X3418 APU</a>                  | 4  | 3,137          | 1,450             | 25                | Unknown    | Server    |
| <a href="#">AMD Opteron X3421 APU</a>                  | 4  | 3,375          | 1,497             | 35                | Unknown    | Server    |
| <a href="#">AMD Phenom 8250 Triple-Core</a>            | 3  | 1,114          | 752               | 65                | Unknown    | Desktop   |
| <a href="#">AMD Phenom 8250e Triple-Core</a>           | 3  | 1,084          | 729               | 65                | 940        | Desktop   |
| <a href="#">AMD Phenom 8400 Triple-Core</a>            | 3  | 1,085          | 840               | 95                | AM2+       | Desktop   |
| <a href="#">AMD Phenom 8450 Triple-Core</a>            | 3  | 1,200          | 826               | 95                | AM2+       | Desktop   |
| <a href="#">AMD Phenom 8450e Triple-Core</a>           | 3  | 1,134          | 781               | 65                | AM2+       | Desktop   |
| <a href="#">AMD Phenom 8600 Triple-Core</a>            | 3  | 1,210          | 898               | 95                | AM2+       | Desktop   |
| <a href="#">AMD Phenom 8600B Triple-Core</a>           | 3  | 1,390          | 957               | 95                | AM2+       | Desktop   |
| <a href="#">AMD Phenom 8650 Triple-Core</a>            | 3  | 1,205          | 854               | 95                | AM2+       | Desktop   |
| <a href="#">AMD Phenom 8750 Triple-Core</a>            | 3  | 1,343          | 974               | 95                | AM2+       | Desktop   |
| <a href="#">AMD Phenom 8750B Triple-Core</a>           | 3  | 1,188          | 901               | 95                | AM2+       | Desktop   |

| Nazwa procesora | Procesor | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |
|-----------------|----------|----------------|------------|---------|---------|-----------|
|                 |          |                | Min        | Min...  |         |           |

## CPU Benchmarks

|  |   |       |       |     |          |         |
|--|---|-------|-------|-----|----------|---------|
| <a href="#">AMD Phenom 8850 Triple-Core</a>    | 4 | 1,300 | 705   | 65  | AM2+     | Desktop |
| <a href="#">AMD Phenom 9150e Quad-Core</a>     | 4 | 1,501 | 792   | 65  | AM2+     | Desktop |
| <a href="#">AMD Phenom 9350e Quad-Core</a>     | 4 | 1,455 | 841   | 65  | AM2+     | Desktop |
| <a href="#">AMD Phenom 9450e Quad-Core</a>     | 4 | 1,503 | 843   | 95  | AM2+     | Desktop |
| <a href="#">AMD Phenom 9500 Quad-Core</a>      | 4 | 1,640 | 872   | 95  | AM2+     | Desktop |
| <a href="#">AMD Phenom 9550 Quad-Core</a>      | 4 | 1,590 | 898   | 95  | AM2+     | Desktop |
| <a href="#">AMD Phenom 9600 Quad-Core</a>      | 4 | 1,687 | 929   | 95  | AM2+     | Desktop |
| <a href="#">AMD Phenom 9600B Quad-Core</a>     | 4 | 1,700 | 924   | 95  | AM2+     | Desktop |
| <a href="#">AMD Phenom 9650 Quad-Core</a>      | 4 | 1,804 | 942   | 125 | AM2+     | Desktop |
| <a href="#">AMD Phenom 9750 Quad-Core</a>      | 4 | 1,520 | 913   | 95  | AM2+     | Desktop |
| <a href="#">AMD Phenom 9750B Quad-Core</a>     | 4 | 1,680 | 925   | 125 | AM2+     | Desktop |
| <a href="#">AMD Phenom 9850 Quad-Core</a>      | 4 | 1,946 | 992   | 95  | Unknown  | Unknown |
| <a href="#">AMD Phenom 9850B Quad-Core</a>     | 4 | 1,892 | 1,041 | 125 | AM2+     | Desktop |
| <a href="#">AMD Phenom FX-5000 Quad-Core</a>   | 4 | 1,599 | 826   | 65  | AM2+     | Unknown |
| <a href="#">AMD Phenom FX-5200 Quad-Core</a>   | 4 | 1,699 | 919   | 65  | AM3      | Unknown |
| <a href="#">AMD Phenom II N620 Dual-Core</a>   | 2 | 990   | 1,069 | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II N640 Dual-Core</a>   | 2 | 965   | 1,039 | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II N660 Dual-Core</a>   | 2 | 1,065 | 1,167 | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II N830 3+1</a>         | 4 | 1,768 | 935   | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II N830 Triple-Core</a> | 3 | 1,137 | 798   | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II N850 Triple-Core</a> | 3 | 1,253 | 882   | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II N870 Triple-Core</a> | 3 | 1,139 | 858   | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II N930 Quad-Core</a>   | 4 | 1,558 | 825   | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II N950 Quad-Core</a>   | 4 | 1,538 | 854   | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II N970 Quad-Core</a>   | 4 | 1,646 | 903   | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II P650 Dual-Core</a>   | 2 | 933   | 985   | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II P820 Triple-Core</a> | 3 | 1,068 | 717   | 25  | S1       | Laptop  |
| <a href="#">AMD Phenom II P840 Triple-Core</a> | 3 | 1,116 | 790   | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II P860 Triple-Core</a> | 3 | 1,214 | 831   | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II P920 Quad-Core</a>   | 4 | 1,160 | 598   | 25  | S1       | Laptop  |
| <a href="#">AMD Phenom II P940 Quad-Core</a>   | 4 | 1,319 | 679   | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II P960 Quad-Core</a>   | 4 | 1,412 | 740   | 35  | S1       | Laptop  |
| <a href="#">AMD Phenom II X2 511</a>           | 2 | 1,163 | 1,253 | 65  | AM2+/AM3 | Unknown |
| <a href="#">AMD Phenom II X2 521</a>           | 2 | 1,279 | 1,366 | 65  | AM2+/AM3 | Unknown |
| <a href="#">AMD Phenom II X2 545</a>           | 2 | 1,204 | 1,220 | 80  | AM2+/AM3 | Desktop |
| <a href="#">AMD Phenom II X2 550</a>           | 2 | 1,160 | 1,239 | 80  | AM2+/AM3 | Desktop |
| <a href="#">AMD Phenom II X2 555</a>           | 2 | 1,301 | 1,318 | 80  | AM2+/AM3 | Desktop |

[AMD Phenom II X2 560](#)[AMD Phenom II X2 565](#)

Nazwa procesora

Znak  
procesoraZnak wątku  
MinTDP (W)  
Min...Gniazdo  
socket

Kategoria

 CPU Benchmarks ▼

|                                       |   |       |       |     |                |         |
|---------------------------------------|---|-------|-------|-----|----------------|---------|
| <a href="#">AMD Phenom II X2 B55</a>  | 2 | 1,151 | 1,244 | 80  | AM3            | Desktop |
| <a href="#">AMD Phenom II X2 B57</a>  | 2 | 1,099 | 1,231 | 80  | Unknown        | Unknown |
| <a href="#">AMD Phenom II X2 B59</a>  | 2 | 1,392 | 1,384 | 80  | AM2+/AM3       | Unknown |
| <a href="#">AMD Phenom II X3 700e</a> | 3 | 1,430 | 969   | 65  | AM3            | Desktop |
| <a href="#">AMD Phenom II X3 705e</a> | 3 | 1,222 | 962   | 65  | AM3            | Desktop |
| <a href="#">AMD Phenom II X3 710</a>  | 3 | 1,539 | 1,069 | 95  | AM3            | Desktop |
| <a href="#">AMD Phenom II X3 720</a>  | 3 | 1,539 | 1,115 | 95  | AM3            | Desktop |
| <a href="#">AMD Phenom II X3 740</a>  | 3 | 1,424 | 982   | 95  | Unknown        | Unknown |
| <a href="#">AMD Phenom II X3 B73</a>  | 3 | 1,538 | 1,056 | 95  | AM3            | Desktop |
| <a href="#">AMD Phenom II X3 B75</a>  | 3 | 1,485 | 1,154 | 95  | AM3            | Desktop |
| <a href="#">AMD Phenom II X3 B77</a>  | 3 | 1,844 | 1,310 | 95  | AM2+/AM3       | Unknown |
| <a href="#">AMD Phenom II X4 805</a>  | 4 | 1,844 | 999   | 95  | AM3            | Desktop |
| <a href="#">AMD Phenom II X4 810</a>  | 4 | 1,849 | 1,018 | 95  | AM3            | Desktop |
| <a href="#">AMD Phenom II X4 820</a>  | 4 | 2,108 | 1,137 | 95  | AM3            | Desktop |
| <a href="#">AMD Phenom II X4 830</a>  | 4 | 1,993 | 1,075 | 95  | AM2+/AM3       | Unknown |
| <a href="#">AMD Phenom II X4 840</a>  | 4 | 2,353 | 1,307 | 95  | AM2+/AM3       | Desktop |
| <a href="#">AMD Phenom II X4 840T</a> | 4 | 2,249 | 1,278 | 95  | AM2+/AM3       | Unknown |
| <a href="#">AMD Phenom II X4 850</a>  | 4 | 2,397 | 1,351 | 95  | AM2+/AM3       | Unknown |
| <a href="#">AMD Phenom II X4 900e</a> | 4 | 1,505 | 917   | 65  | AM3            | Desktop |
| <a href="#">AMD Phenom II X4 905e</a> | 4 | 1,895 | 1,029 | 65  | AM3            | Desktop |
| <a href="#">AMD Phenom II X4 910</a>  | 4 | 1,699 | 973   | 95  | AM3            | Desktop |
| <a href="#">AMD Phenom II X4 910e</a> | 4 | 2,044 | 1,076 | 65  | AM3            | Desktop |
| <a href="#">AMD Phenom II X4 920</a>  | 4 | 1,899 | 1,068 | 125 | AM2+           | Desktop |
| <a href="#">AMD Phenom II X4 925</a>  | 4 | 2,170 | 1,156 | 95  | AM3            | Desktop |
| <a href="#">AMD Phenom II X4 940</a>  | 4 | 2,228 | 1,210 | 125 | AM2+           | Desktop |
| <a href="#">AMD Phenom II X4 945</a>  | 4 | 2,241 | 1,228 | 125 | AM3            | Desktop |
| <a href="#">AMD Phenom II X4 955</a>  | 4 | 2,426 | 1,307 | 125 | AM3            | Desktop |
| <a href="#">AMD Phenom II X4 960T</a> | 4 | 2,147 | 1,277 | 95  | AM3            | Desktop |
| <a href="#">AMD Phenom II X4 965</a>  | 4 | 2,533 | 1,362 | 125 | AM3            | Desktop |
| <a href="#">AMD Phenom II X4 970</a>  | 4 | 2,660 | 1,416 | 125 | AM3            | Unknown |
| <a href="#">AMD Phenom II X4 973</a>  | 4 | 2,204 | 1,180 | NA  | Unknown        | Unknown |
| <a href="#">AMD Phenom II X4 975</a>  | 4 | 2,479 | 1,408 | 125 | AM3            | Unknown |
| <a href="#">AMD Phenom II X4 977</a>  | 4 | 2,377 | 1,368 | 95  | Unknown        | Unknown |
| <a href="#">AMD Phenom II X4 980</a>  | 4 | 2,829 | 1,521 | 125 | AM3            | Unknown |
| <a href="#">AMD Phenom II X4 B05e</a> | 4 | 1,862 | 989   | NA  | Unknown        | Unknown |
| <a href="#">AMD Phenom II X4 B15e</a> | 4 | 1,825 | 1,069 | NA  | AM2+/AM3       | Desktop |
| <a href="#">AMD Phenom II X4 B25</a>  | 4 | 2,108 | 1,040 | NA  | AM2+/AM3       | Desktop |
| <a href="#">AMD Phenom II X4 B35</a>  | 4 | 2,341 | 1,215 | NA  | AM2+/AM3       | Desktop |
| <a href="#">AMD Phenom II X4 B40</a>  | 4 | 2,238 | 1,231 | NA  | Unknown        | Desktop |
| <a href="#">AMD Phenom II X4 B45</a>  | 4 | 2,119 | 1,246 | NA  | Unknown        | Unknown |
| <a href="#">AMD Phenom II X4 B50</a>  | 4 | 2,237 | 1,268 | NA  | AM2+/AM3       | Desktop |
| <a href="#">AMD Phenom II X4 B55</a>  | 4 | 2,418 | 1,310 | NA  | AM2+/AM3       | Desktop |
| <a href="#">AMD Phenom II X4 B60</a>  | 4 | 2,357 | 1,304 | NA  | Unknown        | Unknown |
| <a href="#">AMD Phenom II X4 B65</a>  | 4 | 2,576 | 1,357 | NA  | AM2+/AM3       | Desktop |
| <a href="#">AMD Phenom II X4 B70</a>  | 4 | 2,303 | 1,209 | 65  | AM2+ (938-pin) | Desktop |
| <a href="#">AMD Phenom II X4 B93</a>  | 4 | 2,104 | 1,141 | 95  | AM3            | Desktop |
| <a href="#">AMD Phenom II X4 B95</a>  | 4 | 2,289 | 1,238 | 95  | AM3            | Desktop |

| <a href="#">AMD Phenom II X4 B97</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo        | Kategoria |
|---|---|----------------|-------------------|-------------------|----------------|-----------|
| <a href="#">AMD Phenom II X4 B97</a>                    |   |                |                   |                   |                |           |
| <a href="#">AMD Phenom II X6 1045T</a>                  | 6 | 3,021          | 1,288             | 95                | AM3            | Desktop   |
| <a href="#">AMD Phenom II X6 1055T</a>                  | 6 | 3,169          | 1,314             | 125               | AM3            | Desktop   |
| <a href="#">AMD Phenom II X6 1065T</a>                  | 6 | 3,244          | 1,346             | 95                | AM3            | Desktop   |
| <a href="#">AMD Phenom II X6 1075T</a>                  | 6 | 3,166          | 1,386             | 125               | AM3            | Desktop   |
| <a href="#">AMD Phenom II X6 1090T</a>                  | 6 | 3,617          | 1,452             | 125               | AM3            | Desktop   |
| <a href="#">AMD Phenom II X6 1100T</a>                  | 6 | 3,708          | 1,501             | 125               | AM3            | Desktop   |
| <a href="#">AMD Phenom II X6 1405T</a>                  | 6 | 3,335          | 1,247             | 95                | AM2+,AM3       | Desktop   |
| <a href="#">AMD Phenom II X620 Dual-Core</a>            | 2 | 1,262          | 1,339             | 45                | S1             | Laptop    |
| <a href="#">AMD Phenom II X640 Dual-Core</a>            | 2 | 1,165          | 1,142             | 45                | S1             | Unknown   |
| <a href="#">AMD Phenom II X920 Quad-Core</a>            | 4 | 1,669          | 944               | 45                | S1             | Laptop    |
| <a href="#">AMD Phenom II X940 Quad-Core</a>            | 4 | 1,797          | 785               | 45                | S1             | Laptop    |
| <a href="#">AMD Phenom X2 Dual-Core GE-5060</a>         | 2 | 1,566          | 1,053             | NA                | Unknown        | Unknown   |
| <a href="#">AMD Phenom X2 Dual-Core GE-6060</a>         | 2 | 1,722          | 1,160             | NA                | Unknown        | Unknown   |
| <a href="#">AMD Phenom X2 Dual-Core GE-7060</a>         | 2 | 1,010          | 1,332             | NA                | Unknown        | Unknown   |
| <a href="#">AMD Phenom X2 Dual-Core GP-7730</a>         | 2 | 884            | 1,047             | NA                | Unknown        | Unknown   |
| <a href="#">AMD Phenom X3 8550</a>                      | 3 | 961            | 773               | 95                | AM2/AM2+       | Desktop   |
| <a href="#">AMD Phenom X4 Quad-Core GP-9500</a>         | 4 | 1,297          | 711               | 95                | AM2+           | Desktop   |
| <a href="#">AMD Phenom X4 Quad-Core GP-9530</a>         | 4 | 1,228          | 417               | NA                | AM2+ (940-pin) | Desktop   |
| <a href="#">AMD Phenom X4 Quad-Core GP-9600</a>         | 4 | 1,649          | 764               | 95                | AM2+           | Desktop   |
| <a href="#">AMD Phenom X4 Quad-Core GP-9730</a>         | 4 | 1,784          | 957               | NA                | AM2+ (940-pin) | Desktop   |
| <a href="#">AMD Phenom X4 Quad-Core GS-6560</a>         | 4 | 1,063          | 282               | NA                | Unknown        | Unknown   |
| <a href="#">AMD PRO A10-8700B</a>                       | 2 | 2,242          | 1,119             | 15                | BGA (FP4)      | Laptop    |
| <a href="#">AMD PRO A10-8730B</a>                       | 4 | 2,322          | 1,197             | 15                | FP4            | Laptop    |
| <a href="#">AMD PRO A10-8750B</a>                       | 2 | 2,824          | 1,248             | 65                | FM2+           | Desktop   |
| <a href="#">AMD PRO A10-8770</a>                        | 4 | 3,559          | 1,573             | 65                | AM4            | Desktop   |
| <a href="#">AMD PRO A10-8770E</a>                       | 4 | 3,181          | 1,447             | 35                | AM4            | Desktop   |
| <a href="#">AMD PRO A10-8850B</a>                       | 2 | 3,752          | 1,611             | 95                | FM2+           | Desktop   |
| <a href="#">AMD PRO A10-9700</a>                        | 2 | 3,596          | 1,633             | 65                | AM4            | Desktop   |
| <a href="#">AMD PRO A10-9700B</a>                       | 4 | 2,602          | 1,311             | 15                | FP4            | Laptop    |
| <a href="#">AMD PRO A10-9700E</a>                       | 2 | 2,896          | 1,333             | 35                | AM4            | Desktop   |
| <a href="#">AMD PRO A12-8800B</a>                       | 2 | 2,622          | 1,357             | 15                | FP4            | Laptop    |
| <a href="#">AMD PRO A12-8830B</a>                       | 4 | 2,392          | 1,192             | 15                | BGA (FP4)      | Laptop    |
| <a href="#">AMD PRO A12-8870</a>                        | 4 | 3,848          | 1,718             | 65                | AM4            | Desktop   |
| <a href="#">AMD PRO A12-8870E</a>                       | 4 | 3,000          | 1,505             | 35                | AM4            | Desktop   |
| <a href="#">AMD PRO A12-9800</a>                        | 4 | 3,878          | 1,775             | 65                | AM4            | Desktop   |
| <a href="#">AMD PRO A12-9800B</a>                       | 4 | 2,696          | 1,400             | 15                | FP4            | Laptop    |
| <a href="#">AMD PRO A12-9800E</a>                       | 4 | 3,191          | 1,546             | 35                | AM4            | Desktop   |
| <a href="#">AMD PRO A4-3350B APU</a>                    | 4 | 1,692          | 770               | 15                | FT3b           | Laptop    |
| <a href="#">AMD PRO A4-4350B</a>                        | 2 | 1,093          | 988               | 15                | FT4            | Laptop    |

| <a href="#">AMD PRO A4-8350B</a>       |          |                |                   |                   |              |                         |
|--|----------|----------------|-------------------|-------------------|--------------|-------------------------|
| <a href="#">AMD PRO A6-7350B</a>       |          |                |                   |                   |              |                         |
| Nazwa procesora                        | Procesor | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo      | Kategoria               |
| <a href="#">AMD PRO A6-8550B</a>       | 1        | 1,885          | 1,623             | 65                | FM2+         | Desktop                 |
| <a href="#">AMD PRO A6-8570</a>        | 2        | 1,908          | 1,641             | 65                | AM4          | Desktop                 |
| <a href="#">AMD PRO A6-8570E</a>       | 2        | 1,489          | 1,216             | 35                | Unknown      | Desktop                 |
| <a href="#">AMD PRO A6-9500</a>        | 2        | 1,875          | 1,618             | 65                | AM4          | Desktop                 |
| <a href="#">AMD PRO A6-9500B</a>       | 2        | 1,340          | 1,108             | 15                | FP4          | Laptop                  |
| <a href="#">AMD PRO A6-9500E</a>       | 2        | 1,662          | 1,493             | 35                | AM4          | Desktop                 |
| <a href="#">AMD PRO A8-8600B</a>       | 4        | 2,148          | 1,107             | 15                | BGA (FP4)    | Laptop                  |
| <a href="#">AMD PRO A8-8650B</a>       | 4        | 3,176          | 1,490             | 65                | FM2+         | Desktop                 |
| <a href="#">AMD PRO A8-8670E</a>       | 4        | 2,989          | 1,382             | 35                | AM4          | Desktop                 |
| <a href="#">AMD PRO A8-9600</a>        | 2        | 3,347          | 1,468             | 65                | AM4          | Desktop                 |
| <a href="#">AMD PRO A8-9600B</a>       | 4        | 2,379          | 1,327             | 15                | FP4          | Laptop                  |
| <a href="#">AMD QC-4000</a>            | 4        | 1,155          | 449               | 15                | FT3          | Laptop                  |
| <a href="#">AMD R-260H APU</a>         | 2        | 954            | 902               | 17                | BGA827 (FP2) | Laptop                  |
| <a href="#">AMD R-272F APU</a>         | 2        | 1,215          | 1,087             | 35                | FS1          | Desktop, Laptop         |
| <a href="#">AMD R-460L APU</a>         | 4        | 1,183          | 776               | 25                | BGA827 (FP2) | Laptop                  |
| <a href="#">AMD R-464L APU</a>         | 4        | 1,773          | 1,123             | 35                | FS1r2        | Unknown                 |
| <a href="#">AMD RX-425BB</a>           | 4        | 2,724          | 1,282             | 35                | FP3          | Mobile/Embedded         |
| <a href="#">AMD RX-427BB</a>           | 4        | 2,715          | 1,296             | 35                | FP3          | Laptop                  |
| <a href="#">AMD Ryzen 3 1200</a>       | 4        | 6,294          | 1,923             | 65                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 1300X</a>      | 4        | 6,888          | 2,089             | 65                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 2200G</a>      | 4        | 6,791          | 2,062             | 65                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 2200GE</a>     | 4        | 6,433          | 2,031             | 35                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 2200U</a>      | 2        | 3,675          | 1,682             | 15                | FP5          | Laptop                  |
| <a href="#">AMD Ryzen 3 2300U</a>      | 4        | 5,480          | 1,737             | 15                | FP5          | Laptop                  |
| <a href="#">AMD Ryzen 3 2300X</a>      | 4        | 7,519          | 2,361             | 65                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 3100</a>       | 4        | 11,679         | 2,429             | 65                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 3200G</a>      | 4        | 7,200          | 2,222             | 65                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 3200GE</a>     | 4        | 7,408          | 2,203             | 35                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 3200U</a>      | 2        | 3,910          | 1,833             | 15                | FP5          | Laptop                  |
| <a href="#">AMD Ryzen 3 3250C</a>      | 2        | 2,332          | 1,644             | 15                | FP5          | Laptop, Mobile/Embedded |
| <a href="#">AMD Ryzen 3 3250U</a>      | 2        | 4,019          | 1,848             | 15                | FP5          | Laptop                  |
| <a href="#">AMD Ryzen 3 3300U</a>      | 4        | 5,836          | 1,902             | 15                | FP5          | Laptop                  |
| <a href="#">AMD Ryzen 3 3300X</a>      | 4        | 12,767         | 2,691             | 65                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 3350U</a>      | 4        | 5,941          | 1,980             | 15                | Unknown      | Laptop                  |
| <a href="#">AMD Ryzen 3 4300G</a>      | 4        | 10,879         | 2,551             | 65                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 4300GE</a>     | 4        | 11,437         | 2,566             | 35                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 4300U</a>      | 4        | 7,601          | 2,330             | 15                | FP6          | Laptop                  |
| <a href="#">AMD Ryzen 3 5300G</a>      | 4        | 13,146         | 3,063             | 65                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 5300GE</a>     | 4        | 13,843         | 3,104             | 35                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 5300U</a>      | 4        | 10,104         | 2,394             | 15                | FP6          | Laptop                  |
| <a href="#">AMD Ryzen 3 5400U</a>      | 4        | 11,872         | 2,888             | 15                | FP6          | Laptop                  |
| <a href="#">AMD Ryzen 3 PRO 1200</a>   | 4        | 6,347          | 1,936             | 65                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 PRO 1300</a>   | 4        | 7,717          | 2,229             | 65                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 PRO 2100GE</a> | 2        | 4,173          | 1,851             | 35                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 PRO 2200G</a>  | 4        | 6,648          | 2,047             | 65                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 PRO 2200GE</a> | 4        | 5,892          | 1,995             | 35                | AM4          | Desktop                 |
| <a href="#">AMD Ryzen 3 PRO 2300U</a>  | 4        | 6,025          | 1,858             | 15                | FP5          | Laptop                  |



| <a href="#">AMD Ryzen 3 PRO 3200G</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|--|---|----------------|-------------------|-------------------|---------|-----------|
| <a href="#">AMD Ryzen 3 PRO 4200G</a>                    | 4 | 11,315         | 2,564             | 65                | FP6     | Desktop   |
| <a href="#">AMD Ryzen 3 PRO 4200GE</a>                   | 4 | 10,930         | 2,540             | 35                | Unknown | Laptop    |
| <a href="#">AMD Ryzen 3 PRO 4350G</a>                    | 4 | 10,816         | 2,539             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 3 PRO 4350GE</a>                   | 4 | 11,354         | 2,574             | 35                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 3 PRO 4450U</a>                    | 4 | 10,139         | 2,364             | 15                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 3 PRO 5350G</a>                    | 4 | 14,025         | 3,105             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 3 PRO 5350GE</a>                   | 4 | 13,707         | 3,106             | 35                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 3 PRO 5450U</a>                    | 4 | 12,047         | 2,951             | 15                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 5 1400</a>                         | 4 | 7,805          | 1,909             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 1500X</a>                        | 4 | 9,079          | 2,109             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 1600</a>                         | 6 | 12,329         | 2,077             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 1600X</a>                        | 6 | 12,978         | 2,185             | 95                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 2400G</a>                        | 4 | 8,736          | 2,162             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 2400GE</a>                       | 4 | 8,134          | 2,180             | 35                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 2500U</a>                        | 4 | 6,543          | 1,835             | 15                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 5 2500X</a>                        | 4 | 9,462          | 2,327             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 2600</a>                         | 6 | 13,201         | 2,252             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 2600H</a>                        | 4 | 7,836          | 2,136             | 45                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 5 2600X</a>                        | 6 | 14,066         | 2,408             | 95                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 3350G</a>                        | 4 | 9,043          | 2,286             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 3350GE</a>                       | 4 | 9,684          | 2,342             | 35                | Unknown | Desktop   |
| <a href="#">AMD Ryzen 5 3400G</a>                        | 4 | 9,340          | 2,363             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 3400GE</a>                       | 4 | 9,003          | 2,319             | 35                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 3450U</a>                        | 4 | 6,832          | 1,971             | 15                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 5 3500</a>                         | 6 | 12,860         | 2,522             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 3500C</a>                        | 4 | 4,235          | 2,132             | 15                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 5 3500U</a>                        | 4 | 7,120          | 1,987             | 15                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 5 3500X</a>                        | 6 | 13,349         | 2,531             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 3550H</a>                        | 4 | 8,040          | 2,090             | 35                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 5 3550U</a>                        | 4 | 7,681          | 2,053             | 15                | Unknown | Unknown   |
| <a href="#">AMD Ryzen 5 3580U</a>                        | 4 | 7,820          | 2,118             | 15                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 5 3600</a>                         | 6 | 17,835         | 2,579             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 3600X</a>                        | 6 | 18,297         | 2,672             | 95                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 3600XT</a>                       | 6 | 18,801         | 2,795             | 95                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 4500U</a>                        | 6 | 11,149         | 2,459             | 15                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 5 4600G</a>                        | 6 | 15,631         | 2,660             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 4600GE</a>                       | 6 | 16,377         | 2,676             | 35                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 4600H</a>                        | 6 | 14,785         | 2,469             | 45                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 5 4600HS</a>                       | 6 | 14,735         | 2,468             | 35                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 5 4600U</a>                        | 6 | 13,661         | 2,425             | 15                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 5 5500U</a>                        | 6 | 13,225         | 2,460             | 15                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 5 5600G</a>                        | 6 | 19,887         | 3,197             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 5600GE</a>                       | 6 | 18,879         | 3,224             | 35                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 5600H</a>                        | 6 | 17,335         | 2,994             | 45                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 5 5600U</a>                        | 6 | 15,681         | 2,968             | 15                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 5 5600X</a>                        | 6 | 22,147         | 3,381             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 PRO 1500</a>                     | 4 | 9,402          | 2,158             | 65                | AM4     | Desktop   |

| <a href="#">AMD Ryzen 5 PRO 1600</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|---|---|----------------|-------------------|-------------------|---------|-----------|
| <a href="#">AMD Ryzen 5 PRO 2500U</a>                   | 4 | 6,870          | 1,819             | 15                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 5 PRO 2600</a>                    | 6 | 13,250         | 2,263             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 PRO 3350G</a>                   | 4 | 9,515          | 2,332             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 PRO 3350GE</a>                  | 4 | 9,643          | 2,340             | 35                | Unknown | Desktop   |
| <a href="#">AMD Ryzen 5 PRO 3400G</a>                   | 4 | 9,350          | 2,323             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 PRO 3400GE</a>                  | 4 | 8,222          | 2,264             | 35                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 PRO 3500U</a>                   | 4 | 6,999          | 1,968             | 15                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 5 PRO 3600</a>                    | 6 | 18,073         | 2,615             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 PRO 4400G</a>                   | 6 | 16,456         | 2,656             | NA                | Unknown | Desktop   |
| <a href="#">AMD Ryzen 5 PRO 4400GE</a>                  | 6 | 14,795         | 2,664             | 35                | Unknown | Laptop    |
| <a href="#">AMD Ryzen 5 PRO 4500U</a>                   | 6 | 12,049         | 2,486             | 15                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 5 PRO 4650G</a>                   | 6 | 16,445         | 2,666             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 PRO 4650GE</a>                  | 6 | 15,652         | 2,621             | 35                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 PRO 4650U</a>                   | 6 | 12,935         | 2,472             | 15                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 5 PRO 5650G</a>                   | 6 | 20,886         | 3,246             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 PRO 5650GE</a>                  | 6 | 18,983         | 3,238             | 35                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 5 PRO 5650U</a>                   | 6 | 15,456         | 2,968             | 15                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 7 1700</a>                        | 8 | 14,678         | 1,990             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 1700X</a>                       | 8 | 15,521         | 2,073             | 95                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 1800X</a>                       | 8 | 16,305         | 2,186             | 95                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 2700</a>                        | 8 | 15,661         | 2,198             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 2700E</a>                       | 8 | 14,657         | 2,410             | 45                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 2700U</a>                       | 4 | 6,818          | 1,773             | 15                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 7 2700X</a>                       | 8 | 17,589         | 2,437             | 105               | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 2800H</a>                       | 4 | 7,656          | 2,164             | 45                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 7 3700U</a>                       | 4 | 7,350          | 2,018             | 15                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 7 3700X</a>                       | 8 | 22,758         | 2,684             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 3750H</a>                       | 4 | 8,289          | 2,104             | 35                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 7 3780U</a>                       | 4 | 7,549          | 2,229             | 15                | FP5     | Laptop    |
| <a href="#">AMD Ryzen 7 3800X</a>                       | 8 | 23,302         | 2,738             | 105               | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 3800XT</a>                      | 8 | 23,857         | 2,849             | 105               | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 4700G</a>                       | 8 | 20,006         | 2,757             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 4700GE</a>                      | 8 | 20,608         | 2,733             | 35                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 4700U</a>                       | 8 | 13,711         | 2,561             | 15                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 7 4800H</a>                       | 8 | 19,115         | 2,644             | 45                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 7 4800HS</a>                      | 8 | 18,866         | 2,606             | 45                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 7 4800U</a>                       | 8 | 17,065         | 2,602             | 15                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 7 5700G</a>                       | 8 | 24,645         | 3,295             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 5700GE</a>                      | 8 | 22,566         | 3,371             | 35                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 5700U</a>                       | 8 | 16,342         | 2,634             | 15                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 7 5800</a>                        | 8 | 25,758         | 3,409             | 65                | AM4     | Desktop   |
| <a href="#">AMD Ryzen 7 5800H</a>                       | 8 | 21,614         | 3,093             | 45                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 7 5800HS</a>                      | 8 | 21,011         | 3,068             | 35                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 7 5800HS Creator Edition</a>      | 8 | 21,026         | 3,146             | NA                | Unknown | Laptop    |
| <a href="#">AMD Ryzen 7 5800U</a>                       | 8 | 18,997         | 3,118             | 15                | FP6     | Laptop    |
| <a href="#">AMD Ryzen 7 5800X</a>                       | 8 | 28,445         | 3,493             | 105               | AM4     | Desktop   |

| <a href="#">AMD Ryzen 7 Extreme Edition</a>                   |          |                |            |         |         |                          |
|---|----------|----------------|------------|---------|---------|--------------------------|
| Nazwa procesora   | Procesor | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria                |
|   |          |                | Min        | Min...  |         |                          |
| <a href="#">AMD Ryzen 7 PRO 1700</a>                          | 4        | 7,122          | 1,995      | 15      | FP5     | Laptop                   |
| <a href="#">AMD Ryzen 7 PRO 2700U</a>                         | 4        | 7,122          | 1,995      | 15      | FP5     | Laptop                   |
| <a href="#">AMD Ryzen 7 PRO 2700X</a>                         | 8        | 17,221         | 2,395      | 105     | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 3700</a>                          | 8        | 22,687         | 2,677      | 65      | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 3700U</a>                         | 4        | 7,318          | 2,000      | 15      | FP5     | Laptop                   |
| <a href="#">AMD Ryzen 7 PRO 4700G</a>                         | 8        | 20,848         | 2,700      | 65      | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 4750G</a>                         | 8        | 20,569         | 2,704      | 65      | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 4750GE</a>                        | 8        | 18,753         | 2,712      | 35      | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 4750U</a>                         | 8        | 15,534         | 2,566      | 15      | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 7 PRO 5750G</a>                         | 8        | 25,466         | 3,390      | 65      | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 5750GE</a>                        | 8        | 22,513         | 3,332      | 35      | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 7 PRO 5850U</a>                         | 8        | 17,845         | 3,076      | 15      | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 3900</a>                              | 12       | 30,704         | 2,631      | 65      | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 3900X</a>                             | 12       | 32,791         | 2,727      | 105     | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 3900XT</a>                            | 12       | 32,880         | 2,788      | 105     | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 3950X</a>                             | 16       | 39,166         | 2,739      | 105     | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 4900H</a>                             | 8        | 19,261         | 2,734      | 45      | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 4900HS</a>                            | 8        | 19,510         | 2,636      | 35      | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 5900</a>                              | 12       | 35,271         | 3,445      | 65      | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 5900H</a>                             | 8        | 20,960         | 3,312      | NA      | AM4     | Laptop                   |
| <a href="#">AMD Ryzen 9 5900HS</a>                            | 8        | 22,310         | 3,205      | 35      | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 5900HX</a>                            | 8        | 23,288         | 3,241      | 45      | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 5900X</a>                             | 12       | 39,514         | 3,495      | 105     | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 5950X</a>                             | 16       | 46,180         | 3,499      | 105     | AM4     | Desktop                  |
| <a href="#">AMD Ryzen 9 5980HS</a>                            | 8        | 21,517         | 3,130      | 35      | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 5980HX</a>                            | 8        | 23,916         | 3,309      | 45      | FP6     | Laptop                   |
| <a href="#">AMD Ryzen 9 PRO 3900</a>                          | 12       | 31,484         | 2,631      | 65      | AM4     | Desktop                  |
| <a href="#">AMD Ryzen Embedded R1305G</a>                     | 2        | 3,329          | 1,656      | 8       | FP5     | Laptop, Mobile/Embedded  |
| <a href="#">AMD Ryzen Embedded R1505G</a>                     | 2        | 3,966          | 1,817      | 15      | FP5     | Laptop, Mobile/Embedded  |
| <a href="#">AMD Ryzen Embedded R1606G</a>                     | 2        | 4,260          | 1,919      | 15      | FP5     | Desktop, Mobile/Embedded |
| <a href="#">AMD Ryzen Embedded V1202B</a>                     | 2        | 3,823          | 1,654      | 15      | FP5     | Laptop, Mobile/Embedded  |
| <a href="#">AMD Ryzen Embedded V1404I</a>                     | 4        | 5,491          | 1,932      | 15      | Unknown | Desktop, Mobile/Embedded |
| <a href="#">AMD Ryzen Embedded V1500B</a>                     | 4        | 4,194          | 1,083      | 16      | BGA1140 | Mobile/Embedded          |
| <a href="#">AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</a> | 4        | 5,257          | 1,237      | NA      | Unknown | Mobile/Embedded          |
| <a href="#">AMD Ryzen Embedded V1605B</a>                     | 4        | 6,809          | 1,947      | 15      | FP5     | Laptop, Mobile/Embedded  |
| <a href="#">AMD Ryzen Embedded V1756B</a>                     | 4        | 8,215          | 2,143      | 45      | FP5     | Desktop, Mobile/Embedded |
| <a href="#">AMD Ryzen Embedded V1807B</a>                     | 4        | 8,426          | 2,188      | 45      | FP5     | Laptop, Mobile/Embedded  |
| <a href="#">AMD Ryzen Embedded V2718</a>                      | 8        | 17,972         | 2,439      | 15      | FP6     | Mobile/Embedded          |
| <a href="#">AMD Ryzen Embedded V2748</a>                      | 8        | 16,186         | 2,646      | 54      | FP6     | Mobile/Embedded          |
| <a href="#">AMD Ryzen Threadripper 1900X</a>                  | 8        | 16,983         | 2,340      | 180     | sTR4    | Desktop                  |
| <a href="#">AMD Ryzen Threadripper 1920</a>                   | 12       | 22,066         | 2,299      | 140     | sTR4    | Desktop                  |
| <a href="#">AMD Ryzen Threadripper 1920X</a>                  | 12       | 23,110         | 2,295      | 180     | sTR4    | Desktop                  |
| <a href="#">AMD Ryzen Threadripper 1950X</a>                  | 16       | 27,723         | 2,291      | 180     | sTR4    | Desktop                  |
| <a href="#">AMD Ryzen Threadripper 2920X</a>                  | 12       | 25,533         | 2,493      | 180     | sTR4    | Desktop                  |
| <a href="#">AMD Ryzen Threadripper 2950X</a>                  | 16       | 29,832         | 2,480      | 180     | sTR4    | Desktop                  |
| <a href="#">AMD Ryzen Threadripper 3970X</a>                  | 24       | 29,394         | 2,348      | 250     | sTR4    | Desktop                  |

| <a href="#">Z970WX</a>                                    |    |                |                   |                   |          |           |
|---|----|----------------|-------------------|-------------------|----------|-----------|
| <a href="#">AMD Ryzen Threadripper</a><br>Nazwa procesora |    | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo  | Kategoria |
| <a href="#">AMD Ryzen Threadripper 3960X</a>              | 24 | 54,700         | 2,678             | 280               | sTRX4    | Desktop   |
| <a href="#">AMD Ryzen Threadripper 3970X</a>              | 32 | 63,978         | 2,696             | 280               | sTRX4    | Desktop   |
| <a href="#">AMD Ryzen Threadripper 3990X</a>              | 64 | 81,091         | 2,569             | 280               | sTRX4    | Desktop   |
| <a href="#">AMD Ryzen Threadripper PRO 3945WX</a>         | 12 | 33,458         | 2,710             | 280               | sTRX4    | Desktop   |
| <a href="#">AMD Ryzen Threadripper PRO 3955WX</a>         | 16 | 40,183         | 2,697             | 280               | sTRX4    | Desktop   |
| <a href="#">AMD Ryzen Threadripper PRO 3975WX</a>         | 32 | 62,728         | 2,668             | 280               | sTRX4    | Desktop   |
| <a href="#">AMD Ryzen Threadripper PRO 3995WX</a>         | 64 | 85,073         | 2,625             | 280               | sTRX4    | Desktop   |
| <a href="#">AMD Sempron 130</a>                           | 1  | 501            | 1,064             | 45                | AM2+/AM3 | Unknown   |
| <a href="#">AMD Sempron 140</a>                           | 1  | 471            | 1,044             | 45                | AM3      | Desktop   |
| <a href="#">AMD Sempron 145</a>                           | 1  | 493            | 1,006             | 45                | AM3      | Desktop   |
| <a href="#">AMD Sempron 150</a>                           | 1  | 498            | 1,079             | 45                | AM3      | Desktop   |
| <a href="#">AMD Sempron 210U</a>                          | 1  | 267            | 299               | 15                | Unknown  | Unknown   |
| <a href="#">AMD Sempron 2200+</a>                         | 1  | 184            | 279               | NA                | Socket A | Desktop   |
| <a href="#">AMD Sempron 2300+</a>                         | 1  | 207            | 314               | NA                | Socket A | Desktop   |
| <a href="#">AMD Sempron 240</a>                           | 2  | 1,278          | 1,300             | 65                | FM2      | Desktop   |
| <a href="#">AMD Sempron 2400+</a>                         | 1  | 205            | 321               | NA                | Socket A | Desktop   |
| <a href="#">AMD Sempron 2500+</a>                         | 1  | 207            | 405               | NA                | Socket A | Desktop   |
| <a href="#">AMD Sempron 2600+</a>                         | 1  | 253            | 325               | NA                | Socket A | Desktop   |
| <a href="#">AMD Sempron 2650 APU</a>                      | 2  | 561            | 475               | 25                | AM1,FSB1 | Desktop   |
| <a href="#">AMD Sempron 2800+</a>                         | 1  | 243            | 408               | 62                | AM2      | Desktop   |
| <a href="#">AMD Sempron 3000+</a>                         | 1  | 268            | 333               | 62                | AM2      | Desktop   |
| <a href="#">AMD Sempron 3100+</a>                         | 1  | 298            | 383               | 62                | 754      | Desktop   |
| <a href="#">AMD Sempron 3200+</a>                         | 1  | 288            | 356               | 62                | AM2      | Desktop   |
| <a href="#">AMD Sempron 3300+</a>                         | 1  | 315            | 394               | 62                | 754      | Desktop   |
| <a href="#">AMD Sempron 3400+</a>                         | 1  | 292            | 346               | 62                | AM2      | Desktop   |
| <a href="#">AMD Sempron 3500+</a>                         | 1  | 232            | 264               | 62                | AM2      | Desktop   |
| <a href="#">AMD Sempron 3600+</a>                         | 1  | 364            | 377               | 62                | AM2      | Desktop   |
| <a href="#">AMD Sempron 3800+</a>                         | 1  | 360            | 422               | 62                | AM2      | Desktop   |
| <a href="#">AMD Sempron 3850 APU</a>                      | 4  | 1,232          | 462               | 25                | AM1,FS1b | Desktop   |
| <a href="#">AMD Sempron Dual Core 2100</a>                | 2  | 533            | 596               | 65                | Unknown  | Unknown   |
| <a href="#">AMD Sempron Dual Core 2200</a>                | 2  | 563            | 649               | 65                | Unknown  | Unknown   |
| <a href="#">AMD Sempron Dual Core 2300</a>                | 2  | 555            | 697               | 65                | Unknown  | Unknown   |
| <a href="#">AMD Sempron LE-1100</a>                       | 1  | 315            | 509               | 45                | AM2      | Desktop   |
| <a href="#">AMD Sempron LE-1150</a>                       | 1  | 251            | 477               | 45                | AM2      | Desktop   |
| <a href="#">AMD Sempron LE-1200</a>                       | 1  | 349            | 551               | 45                | AM2      | Desktop   |
| <a href="#">AMD Sempron LE-1250</a>                       | 1  | 301            | 508               | 45                | AM2      | Desktop   |
| <a href="#">AMD Sempron LE-1300</a>                       | 1  | 400            | 389               | 45                | AM2      | Desktop   |
| <a href="#">AMD Sempron M100</a>                          | 1  | 338            | 587               | NA                | Unknown  | Unknown   |
| <a href="#">AMD Sempron M120</a>                          | 1  | 298            | 685               | 25                | S1       | Laptop    |
| <a href="#">AMD Sempron SI-40</a>                         | 1  | 257            | 537               | 25                | S1       | Laptop    |
| <a href="#">AMD Sempron SI-42</a>                         | 1  | 261            | 650               | 25                | S1       | Laptop    |
| <a href="#">AMD Sempron X2 180</a>                        | 2  | 826            | 865               | 45                | Unknown  | Unknown   |
| <a href="#">AMD Sempron X2 190</a>                        | 2  | 879            | 977               | 45                | AM2+/AM3 | Unknown   |
| <a href="#">AMD Sempron X2 198 Dual-Core</a>              | 2  | 930            | 1,070             | 65                | FM1      | Desktop   |

| <a href="#">AMD Turion 64 Mobile MK-36</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|---|---|----------------|-------------------|-------------------|---------|-----------|
| <a href="#">AMD Turion 64 Mobile ML-30</a>                    | 1 | 277            | 314               | 35                | 754     | Laptop    |
| <a href="#">AMD Turion 64 Mobile ML-32</a>                    | 1 | 285            | 321               | 35                | 754     | Laptop    |
| <a href="#">AMD Turion 64 Mobile ML-34</a>                    | 1 | 277            | 329               | 35                | 754     | Laptop    |
| <a href="#">AMD Turion 64 Mobile ML-37</a>                    | 1 | 334            | 510               | 35                | 754     | Laptop    |
| <a href="#">AMD Turion 64 Mobile ML-40</a>                    | 1 | 336            | 662               | 35                | 754     | Laptop    |
| <a href="#">AMD Turion 64 Mobile ML-42</a>                    | 1 | 400            | 455               | 35                | 754     | Laptop    |
| <a href="#">AMD Turion 64 Mobile ML-44</a>                    | 1 | 384            | 469               | 35                | 754     | Laptop    |
| <a href="#">AMD Turion 64 Mobile MT-30</a>                    | 1 | 246            | 294               | 25                | 754     | Laptop    |
| <a href="#">AMD Turion 64 Mobile MT-32</a>                    | 1 | 286            | 367               | 24                | 754     | Laptop    |
| <a href="#">AMD Turion 64 Mobile MT-34</a>                    | 1 | 279            | 328               | 24                | 754     | Laptop    |
| <a href="#">AMD Turion 64 Mobile MT-37</a>                    | 1 | 315            | 379               | 25                | 754     | Laptop    |
| <a href="#">AMD Turion 64 X2 Mobile TL-50</a>                 | 2 | 448            | 535               | 31                | S1      | Laptop    |
| <a href="#">AMD Turion 64 X2 Mobile TL-52</a>                 | 2 | 384            | 497               | 31                | S1      | Laptop    |
| <a href="#">AMD Turion 64 X2 Mobile TL-56</a>                 | 2 | 453            | 579               | 31                | S1      | Laptop    |
| <a href="#">AMD Turion 64 X2 Mobile TL-58</a>                 | 2 | 491            | 597               | 31                | S1      | Laptop    |
| <a href="#">AMD Turion 64 X2 Mobile TL-60</a>                 | 2 | 623            | 702               | 31                | S1      | Laptop    |
| <a href="#">AMD Turion 64 X2 Mobile TL-62</a>                 | 2 | 738            | 758               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion 64 X2 Mobile TL-64</a>                 | 2 | 692            | 770               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion 64 X2 Mobile TL-66</a>                 | 2 | 627            | 816               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion 64 X2 Mobile TL-68</a>                 | 2 | 861            | 887               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion Dual-Core RM-70</a>                    | 2 | 561            | 548               | 31                | S1      | Laptop    |
| <a href="#">AMD Turion Dual-Core RM-72</a>                    | 2 | 649            | 725               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion Dual-Core RM-74</a>                    | 2 | 588            | 595               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion Dual-Core RM-75</a>                    | 2 | 659            | 444               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion II Dual-Core Mobile M500</a>           | 2 | 727            | 857               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion II Dual-Core Mobile M520</a>           | 2 | 792            | 917               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion II Dual-Core Mobile M540</a>           | 2 | 912            | 967               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion II N530 Dual-Core</a>                  | 2 | 855            | 968               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion II N550 Dual-Core</a>                  | 2 | 877            | 891               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion II Neo K625 Dual-Core</a>              | 2 | 565            | 596               | 15                | S1      | Laptop    |
| <a href="#">AMD Turion II Neo K685 Dual-Core</a>              | 2 | 684            | 729               | 15                | BGA812  | Laptop    |
| <a href="#">AMD Turion II Neo N40L Dual-Core</a>              | 2 | 589            | 609               | 15                | BGA812  | Laptop    |
| <a href="#">AMD Turion II Neo N54L Dual-Core</a>              | 2 | 741            | 840               | 25                | BGA812  | Laptop    |
| <a href="#">AMD Turion II P520 Dual-Core</a>                  | 2 | 790            | 892               | 25                | S1      | Laptop    |
| <a href="#">AMD Turion II P540 Dual-Core</a>                  | 2 | 884            | 843               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion II P560 Dual-Core</a>                  | 2 | 818            | 931               | 25                | S1      | Laptop    |
| <a href="#">AMD Turion II Ultra Dual-Core Mobile M600</a>     | 2 | 923            | 982               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion II Ultra Dual-Core Mobile M620</a>     | 2 | 814            | 945               | 35                | S1      | Laptop    |
| <a href="#">AMD Turion II Ultra Dual-Core Mobile M640</a>     | 2 | 1,016          | 1,063             | 35                | S1      | Laptop    |
| <a href="#">AMD Turion II Ultra Dual-Core</a>                 | 2 | 1,011          | 1,103             | 35                | S1      | Laptop    |



| <a href="#">Mobile M660</a>                                |          |                |            |         |         |                                  |
|--|----------|----------------|------------|---------|---------|----------------------------------|
| <a href="#">AMD Turion Neo X2 Dual Core</a>                |          |                |            |         |         |                                  |
| Nazwa procesora  | Procesor | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria                        |
|  |          |                | Min        | Min...  |         |                                  |
| <a href="#">AMD Turion X2 Dual Core Mobile RM-70</a>       | 2        | 497            | 504        | 31      | S1      | Laptop                           |
| <a href="#">AMD Turion X2 Dual Core Mobile RM-76</a>       | 2        | 691            | 729        | 35      | S1      | Laptop                           |
| <a href="#">AMD Turion X2 Dual-Core Mobile RM-70</a>       | 2        | 624            | 663        | 31      | S1      | Laptop                           |
| <a href="#">AMD Turion X2 Dual-Core Mobile RM-72</a>       | 2        | 666            | 751        | 35      | S1      | Laptop                           |
| <a href="#">AMD Turion X2 Dual-Core Mobile RM-74</a>       | 2        | 623            | 730        | 35      | S1      | Laptop                           |
| <a href="#">AMD Turion X2 Dual-Core Mobile RM-75</a>       | 2        | 708            | 770        | 35      | S1      | Laptop                           |
| <a href="#">AMD Turion X2 Dual-Core Mobile RM-77</a>       | 2        | 635            | 753        | 35      | S1      | Laptop                           |
| <a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-80</a> | 2        | 583            | 707        | 32      | S1      | Laptop                           |
| <a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-82</a> | 2        | 654            | 789        | 35      | S1      | Laptop                           |
| <a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-84</a> | 2        | 793            | 778        | 35      | S1      | Laptop                           |
| <a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-85</a> | 2        | 730            | 828        | 35      | S1      | Laptop                           |
| <a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-86</a> | 2        | 695            | 820        | 35      | S1      | Laptop                           |
| <a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-87</a> | 2        | 733            | 806        | 35      | S1      | Laptop                           |
| <a href="#">AMD TurionX2 Dual Core Mobile RM-70</a>        | 2        | 536            | 674        | 31      | S1      | Laptop                           |
| <a href="#">AMD TurionX2 Dual Core Mobile RM-72</a>        | 2        | 471            | 392        | 35      | S1      | Laptop                           |
| <a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-85</a>   | 2        | 841            | 686        | 35      | S1      | Laptop                           |
| <a href="#">AMD V105</a>                                   | 1        | 184            | 452        | 9       | BGA812  | Laptop                           |
| <a href="#">AMD V120</a>                                   | 1        | 362            | 812        | 25      | S1      | Laptop                           |
| <a href="#">AMD V140</a>                                   | 1        | 379            | 869        | 25      | S1      | Laptop                           |
| <a href="#">AMD V160</a>                                   | 1        | 337            | 838        | 25      | S1      | Laptop                           |
| <a href="#">AMD Z-01</a>                                   | 2        | 308            | 290        | NA      | Unknown | Unknown                          |
| <a href="#">AMD Z-60 APU</a>                               | 2        | 262            | 318        | 4.5     | FT1     | Laptop                           |
| <a href="#">Amlogic</a>                                    | 4        | 514            | 354        | NA      | Unknown | Unknown                          |
| <a href="#">Apple A11 Bionic</a>                           | 6        | 4,146          | 1,127      | NA      | Unknown | Mobile/Embedded                  |
| <a href="#">Apple A12 Bionic</a>                           | 6        | 4,577          | 1,896      | NA      | Unknown | Mobile/Embedded                  |
| <a href="#">Apple A12X Bionic</a>                          | 8        | 10,881         | 2,614      | NA      | Unknown | Mobile/Embedded                  |
| <a href="#">Apple A13 Bionic</a>                           | 6        | 4,996          | 2,062      | NA      | Unknown | Mobile/Embedded                  |
| <a href="#">Apple A14 Bionic</a>                           | 6        | 8,529          | 3,409      | NA      | Unknown | Mobile/Embedded                  |
| <a href="#">Apple A8</a>                                   | 2        | 1,536          | 912        | NA      | Unknown | Mobile/Embedded                  |
| <a href="#">Apple A8X</a>                                  | 3        | 2,361          | 936        | NA      | Unknown | Mobile/Embedded                  |
| <a href="#">Apple A9</a>                                   | 2        | 2,048          | 1,180      | NA      | Unknown | Mobile/Embedded                  |
| <a href="#">Apple A9X</a>                                  | 2        | 2,527          | 1,520      | NA      | Unknown | Mobile/Embedded                  |
| <a href="#">Apple M1 8 Core 3200 MHz</a>                   | 8        | 15,109         | 3,773      | 15.1    | Unknown | Desktop, Laptop, Mobile/Embedded |
| <a href="#">Apple M1 Max 10 Core 3200 MHz</a>              | 10       | 23,468         | 3,844      | NA      | Unknown | Desktop, Laptop                  |

| <a href="#">Apple M1 Pro 10 Core 3200 MHz</a><br>Nazwa procesora |    | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|--|----|----------------|-------------------|-------------------|---------|-----------|
| <a href="#">ARM ARMv7 rev 9 (v7I) 7 Core 2065 MHz</a>            | 7  | 371            | 270               | NA                | Unknown | Unknown   |
| <a href="#">ARM ARMv7 rev 4 (v7I) 4 Core 1200 MHz</a>            | 4  | 362            | 274               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A17 4 Core 1800 MHz</a>                   | 4  | 515            | 398               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A53 4 Core 0 MHz</a>                      | 4  | 285            | 132               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A53 4 Core 1152 MHz</a>                   | 4  | 347            | 155               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A53 4 Core 1200 MHz</a>                   | 4  | 343            | 219               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A53 4 Core 1296 MHz</a>                   | 4  | 417            | 181               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A53 4 Core 1392 MHz</a>                   | 4  | 459            | 191               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A53 4 Core 1400 MHz</a>                   | 4  | 357            | 250               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A53 4 Core 1512 MHz</a>                   | 4  | 448            | 229               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A53 4 Core 1536 MHz</a>                   | 4  | 202            | 192               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A53 4 Core 1800 MHz</a>                   | 4  | 557            | 247               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A53 6 Core 1896 MHz</a>                   | 6  | 1,851          | 751               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A55 4 Core 2100 MHz</a>                   | 4  | 719            | 328               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A57 4 Core 1479 MHz</a>                   | 4  | 966            | 420               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A57 4 Core 1734 MHz</a>                   | 4  | 1,172          | 387               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A57 4 Core 2014 MHz</a>                   | 4  | 1,153          | 428               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A57 8 Core 1500 MHz</a>                   | 8  | 1,022          | 346               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A7 2 Core 1080 MHz</a>                    | 2  | 142            | 200               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A7 2 Core 960 MHz</a>                     | 2  | 93             | 140               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A7 4 Core 1200 MHz</a>                    | 4  | 270            | 208               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A7 4 Core 1368 MHz</a>                    | 4  | 337            | 264               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A7 4 Core 900 MHz</a>                     | 4  | 242            | 170               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A72 16 Core 0 MHz</a>                     | 16 | 5,435          | 600               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A72 2 Core 0 MHz</a>                      | 2  | 625            | 534               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A72 4 Core 0 MHz</a>                      | 4  | 4,010          | 2,426             | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A72 4 Core 1500 MHz</a>                   | 4  | 666            | 461               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A72 4 Core 1750 MHz</a>                   | 4  | 335            | 463               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A72 4 Core 1800 MHz</a>                   | 4  | 971            | 612               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A72 4 Core 1850 MHz</a>                   | 4  | 199            | 343               | NA                | Unknown | Unknown   |
| <a href="#">ARM Cortex-A72 4 Core 2000 MHz</a>                   | 4  | 780            | 578               | NA                | Unknown | Unknown   |

| <a href="#">MHz</a> | <a href="#">MHz</a> | <a href="#">MHz</a> | <a href="#">MHz</a> | <a href="#">MHz</a> | <a href="#">MHz</a> | <a href="#">MHz</a> |
|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| Nazwa procesora     | Procesor            | Znak procesora      | Znak wątku          | TDP (W)             | Gniazdo             | Kategoria           |

## CPU Benchmarks ▼

| <a href="#">MHz</a>  | <a href="#">MHz</a> | <a href="#">MHz</a> | <a href="#">MHz</a> | <a href="#">MHz</a> | <a href="#">MHz</a> | <a href="#">MHz</a> |
|--|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| Nazwa procesora  | Procesor            | Znak procesora      | Znak wątku          | TDP (W)             | Gniazdo             | Kategoria           |
| <a href="#">ARM Cortex-A72 4 Core 2300 MHz</a>                   | 4                   | 1,314               | 812                 | NA                  | Unknown             | Unknown             |
| <a href="#">ARM Cortex-A72 6 Core 1416 MHz</a>                   | 6                   | 1,106               | 477                 | NA                  | Unknown             | Unknown             |
| <a href="#">ARM Cortex-A72 8 Core 0 MHz</a>                      | 8                   | 3,906               | 1,531               | NA                  | Unknown             | Unknown             |
| <a href="#">ARM Cortex-A73 6 Core 1992 MHz</a>                   | 6                   | 1,311               | 454                 | NA                  | Unknown             | Unknown             |
| <a href="#">ARM Neoverse-N1 1 Core 0 MHz</a>                     | 1                   | 791                 | 1,197               | NA                  | Unknown             | Unknown             |
| <a href="#">ARM Neoverse-N1 16 Core 0 MHz</a>                    | 16                  | 11,144              | 1,255               | NA                  | Unknown             | Unknown             |
| <a href="#">ARM Neoverse-N1 2 Core 0 MHz</a>                     | 2                   | 1,577               | 1,374               | NA                  | Unknown             | Unknown             |
| <a href="#">ARM Neoverse-N1 4 Core 0 MHz</a>                     | 4                   | 3,223               | 1,299               | NA                  | Unknown             | Unknown             |
| <a href="#">ARM Neoverse-N1 6 Core 0 MHz</a>                     | 6                   | 4,756               | 1,299               | NA                  | Unknown             | Unknown             |
| <a href="#">ARM Neoverse-N1 8 Core 0 MHz</a>                     | 8                   | 5,264               | 1,085               | NA                  | Unknown             | Unknown             |
| <a href="#">ARM Neoverse-N1 80 Core 0 MHz</a>                    | 80                  | 37,809              | 1,311               | NA                  | Unknown             | Unknown             |
| <a href="#">ARM Neoverse-N1 80 Core 3000 MHz</a>                 | 80                  | 38,122              | 1,329               | NA                  | Unknown             | Unknown             |
| <a href="#">ARM phytium FT1500a 4 Core 2000 MHz</a>              | 4                   | 1,579               | 716                 | NA                  | Unknown             | Unknown             |
| <a href="#">ARM X-Gene 32 Core 3300 MHz</a>                      | 32                  | 8,684               | 583                 | NA                  | Unknown             | Unknown             |
| <a href="#">ASUS Tinker Board 2/2S</a>                           | 6                   | 1,423               | 890                 | NA                  | Unknown             | Mobile/Embedded     |
| <a href="#">Athlon 64 Dual Core 3800+</a>                        | 2                   | 736                 | 653                 | 35                  | Unknown             | Unknown             |
| <a href="#">Athlon 64 Dual Core 5000+</a>                        | 2                   | 850                 | 924                 | 89                  | Unknown             | Desktop             |
| <a href="#">Athlon 64 Dual Core 5600+</a>                        | 2                   | 875                 | 993                 | 65                  | AM2                 | Desktop             |
| <a href="#">Athlon Dual Core 4050e</a>                           | 2                   | 670                 | 744                 | 45                  | AM2                 | Desktop             |
| <a href="#">Athlon Dual Core 4450e</a>                           | 2                   | 681                 | 792                 | 45                  | AM2                 | Desktop             |
| <a href="#">Athlon Dual Core 4850e</a>                           | 2                   | 769                 | 861                 | 45                  | AM2                 | Desktop             |
| <a href="#">BCM2711</a>  | 4                   | 809                 | 582                 | NA                  | Unknown             | Mobile/Embedded     |
| <a href="#">BCM2835</a>  | 4                   | 1,282               | 673                 | NA                  | Unknown             | Mobile/Embedded     |
| <a href="#">Celeron Dual-Core T3000 @ 1.80GHz</a>                | 2                   | 582                 | 714                 | 35                  | PGA478              | Laptop              |
| <a href="#">Celeron Dual-Core T3100 @ 1.90GHz</a>                | 2                   | 519                 | 566                 | 35                  | BGA479              | Laptop              |
| <a href="#">Celeron Dual-Core T3300 @ 2.00GHz</a>                | 2                   | 627                 | 692                 | 35                  | µFCPGA-478          | Laptop              |
| <a href="#">Celeron Dual-Core T3500 @ 2.10GHz</a>                | 2                   | 768                 | 872                 | 35                  | PGA478              | Laptop              |
| <a href="#">DO-Regular</a>                                       | 1                   | 819                 | 1,055               | NA                  | Unknown             | Unknown             |
| <a href="#">Dual-Core AMD Opteron 1220 SE</a>                    | 2                   | 748                 | 900                 | 103                 | AM2                 | Server              |
| <a href="#">Generic DT based system</a>                          | 4                   | 504                 | 406                 | NA                  | Unknown             | Mobile/Embedded     |
| <a href="#">Haydn based on Qualcomm Technologies, Inc SM8350</a> | 8                   | 4,622               | 1,855               | NA                  | Unknown             | Mobile/Embedded     |
| <a href="#">hi6210sft</a>  | 8                   | 796                 | 269                 | NA                  | Unknown             | Mobile/Embedded     |
| <a href="#">HiSilicon Kirin 650</a>                              | 8                   | 1,604               | 629                 | NA                  | Unknown             | Mobile/Embedded     |

| <a href="#">HiSilicon Kirin 659</a><br>Nazwa procesora |    | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo   | Kategoria               |
|--|----|----------------|-------------------|-------------------|-----------|-------------------------|
| <a href="#">HiSilicon Kirin 630</a>                    | 8  | 2,401          | 1,009             | NA                | Unknown   | Mobile/Embedded         |
| <a href="#">HiSilicon Kirin 970</a>                    | 8  | 2,455          | 1,087             | NA                | Unknown   | Mobile/Embedded         |
| <a href="#">HiSilicon Kirin710</a>                     | 8  | 2,168          | 952               | NA                | Unknown   | Mobile/Embedded         |
| <a href="#">HiSilicon Kirin810</a>                     | 8  | 2,986          | 1,522             | NA                | Unknown   | Mobile/Embedded         |
| <a href="#">HiSilicon Kirin820</a>                     | 8  | 2,226          | 1,660             | NA                | Unknown   | Mobile/Embedded         |
| <a href="#">HiSilicon Kirin9000</a>                    | 8  | 4,989          | 2,445             | NA                | Unknown   | Mobile/Embedded         |
| <a href="#">HiSilicon Kirin970</a>                     | 8  | 2,259          | 910               | NA                | Unknown   | Mobile/Embedded         |
| <a href="#">HiSilicon Kirin980</a>                     | 8  | 3,881          | 1,733             | NA                | Unknown   | Mobile/Embedded         |
| <a href="#">HiSilicon Kirin985</a>                     | 8  | 4,162          | 1,823             | NA                | Unknown   | Mobile/Embedded         |
| <a href="#">HiSilicon Kirin990</a>                     | 8  | 4,328          | 1,908             | NA                | Unknown   | Mobile/Embedded         |
| <a href="#">HP Hexa-Core 2.0GHz</a>                    | 4  | 1,741          | 804               | NA                | Unknown   | Unknown                 |
| <a href="#">Intel 2.80GHz</a>                          | 2  | 341            | 456               | NA                | Unknown   | Unknown                 |
| <a href="#">Intel Atom 230 @ 1.60GHz</a>               | 1  | 210            | 167               | 4                 | BGA437    | Desktop                 |
| <a href="#">Intel Atom 330 @ 1.60GHz</a>               | 2  | 371            | 168               | 8                 | BGA437    | Desktop                 |
| <a href="#">Intel Atom C2338 @ 1.74GHz</a>             | 2  | 584            | 233               | 7                 | FCBGA1283 | Laptop                  |
| <a href="#">Intel Atom C2350 @ 1.74GHz</a>             | 2  | 532            | 496               | 6                 | FCBGA1283 | Server                  |
| <a href="#">Intel Atom C2358 @ 1.74GHz</a>             | 2  | 625            | 291               | 7                 | FCBGA1283 | Laptop                  |
| <a href="#">Intel Atom C2538 @ 2.40GHz</a>             | 4  | 960            | 491               | 15                | FCBGA1283 | Laptop                  |
| <a href="#">Intel Atom C2550 @ 2.40GHz</a>             | 4  | 1,422          | 554               | 14                | FCBGA1283 | Server                  |
| <a href="#">Intel Atom C2558 @ 2.40GHz</a>             | 4  | 1,410          | 358               | 15                | BGA 1283  | Laptop, Mobile/Embedded |
| <a href="#">Intel Atom C2750 @ 2.40GHz</a>             | 8  | 2,775          | 658               | 20                | FCBGA1283 | Server                  |
| <a href="#">Intel Atom C2750 @ 2.41GHz</a>             | 8  | 2,174          | 291               | 20                | BGA 1283  | Server                  |
| <a href="#">Intel Atom C2758 @ 2.40GHz</a>             | 8  | 2,056          | 333               | 20                | BGA 1283  | Laptop, Mobile/Embedded |
| <a href="#">Intel Atom C3338 @ 1.50GHz</a>             | 2  | 1,245          | 874               | 8.5               | FCBGA1310 | Server, Mobile/Embedded |
| <a href="#">Intel Atom C3538 @ 2.10GHz</a>             | 4  | 1,756          | 669               | 15                | FCBGA1310 | Server                  |
| <a href="#">Intel Atom C3558 @ 2.20GHz</a>             | 4  | 2,405          | 849               | 16                | FCBGA1310 | Server                  |
| <a href="#">Intel Atom C3758 @ 2.20GHz</a>             | 8  | 4,675          | 857               | 25                | FCBGA1310 | Server                  |
| <a href="#">Intel Atom C3858 @ 2.00GHz</a>             | 12 | 3,154          | 501               | 25                | FCBGA1310 | Server                  |
| <a href="#">Intel Atom C3958 @ 2.00GHz</a>             | 16 | 4,281          | 514               | 31                | FCBGA1310 | Server                  |
| <a href="#">Intel Atom D2500 @ 1.86GHz</a>             | 2  | 275            | 346               | 10                | BGA559    | Desktop                 |
| <a href="#">Intel Atom D2550 @ 1.86GHz</a>             | 2  | 408            | 311               | 10                | BGA559    | Desktop                 |
| <a href="#">Intel Atom D2560 @ 2.00GHz</a>             | 2  | 433            | 353               | 10                | Unknown   | Desktop                 |
| <a href="#">Intel Atom D2700 @ 2.13GHz</a>             | 2  | 492            | 387               | 10                | BGA559    | Desktop                 |
| <a href="#">Intel Atom D2701 @ 2.13GHz</a>             | 2  | 508            | 385               | 10                | BGA559    | Laptop                  |
| <a href="#">Intel Atom D410 @ 1.66GHz</a>              | 1  | 177            | 243               | 10                | BGA559    | Desktop                 |
| <a href="#">Intel Atom D425 @ 1.80GHz</a>              | 1  | 222            | 320               | 10                | BGA559    | Desktop                 |
| <a href="#">Intel Atom D510 @ 1.66GHz</a>              | 2  | 404            | 292               | 13                | BGA559    | Desktop                 |
| <a href="#">Intel Atom D525 @ 1.80GHz</a>              | 2  | 391            | 308               | 13                | BGA559    | Desktop                 |
| <a href="#">Intel Atom E3815 @ 1.46GHz</a>             | 1  | 159            | 238               | 5                 | FCBGA1170 | Desktop                 |
| <a href="#">Intel Atom E3825 @ 1.33GHz</a>             | 2  | 385            | 370               | 6                 | FCBGA1170 | Desktop                 |
| <a href="#">Intel Atom E3826 @ 1.46GHz</a>             | 2  | 304            | 395               | 7                 | FCBGA1170 | Laptop                  |
| <a href="#">Intel Atom E3827 @ 1.74GHz</a>             | 2  | 460            | 455               | 8                 | FCBGA1170 | Laptop                  |
| <a href="#">Intel Atom E3840 @ 1.91GHz</a>             | 4  | 704            | 477               | NA                | Unknown   | Unknown                 |
| <a href="#">Intel Atom E3845 @ 1.91GHz</a>             | 4  | 1,038          | 536               | 10                | FCBGA1170 | Desktop                 |
| <a href="#">Intel Atom E3900 @ 1.60GHz</a>             | 4  | 1,953          | 675               | NA                | Unknown   | Laptop                  |
| <a href="#">Intel Atom E3940 @ 1.60GHz</a>             | 4  | 1,960          | 676               | 9.5               | Unknown   | Laptop                  |
| <a href="#">Intel Atom E3950 @ 1.60GHz</a>             | 4  | 2,092          | 737               | 12                | BGA1296   | Laptop                  |

| <a href="#">Intel Atom N2100 @ 1.60GHz</a><br>Nazwa procesora |  | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|---|--|----------------|-------------------|-------------------|---------|-----------|
|---|--|----------------|-------------------|-------------------|---------|-----------|

## CPU Benchmarks ▼

|   |   |       |       |      |             |                         |
|---|---|-------|-------|------|-------------|-------------------------|
| <a href="#">Intel Atom N280 @ 1.66GHz</a>     | 1 | 175   | 226   | 2.5  | BGA437      | Laptop                  |
| <a href="#">Intel Atom N2800 @ 1.86GHz</a>    | 2 | 408   | 307   | 6.5  | BGA559      | Laptop                  |
| <a href="#">Intel Atom N435 @ 1.33GHz</a>     | 1 | 153   | 220   | NA   | Unknown     | Unknown                 |
| <a href="#">Intel Atom N450 @ 1.66GHz</a>     | 1 | 177   | 270   | 5.5  | BGA559      | Laptop                  |
| <a href="#">Intel Atom N455 @ 1.66GHz</a>     | 1 | 162   | 258   | 6.5  | BGA559      | Laptop                  |
| <a href="#">Intel Atom N470 @ 1.83GHz</a>     | 1 | 224   | 308   | 6.5  | BGA559      | Laptop                  |
| <a href="#">Intel Atom N475 @ 1.83GHz</a>     | 1 | 179   | 281   | 6.5  | BGA559      | Laptop                  |
| <a href="#">Intel Atom N550 @ 1.50GHz</a>     | 2 | 316   | 257   | 8.5  | BGA559      | Laptop                  |
| <a href="#">Intel Atom N570 @ 1.66GHz</a>     | 2 | 335   | 282   | 8.5  | BGA559      | Laptop                  |
| <a href="#">Intel Atom S1260 @ 2.00GHz</a>    | 2 | 596   | 224   | 8.5  | FCBGA1283   | Server                  |
| <a href="#">Intel Atom T5700 @ 1.70GHz</a>    | 4 | 1,326 | 549   | NA   | Unknown     | Laptop                  |
| <a href="#">Intel Atom x5-E3930 @ 1.30GHz</a> | 2 | 878   | 617   | 6.5  | BGA1296     | Laptop                  |
| <a href="#">Intel Atom x5-E8000 @ 1.04GHz</a> | 4 | 985   | 509   | 5    | FCBGA1170   | Laptop                  |
| <a href="#">Intel Atom x5-Z8300 @ 1.44GHz</a> | 4 | 825   | 465   | 4    | UTFCBGA592  | Laptop, Mobile/Embedded |
| <a href="#">Intel Atom x5-Z8330 @ 1.44GHz</a> | 4 | 825   | 475   | 4    | Unknown     | Laptop                  |
| <a href="#">Intel Atom x5-Z8350 @ 1.44GHz</a> | 4 | 919   | 487   | 4    | UTFCBGA592  | Laptop                  |
| <a href="#">Intel Atom x5-Z8500 @ 1.44GHz</a> | 4 | 1,230 | 631   | 4    | UTFCBGA1380 | Laptop                  |
| <a href="#">Intel Atom x5-Z8550 @ 1.44GHz</a> | 4 | 1,187 | 702   | 4    | UTFCBGA1380 | Laptop, Mobile/Embedded |
| <a href="#">Intel Atom x6211E @ 1.20GHz</a>   | 2 | 1,695 | 1,304 | 6    | FCBGA1493   | Mobile/Embedded         |
| <a href="#">Intel Atom x6413E @ 1.50GHz</a>   | 4 | 4,070 | 1,608 | 9    | FCBGA1493   | Mobile/Embedded         |
| <a href="#">Intel Atom x7-Z8700 @ 1.60GHz</a> | 4 | 1,321 | 652   | 4    | BGA1380     | Laptop                  |
| <a href="#">Intel Atom x7-Z8750 @ 1.60GHz</a> | 4 | 1,373 | 697   | 4    | UTFCBGA1380 | Laptop                  |
| <a href="#">Intel Atom Z2760 @ 1.80GHz</a>    | 2 | 298   | 206   | NA   | FC-MB4760   | Laptop                  |
| <a href="#">Intel Atom Z3560 @ 1.83GHz</a>    | 4 | 690   | 476   | NA   | Unknown     | Mobile/Embedded         |
| <a href="#">Intel Atom Z3580 @ 1.33GHz</a>    | 4 | 805   | 525   | NA   | Unknown     | Laptop, Mobile/Embedded |
| <a href="#">Intel Atom Z3735D @ 1.33GHz</a>   | 4 | 761   | 591   | 4.4  | Unknown     | Laptop                  |
| <a href="#">Intel Atom Z3735E @ 1.33GHz</a>   | 4 | 557   | 478   | 4.4  | UTFCBGA1380 | Laptop                  |
| <a href="#">Intel Atom Z3735F @ 1.33GHz</a>   | 4 | 533   | 390   | 4.4  | UTFCBGA592  | Laptop                  |
| <a href="#">Intel Atom Z3735G @ 1.33GHz</a>   | 4 | 766   | 478   | 4.4  | Unknown     | Laptop                  |
| <a href="#">Intel Atom Z3736F @ 1.33GHz</a>   | 4 | 511   | 433   | 4.4  | UTFCBGA592  | Laptop                  |
| <a href="#">Intel Atom Z3740 @ 1.33GHz</a>    | 4 | 653   | 424   | 4    | UTFCBGA1380 | Laptop                  |
| <a href="#">Intel Atom Z3740D @ 1.33GHz</a>   | 4 | 614   | 459   | 4.4  | UTFCBGA1380 | Laptop                  |
| <a href="#">Intel Atom Z3745 @ 1.33GHz</a>    | 4 | 621   | 435   | 4    | UTFCBGA1380 | Laptop                  |
| <a href="#">Intel Atom Z3745D @ 1.33GHz</a>   | 4 | 585   | 437   | 4.4  | Unknown     | Laptop                  |
| <a href="#">Intel Atom Z3770 @ 1.46GHz</a>    | 4 | 738   | 542   | 4    | UTFCBGA1380 | Laptop                  |
| <a href="#">Intel Atom Z3770D @ 1.49GHz</a>   | 4 | 488   | 361   | 4.4  | BGA1380     | Laptop                  |
| <a href="#">Intel Atom Z3775 @ 1.46GHz</a>    | 4 | 754   | 538   | 4    | UTFCBGA1380 | Laptop                  |
| <a href="#">Intel Atom Z3775D @ 1.49GHz</a>   | 4 | 794   | 646   | 4.4  | UTFCBGA1380 | Laptop                  |
| <a href="#">Intel Atom Z3795 @ 1.60GHz</a>    | 4 | 1,142 | 651   | 4    | UTFCBGA1380 | Laptop                  |
| <a href="#">Intel Atom Z520 @ 1.33GHz</a>     | 1 | 122   | 151   | 2    | BGA441      | Laptop                  |
| <a href="#">Intel Atom Z530 @ 1.60GHz</a>     | 1 | 183   | 161   | 2    | BGA441      | Laptop                  |
| <a href="#">Intel Atom Z670 @ 1.50GHz</a>     | 1 | 158   | 95    | 3    | BGA518      | Laptop                  |
| <a href="#">Intel Celeron 1.70GHz</a>         | 1 | 101   | 190   | NA   | Unknown     | Unknown                 |
| <a href="#">Intel Celeron 1.80GHz</a>         | 1 | 96    | 307   | 66.1 | PPGA478     | Desktop                 |
| <a href="#">Intel Celeron 1000M @ 1.80GHz</a> | 2 | 1,027 | 970   | 35   | FCPGA988    | Laptop                  |
| <a href="#">Intel Celeron 1000MHz</a>         | 1 | 139   | 174   | NA   | Unknown     | Unknown                 |
| <a href="#">Intel Celeron 1005M @ 1.90GHz</a> | 2 | 1,065 | 1,014 | 35   | FCPGA988    | Laptop                  |



| <a href="#">Intel Celeron 1007U @ 1.50GHz</a> |  |                |            |         |         |           |
|---|--|----------------|------------|---------|---------|-----------|
| Nazwa procesora                               |  | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |
| <a href="#">Intel Celeron 1047U @ 1.60GHz</a> |  |                | Min        | Min...  |         |           |

## 🏠 CPU Benchmarks ▼

|  |   |       |       |      |                |         |
|--|---|-------|-------|------|----------------|---------|
| <a href="#">Intel Celeron 1020E @ 2.20GHz</a>  | 2 | 1,406 | 1,224 | 35   | FCBGA1023, FCP | Laptop  |
| <a href="#">Intel Celeron 1020M @ 2.10GHz</a>  | 2 | 1,275 | 1,176 | 35   | FCPGA988       | Laptop  |
| <a href="#">Intel Celeron 1037U @ 1.80GHz</a>  | 2 | 991   | 928   | 17   | FCBGA1023      | Laptop  |
| <a href="#">Intel Celeron 1047UE @ 1.40GHz</a> | 2 | 748   | 526   | 17   | FCBGA1023      | Desktop |
| <a href="#">Intel Celeron 1100MHz</a>          | 1 | 113   | 183   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 1200MHz</a>          | 1 | 159   | 212   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 2.00GHz</a>          | 1 | 125   | 338   | 52.8 | PPGA478        | Desktop |
| <a href="#">Intel Celeron 2.13GHz</a>          | 1 | 166   | 361   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 2.20GHz</a>          | 1 | 139   | 349   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 2.26GHz</a>          | 1 | 182   | 382   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 2.30GHz</a>          | 1 | 148   | 364   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 2.40GHz</a>          | 1 | 143   | 397   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 2.50GHz</a>          | 1 | 164   | 431   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 2.53GHz</a>          | 1 | 201   | 461   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 2.60GHz</a>          | 1 | 143   | 353   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 2.66GHz</a>          | 1 | 154   | 417   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 2.70GHz</a>          | 1 | 159   | 386   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 2.80GHz</a>          | 1 | 190   | 425   | 68.4 | PPGA478        | Desktop |
| <a href="#">Intel Celeron 2.93GHz</a>          | 1 | 230   | 396   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 2000E @ 2.20GHz</a>  | 2 | 1,607 | 1,282 | 37   | FCBGA1364      | Laptop  |
| <a href="#">Intel Celeron 2002E @ 1.50GHz</a>  | 2 | 1,091 | 871   | 25   | FCBGA1364      | Laptop  |
| <a href="#">Intel Celeron 215 @ 1.33GHz</a>    | 1 | 174   | 440   | 27   | BGA479         | Laptop  |
| <a href="#">Intel Celeron 220 @ 1.20GHz</a>    | 1 | 209   | 255   | 19   | BGA479         | Desktop |
| <a href="#">Intel Celeron 2950M @ 2.00GHz</a>  | 2 | 1,264 | 1,143 | 37   | FCPGA946       | Laptop  |
| <a href="#">Intel Celeron 2955U @ 1.40GHz</a>  | 2 | 808   | 754   | 15   | FCBGA1168      | Laptop  |
| <a href="#">Intel Celeron 2957U @ 1.40GHz</a>  | 2 | 819   | 774   | 15   | FCBGA1168      | Laptop  |
| <a href="#">Intel Celeron 2961Y @ 1.10GHz</a>  | 2 | 732   | 641   | 11.5 | Unknown        | Laptop  |
| <a href="#">Intel Celeron 2970M @ 2.20GHz</a>  | 2 | 1,501 | 1,245 | 37   | FCPGA946       | Laptop  |
| <a href="#">Intel Celeron 2980U @ 1.60GHz</a>  | 2 | 1,056 | 929   | 15   | FCBGA1168      | Laptop  |
| <a href="#">Intel Celeron 2981U @ 1.60GHz</a>  | 2 | 991   | 871   | 15   | BGA1168        | Laptop  |
| <a href="#">Intel Celeron 3.06GHz</a>          | 1 | 234   | 514   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 3.20GHz</a>          | 1 | 267   | 599   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 3.33GHz</a>          | 1 | 263   | 528   | NA   | Unknown        | Unknown |
| <a href="#">Intel Celeron 3205U @ 1.50GHz</a>  | 2 | 918   | 879   | 15   | FCBGA1168      | Laptop  |
| <a href="#">Intel Celeron 3215U @ 1.70GHz</a>  | 2 | 1,122 | 1,052 | 15   | FCBGA1168      | Laptop  |
| <a href="#">Intel Celeron 3755U @ 1.70GHz</a>  | 2 | 1,182 | 1,022 | 15   | FCBGA1168      | Laptop  |
| <a href="#">Intel Celeron 3765U @ 1.90GHz</a>  | 2 | 1,286 | 1,180 | 15   | FCBGA1168      | Laptop  |
| <a href="#">Intel Celeron 3855U @ 1.60GHz</a>  | 2 | 1,259 | 946   | 15   | FCBGA1356      | Laptop  |
| <a href="#">Intel Celeron 3865U @ 1.80GHz</a>  | 2 | 1,237 | 1,029 | 15   | BGA1356        | Laptop  |
| <a href="#">Intel Celeron 3867U @ 1.80GHz</a>  | 2 | 1,482 | 1,098 | 15   | FCBGA1356      | Laptop  |
| <a href="#">Intel Celeron 3955U @ 2.00GHz</a>  | 2 | 1,477 | 1,201 | 15   | FCBGA1356      | Laptop  |
| <a href="#">Intel Celeron 3965U @ 2.20GHz</a>  | 2 | 1,626 | 1,364 | 15   | FCBGA1356      | Laptop  |
| <a href="#">Intel Celeron 3965Y @ 1.50GHz</a>  | 2 | 1,179 | 889   | 6    | FCBGA1515      | Laptop  |
| <a href="#">Intel Celeron 420 @ 1.60GHz</a>    | 1 | 260   | 479   | 35   | LGA775         | Desktop |
| <a href="#">Intel Celeron 4205U @ 1.80GHz</a>  | 2 | 1,321 | 1,045 | 15   | FCBGA1528      | Laptop  |
| <a href="#">Intel Celeron 430 @ 1.80GHz</a>    | 1 | 293   | 630   | 35   | LGA775         | Desktop |

| <a href="#">Intel Celeron 4305U @ 2.20GHz</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo   | Kategoria       |
|--|---|----------------|-------------------|-------------------|-----------|-----------------|
| <a href="#">Intel Celeron 450 @ 2.20GHz</a>                      | 1 | 433            | 532               | 35                | LGA775    | Desktop         |
| <a href="#">Intel Celeron 5205U @ 1.90GHz</a>                    | 2 | 1,368          | 1,076             | 15                | FCBGA1528 | Laptop          |
| <a href="#">Intel Celeron 530 @ 1.73GHz</a>                      | 1 | 287            | 342               | 27                | PGA478    | Laptop          |
| <a href="#">Intel Celeron 540 @ 1.86GHz</a>                      | 1 | 283            | 496               | 30                | PGA478    | Laptop          |
| <a href="#">Intel Celeron 550 @ 2.00GHz</a>                      | 1 | 365            | 585               | 31                | BGA479    | Laptop          |
| <a href="#">Intel Celeron 560 @ 2.13GHz</a>                      | 1 | 365            | 498               | 31                | PGA478    | Laptop          |
| <a href="#">Intel Celeron 570 @ 2.26GHz</a>                      | 1 | 344            | 431               | 31                | PGA478    | Laptop          |
| <a href="#">Intel Celeron 6305 @ 1.80GHz</a>                     | 2 | 2,225          | 1,228             | NA                | FCBGA1449 | Laptop          |
| <a href="#">Intel Celeron 6305E @ 1.80GHz</a>                    | 2 | 2,239          | 1,210             | 15                | FCBGA1449 | Mobile/Embedded |
| <a href="#">Intel Celeron 723 @ 1.20GHz</a>                      | 1 | 213            | 460               | 10                | BGA956    | Laptop          |
| <a href="#">Intel Celeron 743 @ 1.30GHz</a>                      | 1 | 263            | 528               | 10                | BGA956    | Laptop          |
| <a href="#">Intel Celeron 807 @ 1.50GHz</a>                      | 1 | 392            | 608               | 17                | BGA-1023  | Laptop          |
| <a href="#">Intel Celeron 807UE @ 1.00GHz</a>                    | 1 | 210            | 366               | 10                | BGA-1023  | Laptop          |
| <a href="#">Intel Celeron 827E @ 1.40GHz</a>                     | 1 | 371            | 674               | 17                | FCBGA1023 | Laptop          |
| <a href="#">Intel Celeron 847 @ 1.10GHz</a>                      | 2 | 459            | 479               | 17                | BGA1023   | Laptop          |
| <a href="#">Intel Celeron 847E @ 1.10GHz</a>                     | 2 | 584            | 520               | 17                | FCBGA1023 | Laptop          |
| <a href="#">Intel Celeron 857 @ 1.20GHz</a>                      | 2 | 569            | 476               | 17                | BGA1023   | Laptop          |
| <a href="#">Intel Celeron 867 @ 1.30GHz</a>                      | 2 | 562            | 584               | 17                | BGA1023   | Laptop          |
| <a href="#">Intel Celeron 877 @ 1.40GHz</a>                      | 2 | 643            | 633               | 17                | BGA1023   | Laptop          |
| <a href="#">Intel Celeron 887 @ 1.50GHz</a>                      | 2 | 727            | 694               | 17                | BGA1023   | Laptop          |
| <a href="#">Intel Celeron 900 @ 2.20GHz</a>                      | 1 | 396            | 840               | 34.8              | PGA478    | Laptop          |
| <a href="#">Intel Celeron 925 @ 2.30GHz</a>                      | 1 | 444            | 846               | 35                | Unknown   | Laptop          |
| <a href="#">Intel Celeron @ 1.30GHz</a>                          | 1 | 548            | 611               | NA                | Unknown   | Unknown         |
| <a href="#">Intel Celeron B710 @ 1.60GHz</a>                     | 1 | 106            | 101               | 35                | rPGA988B  | Laptop          |
| <a href="#">Intel Celeron B800 @ 1.50GHz</a>                     | 2 | 666            | 670               | 35                | PGA988B   | Laptop          |
| <a href="#">Intel Celeron B810 @ 1.60GHz</a>                     | 2 | 775            | 754               | 35                | PGA988B   | Laptop          |
| <a href="#">Intel Celeron B815 @ 1.60GHz</a>                     | 2 | 714            | 681               | 35                | PGA988B   | Laptop          |
| <a href="#">Intel Celeron B820 @ 1.70GHz</a>                     | 2 | 787            | 742               | 35                | PGA988B   | Laptop          |
| <a href="#">Intel Celeron B830 @ 1.80GHz</a>                     | 2 | 802            | 839               | 35                | rPGA988B  | Laptop          |
| <a href="#">Intel Celeron B840 @ 1.90GHz</a>                     | 2 | 930            | 901               | 35                | PGA988B   | Laptop          |
| <a href="#">Intel Celeron D 347 @ 3.06GHz</a>                    | 1 | 232            | 565               | 86                | PLGA775   | Desktop         |
| <a href="#">Intel Celeron D 352 @ 3.20GHz</a>                    | 1 | 283            | 674               | 86                | PLGA775   | Desktop         |
| <a href="#">Intel Celeron D 356 @ 3.33GHz</a>                    | 1 | 251            | 619               | 86                | PLGA775   | Desktop         |
| <a href="#">Intel Celeron D 360 @ 3.46GHz</a>                    | 1 | 372            | 712               | 65                | PLGA775   | Desktop         |
| <a href="#">Intel Celeron D 420 @ 1.60GHz</a>                    | 1 | 313            | 388               | 35                | LGA775    | Desktop         |
| <a href="#">Intel Celeron E1200 @ 1.60GHz</a>                    | 2 | 492            | 628               | 65                | LGA775    | Desktop         |
| <a href="#">Intel Celeron E1400 @ 2.00GHz</a>                    | 2 | 671            | 746               | 65                | LGA775    | Desktop         |
| <a href="#">Intel Celeron E1500 @ 2.20GHz</a>                    | 2 | 649            | 785               | 65                | LGA775    | Desktop         |
| <a href="#">Intel Celeron E1600 @ 2.40GHz</a>                    | 2 | 712            | 877               | 65                | LGA775    | Desktop         |
| <a href="#">Intel Celeron E3200 @ 2.40GHz</a>                    | 2 | 860            | 992               | 65                | LGA775    | Desktop         |
| <a href="#">Intel Celeron E3300 @ 2.50GHz</a>                    | 2 | 805            | 1,032             | 65                | LGA775    | Desktop         |
| <a href="#">Intel Celeron E3400 @ 2.60GHz</a>                    | 2 | 834            | 1,001             | 65                | LGA775    | Desktop         |
| <a href="#">Intel Celeron E3500 @ 2.70GHz</a>                    | 2 | 935            | 1,154             | 65                | LGA775    | Desktop         |
| <a href="#">Intel Celeron G1101 @ 2.27GHz</a>                    | 2 | 1,086          | 929               | 73                | FCLGA1156 | Desktop         |
| <a href="#">Intel Celeron G1610 @ 2.60GHz</a>                    | 2 | 1,430          | 1,328             | 55                | FCLGA1155 | Desktop         |
| <a href="#">Intel Celeron G1610T @</a>                           | 2 | 1,320          | 1,207             | 35                | LGA1155   | Desktop         |

| <a href="#">2.30GHz</a><br>Nazwa procesora      |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo     | Kategoria |
|---|---|----------------|-------------------|-------------------|-------------|-----------|
| <a href="#">Intel Celeron G1620 @ 2.70GHz</a>   | 2 | 1,646          | 1,542             | 55                | FCLGA1155   | Desktop   |
| <a href="#">Intel Celeron G1820 @ 2.70GHz</a>   | 2 | 1,651          | 1,519             | 53                | FCLGA1150   | Desktop   |
| <a href="#">Intel Celeron G1820T @ 2.40GHz</a>  | 2 | 1,614          | 1,396             | 35                | LGA1150     | Desktop   |
| <a href="#">Intel Celeron G1820TE @ 2.20GHz</a> | 2 | 1,115          | 728               | 35                | LGA1150     | Desktop   |
| <a href="#">Intel Celeron G1830 @ 2.80GHz</a>   | 2 | 1,560          | 1,513             | 53                | LGA1150     | Desktop   |
| <a href="#">Intel Celeron G1840 @ 2.80GHz</a>   | 2 | 1,749          | 1,615             | 53                | FCLGA1150   | Desktop   |
| <a href="#">Intel Celeron G1840T @ 2.50GHz</a>  | 2 | 1,576          | 1,431             | 35                | LGA1150     | Desktop   |
| <a href="#">Intel Celeron G1850 @ 2.90GHz</a>   | 2 | 1,926          | 1,695             | 54                | FCLGA1150   | Desktop   |
| <a href="#">Intel Celeron G3900 @ 2.80GHz</a>   | 2 | 2,241          | 1,729             | 51                | FCLGA1151   | Desktop   |
| <a href="#">Intel Celeron G3900E @ 2.40GHz</a>  | 2 | 2,034          | 1,499             | 35                | FCBGA1440   | Laptop    |
| <a href="#">Intel Celeron G3900T @ 2.60GHz</a>  | 2 | 2,085          | 1,549             | 35                | Unknown     | Desktop   |
| <a href="#">Intel Celeron G3900TE @ 2.30GHz</a> | 2 | 1,850          | 1,402             | 35                | FCLGA1151   | Laptop    |
| <a href="#">Intel Celeron G3920 @ 2.90GHz</a>   | 2 | 2,310          | 1,740             | 51                | FCLGA1151   | Desktop   |
| <a href="#">Intel Celeron G3930 @ 2.90GHz</a>   | 2 | 2,282          | 1,796             | 51                | FCLGA1151   | Desktop   |
| <a href="#">Intel Celeron G3930T @ 2.70GHz</a>  | 2 | 2,109          | 1,650             | 35                | FCLGA1151   | Desktop   |
| <a href="#">Intel Celeron G3930TE @ 2.70GHz</a> | 2 | 2,218          | 1,706             | 35                | FCLGA1151   | Desktop   |
| <a href="#">Intel Celeron G3950 @ 3.00GHz</a>   | 2 | 2,369          | 1,811             | 51                | FCLGA1151   | Desktop   |
| <a href="#">Intel Celeron G440 @ 1.60GHz</a>    | 1 | 426            | 739               | 35                | LGA1155     | Desktop   |
| <a href="#">Intel Celeron G460 @ 1.80GHz</a>    | 1 | 485            | 702               | 35                | LGA1155     | Desktop   |
| <a href="#">Intel Celeron G465 @ 1.90GHz</a>    | 1 | 480            | 739               | 35                | LGA1155     | Desktop   |
| <a href="#">Intel Celeron G470 @ 2.00GHz</a>    | 1 | 691            | 937               | 35                | LGA1155     | Desktop   |
| <a href="#">Intel Celeron G4900 @ 3.10GHz</a>   | 2 | 2,436          | 1,912             | 54                | FCLGA1151-2 | Desktop   |
| <a href="#">Intel Celeron G4900T @ 2.90GHz</a>  | 2 | 2,396          | 1,789             | 35                | FCLGA1151-2 | Desktop   |
| <a href="#">Intel Celeron G4920 @ 3.20GHz</a>   | 2 | 2,406          | 1,965             | 54                | FCLGA1151-2 | Desktop   |
| <a href="#">Intel Celeron G4930 @ 3.20GHz</a>   | 2 | 2,571          | 1,999             | 54                | FCLGA1151-2 | Desktop   |
| <a href="#">Intel Celeron G4930T @ 3.00GHz</a>  | 2 | 2,209          | 1,742             | 35                | FCLGA1151   | Desktop   |
| <a href="#">Intel Celeron G4950 @ 3.30GHz</a>   | 2 | 2,714          | 2,041             | 54                | FCLGA1151   | Desktop   |
| <a href="#">Intel Celeron G530 @ 2.40GHz</a>    | 2 | 1,094          | 1,088             | 65                | LGA1155     | Desktop   |
| <a href="#">Intel Celeron G530T @ 2.00GHz</a>   | 2 | 1,055          | 966               | 35                | LGA1155     | Desktop   |
| <a href="#">Intel Celeron G540 @ 2.50GHz</a>    | 2 | 1,095          | 1,126             | 65                | LGA1155     | Desktop   |
| <a href="#">Intel Celeron G540T @ 2.10GHz</a>   | 2 | 1,174          | 972               | 35                | LGA1155     | Desktop   |
| <a href="#">Intel Celeron G550 @ 2.60GHz</a>    | 2 | 1,207          | 1,196             | 65                | LGA1155     | Desktop   |
| <a href="#">Intel Celeron G550T @ 2.20GHz</a>   | 2 | 1,102          | 1,026             | 35                | LGA1155     | Desktop   |
| <a href="#">Intel Celeron G555 @ 2.70GHz</a>    | 2 | 1,268          | 1,275             | 65                | LGA1155     | Desktop   |
| <a href="#">Intel Celeron G5900 @ 3.40GHz</a>   | 2 | 2,762          | 2,159             | 58                | FCLGA1200   | Desktop   |
| <a href="#">Intel Celeron G5900T @ 3.20GHz</a>  | 2 | 2,648          | 2,041             | 35                | FCLGA1200   | Desktop   |
| <a href="#">Intel Celeron G5905 @ 3.50GHz</a>   | 2 | 2,869          | 2,205             | 58                | FCLGA1200   | Desktop   |
| <a href="#">Intel Celeron G5905T @ 3.30GHz</a>  | 2 | 2,310          | 1,996             | 35                | FCLGA1200   | Desktop   |

| Nazwa procesora                               | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |                 |
|---|----------------|------------|---------|---------|-----------|-----------------|
| <a href="#">Intel Celeron G5920 @ 3.50GHz</a> |                |            |         |         |           |                 |
| <a href="#">Intel Celeron G5925 @ 3.60GHz</a> |                |            |         |         |           |                 |
| <a href="#">Intel Celeron J1850 @ 1.99GHz</a> | 4              | 942        | 455     | 10      | FCBGA1170 | Desktop         |
| <a href="#">Intel Celeron J1900 @ 1.99GHz</a> | 4              | 1,130      | 649     | 10      | FCBGA1170 | Desktop         |
| <a href="#">Intel Celeron J3060 @ 1.60GHz</a> | 2              | 677        | 636     | 6       | BGA1170   | Desktop         |
| <a href="#">Intel Celeron J3160 @ 1.60GHz</a> | 4              | 1,183      | 593     | 6       | BGA1170   | Desktop         |
| <a href="#">Intel Celeron J3355 @ 2.00GHz</a> | 2              | 1,235      | 841     | 10      | FCBGA1296 | Desktop, Laptop |

## CPU Benchmarks

|  |   |       |       |     |                  |                 |
|--|---|-------|-------|-----|------------------|-----------------|
| <a href="#">Intel Celeron J3455 @ 1.50GHz</a>  | 4 | 2,221 | 803   | 10  | FCBGA1296        | Desktop         |
| <a href="#">Intel Celeron J3455E @ 1.50GHz</a> | 4 | 2,125 | 835   | 10  | FCBGA1296        | Desktop         |
| <a href="#">Intel Celeron J4005 @ 2.00GHz</a>  | 2 | 1,588 | 1,122 | 10  | FCBGA1090        | Desktop         |
| <a href="#">Intel Celeron J4025 @ 2.00GHz</a>  | 2 | 1,673 | 1,228 | 10  | FCBGA1090        | Desktop         |
| <a href="#">Intel Celeron J4105 @ 1.50GHz</a>  | 4 | 2,906 | 1,096 | 10  | FCBGA1090        | Desktop         |
| <a href="#">Intel Celeron J4115 @ 1.80GHz</a>  | 4 | 2,727 | 1,074 | NA  | Unknown          | Desktop         |
| <a href="#">Intel Celeron J4125 @ 2.00GHz</a>  | 4 | 3,024 | 1,172 | 10  | FCBGA1090        | Desktop         |
| <a href="#">Intel Celeron J6412 @ 2.00GHz</a>  | 4 | 4,051 | 1,405 | 10  | FCBGA1493        | Mobile/Embedded |
| <a href="#">Intel Celeron J6413 @ 1.80GHz</a>  | 4 | 4,075 | 1,601 | 10  | FCBGA1296        | Mobile/Embedded |
| <a href="#">Intel Celeron M 1.00GHz</a>        | 1 | 149   | 197   | NA  | Unknown          | Laptop          |
| <a href="#">Intel Celeron M 1.30GHz</a>        | 1 | 205   | 284   | NA  | Unknown          | Laptop          |
| <a href="#">Intel Celeron M 1.50GHz</a>        | 1 | 216   | 280   | 21  | PPGA478, H-PBGA4 | Laptop          |
| <a href="#">Intel Celeron M 1.60GHz</a>        | 1 | 190   | 433   | NA  | Unknown          | Laptop          |
| <a href="#">Intel Celeron M 1.70GHz</a>        | 1 | 252   | 370   | NA  | Unknown          | Laptop          |
| <a href="#">Intel Celeron M 1300MHz</a>        | 1 | 197   | 274   | NA  | Unknown          | Laptop          |
| <a href="#">Intel Celeron M 1500MHz</a>        | 1 | 217   | 297   | NA  | Unknown          | Laptop          |
| <a href="#">Intel Celeron M 360 1.40GHz</a>    | 1 | 221   | 305   | 21  | H-PBGA479, PPGA4 | Laptop          |
| <a href="#">Intel Celeron M 410 @ 1.46GHz</a>  | 1 | 123   | 301   | 27  | PPGA478          | Laptop          |
| <a href="#">Intel Celeron M 420 @ 1.60GHz</a>  | 1 | 139   | 391   | 27  | PPGA478          | Laptop          |
| <a href="#">Intel Celeron M 430 @ 1.73GHz</a>  | 1 | 169   | 466   | 27  | PPGA478          | Laptop          |
| <a href="#">Intel Celeron M 440 @ 1.86GHz</a>  | 1 | 155   | 440   | 27  | PBGA479, PPGA478 | Laptop          |
| <a href="#">Intel Celeron M 443 @ 1.20GHz</a>  | 1 | 125   | 288   | 5.5 | PBGA479          | Laptop          |
| <a href="#">Intel Celeron M 450 @ 2.00GHz</a>  | 1 | 230   | 598   | 27  | PPGA478          | Laptop          |
| <a href="#">Intel Celeron M 520 @ 1.60GHz</a>  | 1 | 215   | 522   | 30  | PPGA478          | Laptop          |
| <a href="#">Intel Celeron M 530 @ 1.73GHz</a>  | 1 | 307   | 553   | 30  | PBGA479, PPGA478 | Laptop          |
| <a href="#">Intel Celeron M 723 @ 1.20GHz</a>  | 1 | 267   | 507   | 10  | BGA956           | Laptop          |
| <a href="#">Intel Celeron M 900MHz</a>         | 1 | 123   | 155   | NA  | Unknown          | Laptop          |
| <a href="#">Intel Celeron N2805 @ 1.46GHz</a>  | 2 | 335   | 394   | 4.3 | FCBGA1170        | Laptop          |
| <a href="#">Intel Celeron N2806 @ 1.60GHz</a>  | 2 | 486   | 538   | 4.5 | FCBGA1170        | Laptop          |
| <a href="#">Intel Celeron N2807 @ 1.58GHz</a>  | 2 | 441   | 543   | 4.3 | FCBGA1170        | Laptop          |
| <a href="#">Intel Celeron N2808 @ 1.58GHz</a>  | 2 | 515   | 588   | 4.5 | FCBGA1170        | Laptop          |
| <a href="#">Intel Celeron N2810 @ 2.00GHz</a>  | 2 | 465   | 545   | 7.5 | FCBGA1170        | Laptop          |
| <a href="#">Intel Celeron N2815 @ 1.86GHz</a>  | 2 | 486   | 564   | 7.5 | FCBGA1170        | Laptop          |
| <a href="#">Intel Celeron N2820 @ 2.13GHz</a>  | 2 | 462   | 579   | 7.5 | FCBGA1170        | Laptop          |
| <a href="#">Intel Celeron N2830 @ 2.16GHz</a>  | 2 | 554   | 639   | 7.5 | FCBGA1170        | Laptop          |
| <a href="#">Intel Celeron N2840 @ 2.16GHz</a>  | 2 | 578   | 666   | 7   | FCBGA1170        | Laptop          |
| <a href="#">Intel Celeron N2910 @ 1.60GHz</a>  | 4 | 742   | 446   | 7.5 | FCBGA1170        | Laptop          |
| <a href="#">Intel Celeron N2920 @ 1.86GHz</a>  | 4 | 907   | 546   | 7.5 | FCBGA1170        | Laptop          |
| <a href="#">Intel Celeron N2930 @ 1.83GHz</a>  | 4 | 991   | 579   | 7.5 | FCBGA1170        | Laptop          |
| <a href="#">Intel Celeron N2940 @ 1.83GHz</a>  | 4 | 1,029 | 610   | 7.5 | FCBGA1170        | Laptop          |



| <a href="#">Intel Celeron N3000 @ 1.04GHz</a>  |          |                |            |         |           |                 |
|--|----------|----------------|------------|---------|-----------|-----------------|
| Nazwa procesora                                | Procesor | Znak procesora | Znak wątku | TDP (W) | Gniazdo   | Kategoria       |
|  |          |                | Min        | Min...  |           |                 |
| <a href="#">Intel Celeron N3150 @ 1.60GHz</a>  | 4        | 1,199          | 574        | 6       | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N3160 @ 1.60GHz</a>  | 4        | 1,104          | 543        | 6       | FCBGA1170 | Laptop          |
| <a href="#">Intel Celeron N3350 @ 1.10GHz</a>  | 2        | 1,136          | 811        | 6       | FCBGA1296 | Laptop          |
| <a href="#">Intel Celeron N3450 @ 1.10GHz</a>  | 4        | 1,937          | 764        | 6       | FCBGA1296 | Laptop          |
| <a href="#">Intel Celeron N4000 @ 1.10GHz</a>  | 2        | 1,394          | 1,017      | 6       | FCBGA1090 | Laptop          |
| <a href="#">Intel Celeron N4000C @ 1.10GHz</a> | 2        | 1,611          | 1,150      | 6       | FCBGA1090 | Laptop          |
| <a href="#">Intel Celeron N4020 @ 1.10GHz</a>  | 2        | 1,596          | 1,198      | 6       | FCBGA1090 | Laptop          |
| <a href="#">Intel Celeron N4100 @ 1.10GHz</a>  | 4        | 2,433          | 1,010      | 6       | FCBGA1090 | Laptop          |
| <a href="#">Intel Celeron N4120 @ 1.10GHz</a>  | 4        | 2,466          | 1,104      | 6       | FCBGA1090 | Laptop          |
| <a href="#">Intel Celeron N4500 @ 1.10GHz</a>  | 2        | 1,840          | 1,244      | 6       | FCBGA1338 | Mobile/Embedded |
| <a href="#">Intel Celeron N5095 @ 2.00GHz</a>  | 4        | 4,105          | 1,502      | 15      | FCBGA1338 | Desktop         |
| <a href="#">Intel Celeron N5100 @ 1.10GHz</a>  | 4        | 3,060          | 1,359      | 6       | FCBGA1338 | Laptop          |
| <a href="#">Intel Celeron N5105 @ 2.00GHz</a>  | 4        | 4,052          | 1,520      | 10      | FCBGA1338 | Mobile/Embedded |
| <a href="#">Intel Celeron N6211 @ 1.20GHz</a>  | 2        | 2,207          | 1,582      | 6.5     | FCBGA1493 | Mobile/Embedded |
| <a href="#">Intel Celeron P4500 @ 1.87GHz</a>  | 2        | 816            | 707        | 35      | PGA988A   | Laptop          |
| <a href="#">Intel Celeron P4505 @ 1.87GHz</a>  | 2        | 689            | 820        | 35      | BGA1288   | Laptop          |
| <a href="#">Intel Celeron P4600 @ 2.00GHz</a>  | 2        | 793            | 771        | 35      | PGA988A   | Laptop          |
| <a href="#">Intel Celeron SU2300 @ 1.20GHz</a> | 2        | 445            | 500        | 10      | BGA956    | Laptop          |
| <a href="#">Intel Celeron T1600 @ 1.66GHz</a>  | 2        | 519            | 628        | 35      | Unknown   | Laptop          |
| <a href="#">Intel Celeron U1900 @ 1.99GHz</a>  | 4        | 1,028          | 527        | NA      | Unknown   | Unknown         |
| <a href="#">Intel Celeron U3400 @ 1.07GHz</a>  | 2        | 473            | 441        | 18      | BGA1288   | Laptop          |
| <a href="#">Intel Celeron U3600 @ 1.20GHz</a>  | 2        | 560            | 520        | 18      | BGA1288   | Laptop          |
| <a href="#">Intel Core 860 @ 2.80GHz</a>       | 4        | 2,754          | 1,142      | NA      | Unknown   | Unknown         |
| <a href="#">Intel Core Duo L2300 @ 1.50GHz</a> | 2        | 387            | 442        | 15      | BGA479    | Desktop         |
| <a href="#">Intel Core Duo L2400 @ 1.66GHz</a> | 2        | 348            | 501        | 15      | BGA479    | Laptop          |
| <a href="#">Intel Core Duo L2500 @ 1.83GHz</a> | 2        | 404            | 578        | 15      | BGA479    | Laptop          |
| <a href="#">Intel Core Duo T2050 @ 1.60GHz</a> | 2        | 320            | 493        | 31      | PGA478    | Desktop         |
| <a href="#">Intel Core Duo T2250 @ 1.73GHz</a> | 2        | 347            | 529        | 31      | PGA478    | Laptop          |
| <a href="#">Intel Core Duo T2300 @ 1.66GHz</a> | 2        | 330            | 519        | 31      | BGA479    | Laptop          |
| <a href="#">Intel Core Duo T2350 @ 1.86GHz</a> | 2        | 364            | 560        | 31      | PGA478    | Laptop          |
| <a href="#">Intel Core Duo T2400 @ 1.83GHz</a> | 2        | 349            | 511        | 31      | BGA479    | Laptop          |
| <a href="#">Intel Core Duo T2450 @ 2.00GHz</a> | 2        | 404            | 603        | 31      | PGA478    | Laptop          |
| <a href="#">Intel Core Duo T2500 @ 2.00GHz</a> | 2        | 408            | 613        | 31      | BGA479    | Laptop          |
| <a href="#">Intel Core Duo T2600 @ 2.16GHz</a> | 2        | 449            | 676        | 31      | BGA479    | Laptop          |
| <a href="#">Intel Core Duo T2700 @ 2.33GHz</a> | 2        | 498            | 652        | 31      | BGA479    | Laptop          |
| <a href="#">Intel Core Duo U2400 @ 1.06GHz</a> | 2        | 255            | 342        | 9       | BGA479    | Laptop          |



| <a href="#">Nazwa procesora</a>                |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo     | Kategoria                |
|--|---|----------------|-------------------|-------------------|-------------|--------------------------|
| <a href="#">Intel Core Duo U2500 @ 1.20GHz</a> | 2 | 5,169          | 2,263             | 15                | FCBGA1526   | Laptop                   |
| <a href="#">Intel Core i3-10100 @ 3.60GHz</a>  | 4 | 8,828          | 2,641             | 65                | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10100E @ 3.20GHz</a> | 4 | 8,229          | 2,297             | 65                | FCLGA1200   | Desktop, Mobile/Embedded |
| <a href="#">Intel Core i3-10100F @ 3.60GHz</a> | 4 | 8,872          | 2,611             | 65                | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10100T @ 3.00GHz</a> | 4 | 7,475          | 2,340             | 35                | FCLGA1200   | Laptop                   |
| <a href="#">Intel Core i3-10100Y @ 1.30GHz</a> | 2 | 3,224          | 1,844             | 5                 | BGA 1528    | Mobile/Embedded          |
| <a href="#">Intel Core i3-10105 @ 3.70GHz</a>  | 4 | 8,889          | 2,723             | 65                | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10105F @ 3.70GHz</a> | 4 | 9,146          | 2,686             | NA                | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10105T @ 3.00GHz</a> | 4 | 7,951          | 2,352             | 35                | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10110U @ 2.10GHz</a> | 2 | 4,036          | 2,293             | 15                | FCBGA1528   | Laptop                   |
| <a href="#">Intel Core i3-10110Y @ 1.00GHz</a> | 2 | 3,278          | 2,093             | 7                 | UTFCBGA1377 | Laptop                   |
| <a href="#">Intel Core i3-10300 @ 3.70GHz</a>  | 4 | 9,329          | 2,682             | 65                | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10300T @ 3.00GHz</a> | 4 | 7,780          | 2,316             | 35                | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10305 @ 3.80GHz</a>  | 4 | 9,689          | 2,834             | 65                | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10305T @ 3.00GHz</a> | 4 | 8,136          | 2,456             | 35                | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10320 @ 3.80GHz</a>  | 4 | 10,130         | 2,849             | 65                | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-10325 @ 3.90GHz</a>  | 4 | 10,429         | 2,871             | 65                | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i3-11100B @ 3.60GHz</a> | 4 | 11,357         | 2,912             | 65                | Unknown     | Desktop                  |
| <a href="#">Intel Core i3-1115G4 @ 3.00GHz</a> | 2 | 6,346          | 2,711             | NA                | FCBGA1449   | Laptop                   |
| <a href="#">Intel Core i3-1125G4 @ 2.00GHz</a> | 4 | 10,019         | 2,533             | 28                | FCBGA1449   | Laptop                   |
| <a href="#">Intel Core i3-12100</a>            | 4 | 13,561         | 3,561             | 60                | LGA 1700    | Desktop                  |
| <a href="#">Intel Core i3-12100F</a>           | 4 | 14,312         | 3,497             | 58                | FCLGA1700   | Server                   |
| <a href="#">Intel Core i3-2100 @ 3.10GHz</a>   | 2 | 1,797          | 1,424             | 65                | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-2100T @ 2.50GHz</a>  | 2 | 1,634          | 1,183             | 35                | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-2102 @ 3.10GHz</a>   | 2 | 2,029          | 1,400             | 65                | FCLGA1155   | Desktop                  |
| <a href="#">Intel Core i3-2105 @ 3.10GHz</a>   | 2 | 1,840          | 1,363             | 65                | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-21050 @ 3.10GHz</a>  | 2 | 2,193          | 1,429             | NA                | Unknown     | Unknown                  |
| <a href="#">Intel Core i3-2120 @ 3.30GHz</a>   | 2 | 1,912          | 1,517             | 65                | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-2120T @ 2.60GHz</a>  | 2 | 1,486          | 1,144             | 35                | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-2125 @ 3.30GHz</a>   | 2 | 2,093          | 1,550             | 65                | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-2130 @ 3.40GHz</a>   | 2 | 1,974          | 1,554             | 65                | LGA1155     | Desktop                  |
| <a href="#">Intel Core i3-2140 @ 3.50GHz</a>   | 2 | 2,307          | 1,535             | 65                | Unknown     | Unknown                  |
| <a href="#">Intel Core i3-2310E @ 2.10GHz</a>  | 2 | 1,845          | 733               | 35                | FCBGA1023   | Laptop                   |
| <a href="#">Intel Core i3-2310M @ 2.10GHz</a>  | 2 | 1,190          | 946               | 35                | BGA1023     | Laptop                   |
| <a href="#">Intel Core i3-2312M @ 2.10GHz</a>  | 2 | 1,138          | 927               | 35                | PGA988B     | Laptop                   |
| <a href="#">Intel Core i3-2328M @ 2.20GHz</a>  | 2 | 1,205          | 980               | 35                | PGA988      | Laptop                   |
| <a href="#">Intel Core i3-2330E @ 2.20GHz</a>  | 2 | 1,823          | 1,063             | 35                | rPGA988     | Desktop                  |
| <a href="#">Intel Core i3-2330M @ 2.20GHz</a>  | 2 | 1,222          | 979               | 35                | BGA1023     | Laptop                   |
| <a href="#">Intel Core i3-2332M @ 2.20GHz</a>  | 2 | 1,353          | 936               | 35                | rPGA988B    | Laptop                   |
| <a href="#">Intel Core i3-2340UE @ 1.30GHz</a> | 2 | 976            | 620               | 17                | BGA-1023    | Laptop                   |
| <a href="#">Intel Core i3-2348M @ 2.30GHz</a>  | 2 | 1,258          | 1,035             | 35                | rPGA988B    | Laptop                   |
| <a href="#">Intel Core i3-2350M @ 2.30GHz</a>  | 2 | 1,266          | 1,015             | 35                | PGA988B     | Laptop                   |
| <a href="#">Intel Core i3-2357M @ 1.30GHz</a>  | 2 | 824            | 591               | 17                | Unknown     | Laptop                   |
| <a href="#">Intel Core i3-2365M @ 1.40GHz</a>  | 2 | 812            | 608               | 17                | BGA1023     | Laptop                   |

| <a href="#">Intel Core i3-2367M @ 1.40GHz</a> |          |                |                   |                   |         |           |
|---|----------|----------------|-------------------|-------------------|---------|-----------|
| <a href="#">Intel Core i3-2370M @ 2.40GHz</a> |          |                |                   |                   |         |           |
| Nazwa procesora                               | Procesor | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |

## 🏠 CPU Benchmarks ▼

|  |   |       |       |      |           |                 |
|--|---|-------|-------|------|-----------|-----------------|
| <a href="#">Intel Core i3-3110M @ 2.40GHz</a>  | 2 | 1,587 | 1,251 | 35   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-3120M @ 2.50GHz</a>  | 2 | 1,600 | 1,256 | 35   | PGA988    | Laptop          |
| <a href="#">Intel Core i3-3130M @ 2.60GHz</a>  | 2 | 1,824 | 1,067 | 35   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-3210 @ 3.20GHz</a>   | 2 | 2,084 | 1,694 | 55   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3217U @ 1.80GHz</a>  | 2 | 1,178 | 913   | 17   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-3217UE @ 1.60GHz</a> | 2 | 1,362 | 711   | 17   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-3220 @ 3.30GHz</a>   | 2 | 2,174 | 1,719 | 55   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3220T @ 2.80GHz</a>  | 2 | 1,959 | 1,497 | 35   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3225 @ 3.30GHz</a>   | 2 | 2,199 | 1,677 | 55   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3227U @ 1.90GHz</a>  | 2 | 1,239 | 936   | 17   | BGA1023   | Laptop          |
| <a href="#">Intel Core i3-3229Y @ 1.40GHz</a>  | 2 | 978   | 646   | 13   | BGA1023   | Desktop         |
| <a href="#">Intel Core i3-3240 @ 3.40GHz</a>   | 2 | 2,273 | 1,803 | 55   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3240T @ 2.90GHz</a>  | 2 | 1,985 | 1,525 | 35   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3245 @ 3.40GHz</a>   | 2 | 2,462 | 1,819 | 55   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3250 @ 3.50GHz</a>   | 2 | 2,350 | 1,797 | 55   | LGA1155   | Desktop         |
| <a href="#">Intel Core i3-3250T @ 3.00GHz</a>  | 2 | 2,650 | 1,684 | 35   | FCLGA1155 | Desktop         |
| <a href="#">Intel Core i3-330E @ 2.13GHz</a>   | 2 | 1,260 | 934   | 35   | BGA1288   | Laptop          |
| <a href="#">Intel Core i3-330M @ 2.13GHz</a>   | 2 | 987   | 816   | 35   | BGA1288   | Laptop          |
| <a href="#">Intel Core i3-330UM @ 1.20GHz</a>  | 2 | 666   | 457   | 18   | BGA1288   | Laptop          |
| <a href="#">Intel Core i3-350M @ 2.27GHz</a>   | 2 | 1,053 | 877   | 35   | BGA1288   | Laptop          |
| <a href="#">Intel Core i3-370M @ 2.40GHz</a>   | 2 | 1,124 | 980   | 35   | PGA988A   | Laptop          |
| <a href="#">Intel Core i3-380M @ 2.53GHz</a>   | 2 | 1,157 | 1,017 | 35   | PGA988A   | Laptop          |
| <a href="#">Intel Core i3-380UM @ 1.33GHz</a>  | 2 | 699   | 562   | 18   | BGA1288   | Laptop          |
| <a href="#">Intel Core i3-390M @ 2.67GHz</a>   | 2 | 1,178 | 1,096 | 35   | BGA1288   | Laptop          |
| <a href="#">Intel Core i3-4000M @ 2.40GHz</a>  | 2 | 1,747 | 1,288 | 37   | FCPGA946  | Laptop          |
| <a href="#">Intel Core i3-4005U @ 1.70GHz</a>  | 2 | 1,637 | 904   | 15   | FCBGA1168 | Laptop          |
| <a href="#">Intel Core i3-4010U @ 1.70GHz</a>  | 2 | 1,639 | 905   | 15   | BGA1168   | Laptop          |
| <a href="#">Intel Core i3-4010Y @ 1.30GHz</a>  | 2 | 1,310 | 729   | 11.5 | BGA1168   | Desktop         |
| <a href="#">Intel Core i3-4012Y @ 1.50GHz</a>  | 2 | 1,229 | 698   | 11.5 | FCBGA1168 | Laptop          |
| <a href="#">Intel Core i3-4020Y @ 1.50GHz</a>  | 2 | 1,456 | 782   | 11.5 | BGA1168   | Desktop         |
| <a href="#">Intel Core i3-4025U @ 1.90GHz</a>  | 2 | 1,974 | 1,100 | 15   | FCBGA1168 | Laptop          |
| <a href="#">Intel Core i3-4030U @ 1.90GHz</a>  | 2 | 1,876 | 1,029 | 15   | FCBGA1168 | Laptop          |
| <a href="#">Intel Core i3-4030Y @ 1.60GHz</a>  | 2 | 1,654 | 901   | 11.5 | FCBGA1168 | Laptop          |
| <a href="#">Intel Core i3-4100E @ 2.40GHz</a>  | 2 | 1,848 | 1,390 | 37   | FCBGA1364 | Mobile/Embedded |
| <a href="#">Intel Core i3-4100M @ 2.50GHz</a>  | 2 | 2,449 | 1,361 | 37   | FCPGA946  | Laptop          |
| <a href="#">Intel Core i3-4110M @ 2.60GHz</a>  | 2 | 2,678 | 1,389 | 37   | FCPGA946  | Laptop          |
| <a href="#">Intel Core i3-4110U @ 1.90GHz</a>  | 2 | 1,853 | 1,119 | NA   | Unknown   | Laptop          |
| <a href="#">Intel Core i3-4120U @ 2.00GHz</a>  | 2 | 1,948 | 1,177 | 15   | FCBGA1168 | Laptop          |
| <a href="#">Intel Core i3-4130 @ 3.40GHz</a>   | 2 | 3,263 | 1,882 | 54   | LGA1150   | Desktop         |
| <a href="#">Intel Core i3-4130T @ 2.90GHz</a>  | 2 | 2,859 | 1,631 | 35   | LGA1150   | Desktop         |
| <a href="#">Intel Core i3-4150 @ 3.50GHz</a>   | 2 | 3,351 | 1,928 | 54   | FCLGA1150 | Desktop         |
| <a href="#">Intel Core i3-4150T @ 3.00GHz</a>  | 2 | 2,846 | 1,585 | 35   | FCLGA1150 | Desktop         |
| <a href="#">Intel Core i3-4158U @ 2.00GHz</a>  | 2 | 1,718 | 1,005 | 28   | FCBGA1168 | Laptop          |
| <a href="#">Intel Core i3-4160 @ 3.60GHz</a>   | 2 | 3,470 | 2,008 | 54   | FCLGA1150 | Desktop         |
| <a href="#">Intel Core i3-4160T @ 3.10GHz</a>  | 2 | 3,131 | 1,764 | 35   | LGA1150   | Desktop         |

| <a href="#">Nazwa procesora</a>                | <a href="#">Liczba rdzeni</a> | <a href="#">Znak procesora</a> | <a href="#">Znak wątku</a> | <a href="#">TDP (W)</a> | <a href="#">Gniazdo</a> | <a href="#">Kategoria</a> |
|--|-------------------------------|--------------------------------|----------------------------|-------------------------|-------------------------|---------------------------|
| <a href="#">Intel Core i3-4170 @ 3.70GHz</a>   |                               |                                |                            |                         |                         |                           |
| <a href="#">Intel Core i3-4200T @ 3.20GHz</a>  |                               |                                |                            |                         |                         |                           |
| <a href="#">Intel Core i3-4330TE @ 2.40GHz</a> | 2                             | 2,500                          | 1,399                      | 35                      | LGA1150                 | Desktop                   |
| <a href="#">Intel Core i3-4340 @ 3.60GHz</a>   | 2                             | 3,606                          | 2,052                      | 54                      | LGA1150                 | Desktop                   |
| <a href="#">Intel Core i3-4350 @ 3.60GHz</a>   | 2                             | 3,380                          | 1,859                      | 54                      | LGA1150                 | Desktop                   |
| <a href="#">Intel Core i3-4350T @ 3.10GHz</a>  | 2                             | 2,888                          | 1,656                      | 35                      | LGA1150                 | Laptop                    |
| <a href="#">Intel Core i3-4360 @ 3.70GHz</a>   | 2                             | 3,657                          | 2,052                      | 54                      | FCLGA1150               | Desktop                   |
| <a href="#">Intel Core i3-4360T @ 3.20GHz</a>  | 2                             | 3,164                          | 1,852                      | 35                      | LGA1150                 | Desktop                   |
| <a href="#">Intel Core i3-4370 @ 3.80GHz</a>   | 2                             | 3,758                          | 2,090                      | 54                      | LGA1150                 | Desktop                   |
| <a href="#">Intel Core i3-4370T @ 3.30GHz</a>  | 2                             | 3,303                          | 1,912                      | 35                      | FCLGA1150               | Desktop                   |
| <a href="#">Intel Core i3-4570T @ 2.90GHz</a>  | 2                             | 3,244                          | 1,693                      | 35                      | FCLGA1150               | Desktop                   |
| <a href="#">Intel Core i3-5005U @ 2.00GHz</a>  | 2                             | 2,008                          | 1,148                      | 15                      | FCBGA1168               | Laptop                    |
| <a href="#">Intel Core i3-5010U @ 2.10GHz</a>  | 2                             | 2,134                          | 1,225                      | 15                      | FCBGA1168               | Laptop                    |
| <a href="#">Intel Core i3-5015U @ 2.10GHz</a>  | 2                             | 2,045                          | 1,156                      | 15                      | FCBGA1168               | Laptop                    |
| <a href="#">Intel Core i3-5020U @ 2.20GHz</a>  | 2                             | 2,193                          | 1,271                      | 15                      | FCBGA1168               | Laptop                    |
| <a href="#">Intel Core i3-5157U @ 2.50GHz</a>  | 2                             | 2,588                          | 1,325                      | 28                      | FCBGA1168               | Laptop                    |
| <a href="#">Intel Core i3-530 @ 2.93GHz</a>    | 2                             | 1,434                          | 1,176                      | 73                      | LGA1156                 | Desktop                   |
| <a href="#">Intel Core i3-540 @ 3.07GHz</a>    | 2                             | 1,499                          | 1,265                      | 73                      | LGA1156                 | Desktop                   |
| <a href="#">Intel Core i3-550 @ 3.20GHz</a>    | 2                             | 1,575                          | 1,341                      | 73                      | LGA1156                 | Desktop                   |
| <a href="#">Intel Core i3-560 @ 3.33GHz</a>    | 2                             | 1,626                          | 1,341                      | 73                      | LGA1156                 | Desktop                   |
| <a href="#">Intel Core i3-6006U @ 2.00GHz</a>  | 2                             | 2,266                          | 1,168                      | 15                      | FCBGA1356               | Laptop                    |
| <a href="#">Intel Core i3-6098P @ 3.60GHz</a>  | 2                             | 4,140                          | 2,148                      | 54                      | LGA 1151                | Desktop                   |
| <a href="#">Intel Core i3-6100 @ 3.70GHz</a>   | 2                             | 4,170                          | 2,219                      | 51                      | LGA 1151                | Desktop                   |
| <a href="#">Intel Core i3-6100E @ 2.70GHz</a>  | 2                             | 3,315                          | 1,688                      | 35                      | LGA 1151                | Laptop                    |
| <a href="#">Intel Core i3-6100H @ 2.70GHz</a>  | 2                             | 3,026                          | 1,545                      | 35                      | LGA 1151                | Laptop                    |
| <a href="#">Intel Core i3-6100T @ 3.20GHz</a>  | 2                             | 3,596                          | 1,880                      | 35                      | LGA 1151                | Desktop                   |
| <a href="#">Intel Core i3-6100TE @ 2.70GHz</a> | 2                             | 3,145                          | 1,601                      | 35                      | LGA 1151                | Desktop                   |
| <a href="#">Intel Core i3-6100U @ 2.30GHz</a>  | 2                             | 2,630                          | 1,345                      | 15                      | FCBGA1356               | Laptop                    |
| <a href="#">Intel Core i3-6102E @ 1.90GHz</a>  | 2                             | 2,349                          | 1,068                      | 25                      | FCBGA1440               | Laptop                    |
| <a href="#">Intel Core i3-6157U @ 2.40GHz</a>  | 2                             | 2,778                          | 1,445                      | 28                      | BGA1356                 | Laptop                    |
| <a href="#">Intel Core i3-6300 @ 3.80GHz</a>   | 2                             | 4,382                          | 2,314                      | 51                      | LGA 1151                | Desktop                   |
| <a href="#">Intel Core i3-6300T @ 3.30GHz</a>  | 2                             | 4,040                          | 2,055                      | 35                      | LGA 1151                | Desktop                   |
| <a href="#">Intel Core i3-6320 @ 3.90GHz</a>   | 2                             | 4,372                          | 2,343                      | 51                      | LGA 1151                | Desktop                   |
| <a href="#">Intel Core i3-7020U @ 2.30GHz</a>  | 2                             | 2,580                          | 1,336                      | 15                      | FCBGA1356               | Laptop                    |
| <a href="#">Intel Core i3-7100 @ 3.90GHz</a>   | 2                             | 4,320                          | 2,334                      | 51                      | FCLGA1151               | Desktop                   |
| <a href="#">Intel Core i3-7100H @ 3.00GHz</a>  | 2                             | 3,430                          | 1,668                      | 35                      | FCBGA1440               | Laptop                    |
| <a href="#">Intel Core i3-7100T @ 3.40GHz</a>  | 2                             | 3,748                          | 1,999                      | 35                      | FCLGA1151               | Desktop                   |
| <a href="#">Intel Core i3-7100U @ 2.40GHz</a>  | 2                             | 2,708                          | 1,390                      | 15                      | FCBGA1356               | Laptop                    |
| <a href="#">Intel Core i3-7101TE @ 3.40GHz</a> | 2                             | 3,985                          | 2,111                      | 35                      | FCLGA1151               | Desktop                   |
| <a href="#">Intel Core i3-7102E @ 2.10GHz</a>  | 2                             | 2,521                          | 1,292                      | 25                      | FCBGA1440               | Laptop                    |
| <a href="#">Intel Core i3-7130U @ 2.70GHz</a>  | 2                             | 2,986                          | 1,590                      | 15                      | FCBGA1356               | Laptop                    |
| <a href="#">Intel Core i3-7167U @ 2.80GHz</a>  | 2                             | 3,280                          | 1,635                      | 28                      | Unknown                 | Laptop                    |
| <a href="#">Intel Core i3-7300 @ 4.00GHz</a>   | 2                             | 4,683                          | 2,413                      | 51                      | FCLGA1151               | Desktop                   |
| <a href="#">Intel Core i3-7300T @ 3.50GHz</a>  | 2                             | 4,159                          | 2,128                      | 35                      | FCLGA1151               | Desktop                   |
| <a href="#">Intel Core i3-7320 @ 4.10GHz</a>   | 2                             | 4,835                          | 2,466                      | 51                      | FCLGA1151               | Desktop                   |
| <a href="#">Intel Core i3-7350K @ 4.20GHz</a>  | 2                             | 4,809                          | 2,484                      | 60                      | FCLGA1151               | Desktop                   |
| <a href="#">Intel Core i3-8100 @ 3.60GHz</a>   | 4                             | 6,445                          | 3,340                      | 65                      | FCLGA1151               | Desktop                   |

| Nazwa procesora | Procesor | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |
|-----------------|----------|----------------|------------|---------|---------|-----------|
|                 |          |                | Min        | Min...  |         |           |

## 🏠 CPU Benchmarks ▼

|   |   |        |       |    |             |                 |
|---|---|--------|-------|----|-------------|-----------------|
| <a href="#">Intel Core i3-8121U @ 2.20GHz</a>   | 2 | 4,376  | 1,927 | 15 | Unknown     | Laptop          |
| <a href="#">Intel Core i3-8130U @ 2.20GHz</a>   | 2 | 3,681  | 1,960 | 15 | FCBGA1356   | Laptop          |
| <a href="#">Intel Core i3-8140U @ 2.10GHz</a>   | 2 | 4,452  | 2,256 | 15 | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i3-8145U @ 2.10GHz</a>   | 2 | 3,833  | 2,142 | 15 | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i3-8145UE @ 2.20GHz</a>  | 2 | 4,133  | 2,324 | 15 | FCBGA1528   | Laptop          |
|   |   |        |       |    |             |                 |
| <a href="#">Intel Core i3-8300 @ 3.70GHz</a>    | 4 | 5,918  | 2,265 | 62 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-8300T @ 3.20GHz</a>   | 4 | 5,827  | 2,005 | 25 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-8350K @ 4.00GHz</a>   | 4 | 6,832  | 2,488 | 91 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9100 @ 3.60GHz</a>    | 4 | 6,621  | 2,523 | 65 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9100F @ 3.60GHz</a>   | 4 | 6,760  | 2,520 | 65 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9100T @ 3.10GHz</a>   | 4 | 5,548  | 2,180 | 35 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9100TE @ 2.20GHz</a>  | 4 | 4,501  | 1,585 | 35 | FCLGA1151-2 | Laptop          |
| <a href="#">Intel Core i3-9300 @ 3.70GHz</a>    | 4 | 7,279  | 2,666 | 62 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9300T @ 3.20GHz</a>   | 4 | 6,138  | 2,326 | 35 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9320 @ 3.70GHz</a>    | 4 | 7,358  | 2,711 | 62 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i3-9350K @ 4.00GHz</a>   | 4 | 7,760  | 2,847 | 91 | FCLGA1151   | Desktop         |
| <a href="#">Intel Core i3-9350KF @ 4.00GHz</a>  | 4 | 7,520  | 2,745 | 91 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i5 750S @ 2.40GHz</a>    | 4 | 1,326  | 1,039 | 82 | LGA1156     | Desktop         |
| <a href="#">Intel Core i5 E 520 @ 2.40GHz</a>   | 2 | 1,619  | 1,032 | 35 | BGA1288     | Desktop         |
| <a href="#">Intel Core i5-10200H @ 2.40GHz</a>  | 4 | 8,505  | 2,487 | 45 | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i5-10210U @ 1.60GHz</a>  | 4 | 6,459  | 2,250 | 15 | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i5-10210Y @ 1.00GHz</a>  | 4 | 4,836  | 2,032 | 7  | UTFCBGA1377 | Laptop          |
| <a href="#">Intel Core i5-10300H @ 2.50GHz</a>  | 4 | 8,740  | 2,629 | 45 | FCBGA1440   | Desktop, Laptop |
| <a href="#">Intel Core i5-1030NG7 @ 1.10GHz</a> | 4 | 6,252  | 1,854 | 10 | BGA1526     | Laptop          |
| <a href="#">Intel Core i5-10310U @ 1.70GHz</a>  | 4 | 6,698  | 2,275 | 15 | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i5-1035G1 @ 1.00GHz</a>  | 4 | 7,783  | 2,310 | 15 | FCBGA1526   | Laptop          |
| <a href="#">Intel Core i5-1035G4 @ 1.10GHz</a>  | 4 | 8,250  | 2,285 | 15 | FCBGA1526   | Laptop          |
| <a href="#">Intel Core i5-1035G7 @ 1.20GHz</a>  | 4 | 8,354  | 2,282 | 15 | FCBGA1526   | Laptop          |
| <a href="#">Intel Core i5-1038NG7 @ 2.00GHz</a> | 4 | 9,724  | 2,340 | 28 | FCBGA1344   | Laptop          |
| <a href="#">Intel Core i5-10400 @ 2.90GHz</a>   | 6 | 12,344 | 2,591 | 65 | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10400F @ 2.90GHz</a>  | 6 | 12,437 | 2,572 | 65 | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10400H @ 2.60GHz</a>  | 4 | 9,022  | 2,755 | 45 | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i5-10400T @ 2.00GHz</a>  | 6 | 10,110 | 2,167 | 35 | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10500 @ 3.10GHz</a>   | 6 | 13,139 | 2,777 | 65 | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10500H @ 2.50GHz</a>  | 6 | 11,742 | 2,648 | 45 | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i5-10500T @ 2.30GHz</a>  | 6 | 10,750 | 2,365 | 35 | FCLGA1200   | Desktop         |
| <a href="#">Intel Core i5-10505 @ 3.20GHz</a>   | 6 | 12,439 | 2,882 | 65 | FCLGA1200   | Desktop         |



| Nazwa procesora | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |
|-----------------|----------------|------------|---------|---------|-----------|
|-----------------|----------------|------------|---------|---------|-----------|

## CPU Benchmarks

|   |   |        |       |     |                  |                 |
|---|---|--------|-------|-----|------------------|-----------------|
| <a href="#">Intel Core i5-10600 @ 3.30GHz</a>   | 6 | 11,430 | 2,386 | 35  | FCLGA1200        | Desktop         |
| <a href="#">Intel Core i5-10600K @ 4.10GHz</a>  | 6 | 14,788 | 2,894 | 45  | FCBGA1787        | Laptop          |
| <a href="#">Intel Core i5-11300H @ 3.10GHz</a>  | 4 | 11,179 | 2,863 | 35  | FCBGA1449        | Laptop          |
| <a href="#">Intel Core i5-1130G7 @ 1.10GHz</a>  | 4 | 10,226 | 2,557 | 15  | BGA 1449         | Laptop          |
| <a href="#">Intel Core i5-11320H @ 3.20GHz</a>  | 4 | 11,134 | 2,982 | 35  | FCBGA1449        | Laptop          |
| <a href="#">Intel Core i5-1135G7 @ 2.40GHz</a>  | 4 | 10,166 | 2,733 | 15  | BGA1526          | Laptop          |
| <a href="#">Intel Core i5-11400 @ 2.60GHz</a>   | 6 | 17,146 | 3,047 | 65  | FCLGA1200        | Desktop         |
| <a href="#">Intel Core i5-11400F @ 2.60GHz</a>  | 6 | 17,467 | 3,032 | 65  | FCLGA1200        | Desktop         |
| <a href="#">Intel Core i5-11400H @ 2.70GHz</a>  | 6 | 16,016 | 3,057 | 45  | FCBGA1787        | Laptop          |
| <a href="#">Intel Core i5-11400T @ 1.30GHz</a>  | 6 | 13,367 | 2,628 | 35  | FCLGA1200        | Desktop         |
| <a href="#">Intel Core i5-1140G7 @ 1.10GHz</a>  | 4 | 10,179 | 2,588 | 15  | FCBGA1598        | Server          |
| <a href="#">Intel Core i5-1145G7 @ 2.60GHz</a>  | 4 | 10,636 | 2,840 | 28  | FCBGA1449        | Laptop          |
| <a href="#">Intel Core i5-1145G7E @ 2.60GHz</a> | 4 | 10,293 | 2,725 | 15  | FCBGA1449        | Mobile/Embedded |
| <a href="#">Intel Core i5-11500 @ 2.70GHz</a>   | 6 | 17,769 | 3,179 | 65  | FCLGA1200        | Desktop         |
| <a href="#">Intel Core i5-11500B @ 3.30GHz</a>  | 6 | 17,783 | 3,224 | 65  | Unknown          | Desktop         |
| <a href="#">Intel Core i5-11500H @ 2.90GHz</a>  | 6 | 16,430 | 3,146 | 45  | FCBGA1787        | Laptop          |
| <a href="#">Intel Core i5-11500T @ 1.50GHz</a>  | 6 | 13,894 | 2,532 | 35  | FCLGA1200        | Desktop         |
| <a href="#">Intel Core i5-1155G7 @ 2.50GHz</a>  | 4 | 10,812 | 3,090 | 28  | FCBGA1449        | Laptop          |
| <a href="#">Intel Core i5-11600 @ 2.80GHz</a>   | 6 | 18,462 | 3,306 | 65  | FCLGA1200        | Desktop         |
| <a href="#">Intel Core i5-11600K @ 3.90GHz</a>  | 6 | 19,947 | 3,380 | 125 | FCLGA1200        | Desktop         |
| <a href="#">Intel Core i5-11600KF @ 3.90GHz</a> | 6 | 19,955 | 3,388 | 125 | FCLGA1200        | Desktop         |
| <a href="#">Intel Core i5-11600T @ 1.70GHz</a>  | 6 | 15,254 | 2,884 | 35  | FCLGA1200        | Desktop         |
| <a href="#">Intel Core i5-12400</a>             | 6 | 19,137 | 3,558 | 65  | LGA 1700         | Desktop         |
| <a href="#">Intel Core i5-12400F</a>            | 6 | 20,420 | 3,642 | 65  | FCLGA1700        | Desktop         |
| <a href="#">Intel Core i5-12500</a>             | 6 | 21,073 | 3,703 | 65  | LGA 1700         | Desktop         |
| <a href="#">Intel Core i5-12600</a>             | 6 | 21,925 | 3,662 | 65  | LGA 1700         | Desktop         |
| <a href="#">Intel Core i5-12600K</a>            | 6 | 26,667 | 3,968 | 150 | FCLGA1700        | Desktop         |
| <a href="#">Intel Core i5-12600KF</a>           | 6 | 26,684 | 4,020 | 150 | FCLGA1700        | Desktop         |
| <a href="#">Intel Core i5-2300 @ 2.80GHz</a>    | 4 | 3,378  | 1,433 | 95  | LGA1155          | Desktop         |
| <a href="#">Intel Core i5-2310 @ 2.90GHz</a>    | 4 | 3,560  | 1,488 | 95  | LGA1155          | Desktop         |
| <a href="#">Intel Core i5-2320 @ 3.00GHz</a>    | 4 | 3,633  | 1,517 | 95  | LGA1155          | Desktop         |
| <a href="#">Intel Core i5-2380P @ 3.10GHz</a>   | 4 | 3,797  | 1,607 | 95  | LGA1155          | Desktop         |
| <a href="#">Intel Core i5-2390T @ 2.70GHz</a>   | 2 | 2,364  | 1,394 | 35  | LGA1155          | Desktop         |
| <a href="#">Intel Core i5-2400 @ 3.10GHz</a>    | 4 | 3,832  | 1,580 | 95  | LGA1155          | Desktop         |
| <a href="#">Intel Core i5-2400S @ 2.50GHz</a>   | 4 | 3,132  | 1,469 | 65  | LGA1155          | Desktop         |
| <a href="#">Intel Core i5-24050S @ 2.50GHz</a>  | 4 | 3,061  | 1,397 | 65  | LGA1155, FCLGA11 | Desktop         |
| <a href="#">Intel Core i5-2405S @ 2.50GHz</a>   | 4 | 2,980  | 1,485 | 65  | LGA1155          | Desktop         |
| <a href="#">Intel Core i5-2410M @ 2.30GHz</a>   | 2 | 1,943  | 1,220 | 35  | FCBGA1023, PPG   | Laptop          |
| <a href="#">Intel Core i5-2415M @ 2.30GHz</a>   | 2 | 2,044  | 1,220 | 35  | BGA1023          | Desktop         |
| <a href="#">Intel Core i5-2430M @ 2.40GHz</a>   | 2 | 2,016  | 1,258 | 35  | PGA988B          | Laptop          |
| <a href="#">Intel Core i5-2435M @ 2.40GHz</a>   | 2 | 2,008  | 1,242 | 35  | BGA1023          | Laptop          |
| <a href="#">Intel Core i5-2450M @ 2.50GHz</a>   | 2 | 2,050  | 1,275 | 35  | BGA1023          | Laptop          |



| <a href="#">Intel Core i5-2450P @ 3.20GHz</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo          | Kategoria |
|--|---|----------------|-------------------|-------------------|------------------|-----------|
| <a href="#">Intel Core i5-2500K @ 3.30GHz</a>                    | 4 | 4,090          | 1,701             | 95                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-2500S @ 2.70GHz</a>                    | 4 | 3,428          | 1,665             | 65                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-2500T @ 2.30GHz</a>                    | 4 | 2,904          | 1,462             | 45                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-2510E @ 2.50GHz</a>                    | 2 | 1,889          | 1,183             | 35                | PGA988B          | Laptop    |
| <a href="#">Intel Core i5-2515E @ 2.50GHz</a>                    | 2 | 1,882          | 1,189             | 35                | BGA1023          | Desktop   |
| <a href="#">Intel Core i5-2520M @ 2.50GHz</a>                    | 2 | 2,241          | 1,371             | 35                | PGA988B          | Laptop    |
| <a href="#">Intel Core i5-2537M @ 1.40GHz</a>                    | 2 | 1,007          | 695               | 17                | BGA1023          | Laptop    |
| <a href="#">Intel Core i5-2540M @ 2.60GHz</a>                    | 2 | 2,297          | 1,386             | 35                | BGA1023          | Laptop    |
| <a href="#">Intel Core i5-2550K @ 3.40GHz</a>                    | 4 | 4,090          | 1,749             | 95                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-2557M @ 1.70GHz</a>                    | 2 | 1,700          | 1,017             | 17                | BGA1023          | Laptop    |
| <a href="#">Intel Core i5-2560M @ 2.70GHz</a>                    | 2 | 2,131          | 1,259             | NA                | Unknown          | Unknown   |
| <a href="#">Intel Core i5-3170K @ 3.20GHz</a>                    | 4 | 8,882          | 2,510             | NA                | Unknown          | Unknown   |
| <a href="#">Intel Core i5-3210M @ 2.50GHz</a>                    | 2 | 2,450          | 1,541             | 35                | PGA988B          | Laptop    |
| <a href="#">Intel Core i5-3230M @ 2.60GHz</a>                    | 2 | 2,518          | 1,561             | 35                | PGA988           | Laptop    |
| <a href="#">Intel Core i5-3317U @ 1.70GHz</a>                    | 2 | 1,960          | 1,229             | 17                | BGA1023          | Laptop    |
| <a href="#">Intel Core i5-3320M @ 2.60GHz</a>                    | 2 | 2,632          | 1,610             | 35                | BGA1023          | Laptop    |
| <a href="#">Intel Core i5-3330 @ 3.00GHz</a>                     | 4 | 4,080          | 1,722             | 77                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3330S @ 2.70GHz</a>                    | 4 | 3,827          | 1,685             | 65                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3335S @ 2.70GHz</a>                    | 4 | 3,754          | 1,738             | 65                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3337U @ 1.80GHz</a>                    | 2 | 2,051          | 1,267             | 17                | BGA1023          | Laptop    |
| <a href="#">Intel Core i5-3339Y @ 1.50GHz</a>                    | 2 | 1,450          | 799               | 13                | BGA1023          | Desktop   |
| <a href="#">Intel Core i5-3340 @ 3.10GHz</a>                     | 4 | 4,163          | 1,787             | 77                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3340M @ 2.70GHz</a>                    | 2 | 2,625          | 1,627             | 35                | BGA1023          | Laptop    |
| <a href="#">Intel Core i5-3340S @ 2.80GHz</a>                    | 4 | 4,085          | 1,788             | 65                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3350P @ 3.10GHz</a>                    | 4 | 4,199          | 1,777             | 69                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3360M @ 2.80GHz</a>                    | 2 | 2,826          | 1,732             | 35                | BGA1023          | Laptop    |
| <a href="#">Intel Core i5-3380M @ 2.90GHz</a>                    | 2 | 2,987          | 1,847             | 35                | FCPGA988, FCBGA1 | Laptop    |
| <a href="#">Intel Core i5-3427U @ 1.80GHz</a>                    | 2 | 2,303          | 1,390             | 17                | BGA1023          | Laptop    |
| <a href="#">Intel Core i5-3437U @ 1.90GHz</a>                    | 2 | 2,274          | 1,393             | 17                | BGA1023          | Laptop    |
| <a href="#">Intel Core i5-3439Y @ 1.50GHz</a>                    | 2 | 1,907          | 1,197             | 13                | BGA1023          | Desktop   |
| <a href="#">Intel Core i5-3450 @ 3.10GHz</a>                     | 4 | 4,485          | 1,885             | 77                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3450S @ 2.80GHz</a>                    | 4 | 4,264          | 1,851             | 65                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3470 @ 3.20GHz</a>                     | 4 | 4,647          | 1,940             | 77                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3470S @ 2.90GHz</a>                    | 4 | 4,320          | 1,895             | 65                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3470T @ 2.90GHz</a>                    | 2 | 2,949          | 1,786             | 35                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3475S @ 2.90GHz</a>                    | 4 | 4,136          | 1,801             | 65                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3550 @ 3.30GHz</a>                     | 4 | 4,760          | 2,005             | 77                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3550S @ 3.00GHz</a>                    | 4 | 4,537          | 1,982             | 65                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3570 @ 3.40GHz</a>                     | 4 | 4,892          | 2,048             | 77                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3570K @ 3.40GHz</a>                    | 4 | 4,931          | 2,049             | 77                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3570S @ 3.10GHz</a>                    | 4 | 4,605          | 1,992             | 65                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3570T @ 2.30GHz</a>                    | 4 | 4,168          | 1,779             | 45                | LGA1155          | Desktop   |
| <a href="#">Intel Core i5-3610ME @ 2.70GHz</a>                   | 2 | 2,553          | 1,574             | 35                | BGA1023          | Laptop    |
| <a href="#">Intel Core i5-4200H @ 2.80GHz</a>                    | 2 | 3,086          | 1,792             | 47                | BGA1364          | Desktop   |
| <a href="#">Intel Core i5-4200M @ 2.50GHz</a>                    | 2 | 2,786          | 1,635             | 37                | PGA946           | Laptop    |
| <a href="#">Intel Core i5-4200U @ 1.60GHz</a>                    | 2 | 2,205          | 1,331             | 15                | BGA1168          | Laptop    |

| <a href="#">Nazwa procesora</a>                   |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo   | Kategoria |
|---|---|----------------|-------------------|-------------------|-----------|-----------|
| <a href="#">Intel Core i5-4200Y @ 1.40GHz</a>     |   |                |                   |                   |           |           |
| <a href="#">Intel Core i5-4202Y @ 1.60GHz</a>     |   |                |                   |                   |           |           |
| <a href="#">Intel Core i5-4210U @ 1.70GHz</a>     | 2 | 2,283          | 1,370             | 15                | FCBGA1168 | Laptop    |
| <a href="#">Intel Core i5-4210Y @ 1.50GHz</a>     | 2 | 1,527          | 998               | 11                | BGA1168   | Desktop   |
| <a href="#">Intel Core i5-4220Y @ 1.60GHz</a>     | 2 | 1,591          | 952               | 11.5              | FCBGA1364 | Laptop    |
| <a href="#">Intel Core i5-4230U @ 1.90GHz</a>     | 2 | 1,853          | 1,620             | 15                | FCBGA1364 | Laptop    |
| <a href="#">Intel Core i5-4250U @ 1.30GHz</a>     | 2 | 2,205          | 1,365             | 15                | BGA1168   | Laptop    |
| <a href="#">Intel Core i5-4258U @ 2.40GHz</a>     | 2 | 2,571          | 1,561             | 28                | FCBGA1168 | Laptop    |
| <a href="#">Intel Core i5-4260U @ 1.40GHz</a>     | 2 | 2,355          | 1,492             | 15                | FCBGA1168 | Laptop    |
| <a href="#">Intel Core i5-4278U @ 2.60GHz</a>     | 2 | 2,801          | 1,699             | 28                | FCBGA1168 | Laptop    |
| <a href="#">Intel Core i5-4288U @ 2.60GHz</a>     | 2 | 2,605          | 1,605             | 28                | FCBGA1168 | Laptop    |
| <a href="#">Intel Core i5-4300M @ 2.60GHz</a>     | 2 | 3,025          | 1,773             | 37                | PGA946    | Laptop    |
| <a href="#">Intel Core i5-4300U @ 1.90GHz</a>     | 2 | 2,503          | 1,495             | 15                | FCBGA1168 | Laptop    |
| <a href="#">Intel Core i5-4300Y @ 1.60GHz</a>     | 2 | 1,479          | 965               | 11.5              | BGA1168   | Desktop   |
| <a href="#">Intel Core i5-4302Y @ 1.60GHz</a>     | 2 | 1,817          | 1,084             | 11.5              | FCBGA1168 | Desktop   |
| <a href="#">Intel Core i5-4308U @ 2.80GHz</a>     | 2 | 3,031          | 1,879             | 28                | FCBGA1364 | Laptop    |
| <a href="#">Intel Core i5-430M @ 2.27GHz</a>      | 2 | 1,209          | 1,001             | 35                | BGA1288   | Laptop    |
| <a href="#">Intel Core i5-430UM @ 1.20GHz</a>     | 2 | 836            | 630               | 18                | BGA1288   | Laptop    |
| <a href="#">Intel Core i5-4310M @ 2.70GHz</a>     | 2 | 3,139          | 1,820             | 37                | Unknown   | Laptop    |
| <a href="#">Intel Core i5-4310U @ 2.00GHz</a>     | 2 | 2,502          | 1,484             | 15                | FCBGA1168 | Laptop    |
| <a href="#">Intel Core i5-4330M @ 2.80GHz</a>     | 2 | 3,208          | 1,855             | 37                | Unknown   | Laptop    |
| <a href="#">Intel Core i5-4340M @ 2.90GHz</a>     | 2 | 3,464          | 2,019             | 37                | Unknown   | Laptop    |
| <a href="#">Intel Core i5-4350U @ 1.40GHz</a>     | 2 | 2,305          | 1,499             | 15                | BGA1168   | Laptop    |
| <a href="#">Intel Core i5-4400E @ 2.70GHz</a>     | 2 | 3,251          | 1,804             | 37                | BGA1364   | Desktop   |
| <a href="#">Intel Core i5-4402E @ 1.60GHz</a>     | 2 | 2,681          | 1,510             | 25                | FCBGA1364 | Laptop    |
| <a href="#">Intel Core i5-4422E @ 1.80GHz</a>     | 2 | 1,907          | 1,048             | 25                | FCBGA1364 | Laptop    |
| <a href="#">Intel Core i5-4430 @ 3.00GHz</a>      | 4 | 4,611          | 1,805             | 84                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4430S @ 2.70GHz</a>     | 4 | 4,085          | 1,703             | 65                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4440 @ 3.10GHz</a>      | 4 | 4,693          | 1,862             | 84                | FCLGA1150 | Desktop   |
| <a href="#">Intel Core i5-4440S @ 2.80GHz</a>     | 4 | 4,240          | 1,784             | 65                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4460 @ 3.20GHz</a>      | 4 | 4,818          | 1,902             | 84                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4460S @ 2.90GHz</a>     | 4 | 4,522          | 1,845             | 65                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4460T @ 1.90GHz</a>     | 4 | 3,580          | 1,473             | 35                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4470S @ 3.00GHz</a>     | 4 | 4,742          | 1,756             | 65                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-450M @ 2.40GHz</a>      | 2 | 1,197          | 1,029             | 35                | PGA988A   | Laptop    |
| <a href="#">Intel Core i5-4570 @ 3.20GHz</a>      | 4 | 5,168          | 2,031             | 84                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4570R @ 2.70GHz</a>     | 4 | 4,823          | 1,901             | 65                | FCBGA1364 | Desktop   |
| <a href="#">Intel Core i5-4570S @ 2.90GHz</a>     | 4 | 4,911          | 1,982             | 65                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4570T @ 2.90GHz</a>     | 2 | 3,218          | 1,922             | 35                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4570TE @ 2.70GHz</a>    | 2 | 3,084          | 1,615             | 35                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4590 @ 3.30GHz</a>      | 4 | 5,328          | 2,094             | 84                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4590S @ 3.00GHz</a>     | 4 | 5,079          | 2,055             | 65                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4590T @ 2.00GHz</a>     | 4 | 4,062          | 1,658             | 35                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-460M @ 2.53GHz</a>      | 2 | 1,268          | 1,140             | 35                | BGA1288   | Laptop    |
| <a href="#">Intel Core i5-4670 @ 3.40GHz</a>      | 4 | 5,393          | 2,138             | 84                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4670K @ 3.40GHz</a>     | 4 | 5,533          | 2,157             | 84                | LGA1150   | Desktop   |
| <a href="#">Intel Core i5-4670K CPT @ 3.40GHz</a> | 4 | 5,034          | 2,042             | 84                | LGA1150   | Desktop   |

| <a href="#">3.40GHz</a>                       |          |                |            |         |         |           |
|---|----------|----------------|------------|---------|---------|-----------|
| <a href="#">Intel Core i5-4670R @ 3.00GHz</a> |          |                |            |         |         |           |
| Nazwa procesora                               | Procesor | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |
|   |          |                | Min        | Min...  |         |           |

## 🏠 CPU Benchmarks ▼

|  |   |       |       |    |           |         |
|--|---|-------|-------|----|-----------|---------|
| <a href="#">Intel Core i5-4690 @ 3.50GHz</a>   | 4 | 5,566 | 2,203 | 84 | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4690K @ 3.50GHz</a>  | 4 | 5,593 | 2,190 | 88 | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4690S @ 3.20GHz</a>  | 4 | 5,363 | 2,187 | 65 | LGA1150   | Desktop |
| <a href="#">Intel Core i5-4690T @ 2.50GHz</a>  | 4 | 4,588 | 1,922 | 45 | LGA1150   | Desktop |
| <a href="#">Intel Core i5-470UM @ 1.33GHz</a>  | 2 | 755   | 539   | 18 | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-480M @ 2.67GHz</a>   | 2 | 1,300 | 1,161 | 35 | BGA1288   | Laptop  |
|  |   |       |       |    |           |         |
| <a href="#">Intel Core i5-5200U @ 2.20GHz</a>  | 2 | 2,497 | 1,511 | 15 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i5-520M @ 2.40GHz</a>   | 2 | 1,678 | 1,077 | 35 | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-520UM @ 1.07GHz</a>  | 2 | 902   | 759   | 18 | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-5250U @ 1.60GHz</a>  | 2 | 2,502 | 1,574 | 15 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i5-5257U @ 2.70GHz</a>  | 2 | 3,040 | 1,887 | 23 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i5-5287U @ 2.90GHz</a>  | 2 | 3,298 | 2,107 | 28 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i5-5300U @ 2.30GHz</a>  | 2 | 2,738 | 1,649 | 15 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i5-5350U @ 1.80GHz</a>  | 2 | 2,669 | 1,732 | 15 | FCBGA1168 | Laptop  |
| <a href="#">Intel Core i5-540M @ 2.53GHz</a>   | 2 | 1,761 | 1,143 | 35 | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-540UM @ 1.20GHz</a>  | 2 | 1,002 | 818   | 18 | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-5575R @ 2.80GHz</a>  | 4 | 5,217 | 2,116 | 65 | LGA1150   | Desktop |
| <a href="#">Intel Core i5-560M @ 2.67GHz</a>   | 2 | 1,827 | 1,240 | 35 | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-560UM @ 1.33GHz</a>  | 2 | 1,015 | 898   | 18 | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-5675C @ 3.10GHz</a>  | 4 | 5,498 | 2,251 | 65 | FCLGA1150 | Desktop |
| <a href="#">Intel Core i5-5675R @ 3.10GHz</a>  | 4 | 5,761 | 2,347 | 65 | FCBGA1364 | Desktop |
| <a href="#">Intel Core i5-580M @ 2.67GHz</a>   | 2 | 1,931 | 1,268 | 35 | BGA1288   | Laptop  |
| <a href="#">Intel Core i5-6198DU @ 2.30GHz</a> | 2 | 3,167 | 1,655 | 15 | BGA1356   | Laptop  |
| <a href="#">Intel Core i5-6200U @ 2.30GHz</a>  | 2 | 3,028 | 1,591 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-6260U @ 1.80GHz</a>  | 2 | 3,187 | 1,657 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-6267U @ 2.90GHz</a>  | 2 | 3,478 | 1,843 | 28 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-6287U @ 3.10GHz</a>  | 2 | 3,871 | 2,075 | 28 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-6300HQ @ 2.30GHz</a> | 4 | 4,674 | 1,789 | 45 | LGA 1151  | Laptop  |
| <a href="#">Intel Core i5-6300U @ 2.40GHz</a>  | 2 | 3,261 | 1,699 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-6350HQ @ 2.30GHz</a> | 4 | 4,255 | 1,420 | 45 | LGA 1151  | Laptop  |
| <a href="#">Intel Core i5-6360U @ 2.00GHz</a>  | 2 | 3,252 | 1,797 | 15 | FCBGA1356 | Laptop  |
| <a href="#">Intel Core i5-6400 @ 2.70GHz</a>   | 4 | 5,155 | 1,966 | 65 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-6400T @ 2.20GHz</a>  | 4 | 4,280 | 1,654 | 35 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-6402P @ 2.80GHz</a>  | 4 | 5,499 | 2,058 | 65 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-6440EQ @ 2.70GHz</a> | 4 | 5,368 | 1,943 | 45 | FCBGA1440 | Laptop  |
| <a href="#">Intel Core i5-6440HQ @ 2.60GHz</a> | 4 | 5,138 | 2,018 | 45 | LGA 1151  | Laptop  |
| <a href="#">Intel Core i5-6442EQ @ 1.90GHz</a> | 4 | 4,598 | 1,716 | 25 | FCBGA1440 | Laptop  |
| <a href="#">Intel Core i5-650 @ 3.20GHz</a>    | 2 | 2,208 | 1,386 | 73 | LGA1156   | Desktop |
| <a href="#">Intel Core i5-6500 @ 3.20GHz</a>   | 4 | 5,656 | 2,126 | 65 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-6500T @ 2.50GHz</a>  | 4 | 4,826 | 1,833 | 35 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-6500TE @ 2.30GHz</a> | 4 | 5,044 | 1,818 | 35 | LGA 1151  | Desktop |
| <a href="#">Intel Core i5-655K @ 3.20GHz</a>   | 2 | 2,017 | 1,446 | 73 | LGA1156   | Desktop |

| <a href="#">Intel Core i5-660 @ 3.33GHz</a>    |   |                |            |         |             |                         |
|--|---|----------------|------------|---------|-------------|-------------------------|
| Nazwa procesora                                |   | Znak procesora | Znak wątku | TDP (W) | Gniazdo     | Kategoria               |
| <a href="#">Intel Core i5-6600 @ 3.30GHz</a>   |   |                | Min        | Min...  |             |                         |
| <a href="#">Intel Core i5-661 @ 3.33GHz</a>    | 2 | 2,415          | 1,441      | 87      | LGA1156     | Desktop                 |
| <a href="#">Intel Core i5-670 @ 3.47GHz</a>    | 2 | 2,487          | 1,531      | 73      | LGA1156     | Desktop                 |
| <a href="#">Intel Core i5-680 @ 3.60GHz</a>    | 2 | 2,593          | 1,577      | 73      | LGA1156     | Desktop                 |
| <a href="#">Intel Core i5-7200U @ 2.50GHz</a>  | 2 | 3,409          | 1,785      | 15      | FCBGA1356   | Laptop                  |
| <a href="#">Intel Core i5-7260U @ 2.20GHz</a>  | 2 | 3,884          | 1,991      | 15      | BGA1356     | Laptop                  |
| <a href="#">Intel Core i5-7267U @ 3.10GHz</a>  | 2 | 3,974          | 2,075      | 28      | BGA1356     | Laptop                  |
| <a href="#">Intel Core i5-7287U @ 3.30GHz</a>  | 2 | 4,149          | 2,154      | 28      | Unknown     | Laptop                  |
| <a href="#">Intel Core i5-7300HQ @ 2.50GHz</a> | 4 | 5,116          | 1,973      | 45      | Unknown     | Laptop                  |
| <a href="#">Intel Core i5-7300U @ 2.60GHz</a>  | 2 | 3,734          | 1,963      | 15      | FCBGA1356   | Laptop                  |
| <a href="#">Intel Core i5-7360U @ 2.30GHz</a>  | 2 | 4,075          | 2,200      | 15      | FCBGA1356   | Laptop                  |
| <a href="#">Intel Core i5-7400 @ 3.00GHz</a>   | 4 | 5,516          | 2,108      | 65      | FCLGA1151   | Desktop                 |
| <a href="#">Intel Core i5-7400T @ 2.40GHz</a>  | 4 | 4,655          | 1,756      | 35      | LGA1151     | Desktop                 |
| <a href="#">Intel Core i5-7440EQ @ 2.90GHz</a> | 4 | 5,711          | 2,131      | 45      | FCBGA1440   | Laptop                  |
| <a href="#">Intel Core i5-7440HQ @ 2.80GHz</a> | 4 | 5,614          | 2,065      | 45      | BGA1440     | Laptop                  |
| <a href="#">Intel Core i5-7442EQ @ 2.10GHz</a> | 4 | 4,834          | 1,819      | 25      | FCBGA1440   | Laptop                  |
| <a href="#">Intel Core i5-750 @ 2.67GHz</a>    | 4 | 2,474          | 1,241      | 95      | LGA1156     | Desktop                 |
| <a href="#">Intel Core i5-7500 @ 3.40GHz</a>   | 4 | 6,086          | 2,285      | 65      | LGA1151     | Desktop                 |
| <a href="#">Intel Core i5-7500T @ 2.70GHz</a>  | 4 | 5,313          | 1,967      | 35      | FCLGA1151   | Desktop                 |
| <a href="#">Intel Core i5-760 @ 2.80GHz</a>    | 4 | 2,555          | 1,299      | 95      | LGA1156     | Desktop                 |
| <a href="#">Intel Core i5-7600 @ 3.50GHz</a>   | 4 | 6,636          | 2,477      | 65      | FCLGA1151   | Desktop                 |
| <a href="#">Intel Core i5-7600K @ 3.80GHz</a>  | 4 | 6,853          | 2,562      | 91      | FCLGA1151   | Desktop                 |
| <a href="#">Intel Core i5-7600T @ 2.80GHz</a>  | 4 | 6,187          | 2,267      | 35      | FCLGA1151   | Desktop                 |
| <a href="#">Intel Core i5-760S @ 2.53GHz</a>   | 4 | 5,440          | 1,578      | NA      | Unknown     | Unknown                 |
| <a href="#">Intel Core i5-7640X @ 4.00GHz</a>  | 4 | 6,636          | 2,496      | 112     | FCLGA2066   | Desktop                 |
| <a href="#">Intel Core i5-7Y54 @ 1.20GHz</a>   | 2 | 2,739          | 1,593      | 4.5     | FCBGA1515   | Laptop                  |
| <a href="#">Intel Core i5-7Y57 @ 1.20GHz</a>   | 2 | 2,850          | 1,759      | 4.5     | FCBGA1515   | Laptop                  |
| <a href="#">Intel Core i5-8200Y @ 1.30GHz</a>  | 2 | 2,308          | 1,374      | 5       | FCBGA1515   | Laptop                  |
| <a href="#">Intel Core i5-8210Y @ 1.60GHz</a>  | 2 | 2,862          | 1,738      | 7       | FCBGA1515   | Laptop                  |
| <a href="#">Intel Core i5-8250U @ 1.60GHz</a>  | 4 | 5,945          | 1,938      | 15      | FC-BGA1356  | Laptop                  |
| <a href="#">Intel Core i5-8257U @ 1.40GHz</a>  | 4 | 7,652          | 2,302      | 15      | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8259U @ 2.30GHz</a>  | 4 | 8,133          | 2,249      | 28      | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8260U @ 1.60GHz</a>  | 4 | 7,889          | 2,324      | 15      | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8265U @ 1.60GHz</a>  | 4 | 6,130          | 2,133      | 15      | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8265UC @ 1.60GHz</a> | 4 | 5,988          | 2,200      | NA      | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8269U @ 2.60GHz</a>  | 4 | 8,055          | 2,561      | 28      | FCBGA1528   | Laptop, Mobile/Embedded |
| <a href="#">Intel Core i5-8279U @ 2.40GHz</a>  | 4 | 8,126          | 2,501      | 28      | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8300H @ 2.30GHz</a>  | 4 | 7,545          | 2,318      | 45      | FCLGA1151-2 | Laptop                  |
| <a href="#">Intel Core i5-8305G @ 2.80GHz</a>  | 4 | 7,073          | 2,118      | 65      | BGA2270     | Laptop                  |
| <a href="#">Intel Core i5-8350U @ 1.70GHz</a>  | 4 | 6,338          | 2,050      | 15      | FC-BGA1356  | Laptop                  |
| <a href="#">Intel Core i5-8365U @ 1.60GHz</a>  | 4 | 6,362          | 2,215      | 15      | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8365UE @ 1.60GHz</a> | 4 | 5,555          | 2,248      | 15      | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i5-8400 @ 2.80GHz</a>   | 6 | 9,224          | 2,409      | 65      | FCLGA1151-2 | Desktop                 |



| <a href="#">Intel Core i5-8400H @ 2.50GHz</a><br>Nazwa procesora |  | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|--|--|----------------|-------------------|-------------------|---------|-----------|
|--|--|----------------|-------------------|-------------------|---------|-----------|

## 🏠 CPU Benchmarks ▼

|   |   |        |       |     |             |                         |
|---|---|--------|-------|-----|-------------|-------------------------|
| <a href="#">Intel Core i5-8500B @ 3.00GHz</a>   | 6 | 9,474  | 2,562 | 65  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Core i5-8500T @ 2.10GHz</a>   | 6 | 7,684  | 2,032 | 35  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-8600 @ 3.10GHz</a>    | 6 | 9,819  | 2,578 | 65  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-8600K @ 3.60GHz</a>   | 6 | 10,181 | 2,613 | 95  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-8600T @ 2.30GHz</a>   | 6 | 8,133  | 2,171 | 35  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9300H @ 2.40GHz</a>   | 4 | 7,844  | 2,365 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Core i5-9300HF @ 2.40GHz</a>  | 4 | 7,704  | 2,363 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Core i5-9400 @ 2.90GHz</a>    | 6 | 9,499  | 2,488 | 65  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9400F @ 2.90GHz</a>   | 6 | 9,545  | 2,476 | 65  | FCLGA1151-2 | Desktop, Laptop         |
| <a href="#">Intel Core i5-9400H @ 2.50GHz</a>   | 4 | 8,349  | 2,519 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Core i5-9400T @ 1.80GHz</a>   | 6 | 7,670  | 2,054 | 35  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9500 @ 3.00GHz</a>    | 6 | 9,793  | 2,612 | 65  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9500F @ 3.00GHz</a>   | 6 | 10,320 | 2,678 | 65  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9500T @ 2.20GHz</a>   | 6 | 8,240  | 2,198 | 35  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9500TE @ 2.20GHz</a>  | 6 | 9,212  | 2,296 | 35  | FCLGA1151-2 | Laptop                  |
| <a href="#">Intel Core i5-9600 @ 3.10GHz</a>    | 6 | 10,467 | 2,739 | 65  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9600K @ 3.70GHz</a>   | 6 | 10,795 | 2,775 | 95  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9600KF @ 3.70GHz</a>  | 6 | 10,836 | 2,791 | 95  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-9600T @ 2.30GHz</a>   | 6 | 8,393  | 2,175 | 35  | FCLGA1151-2 | Desktop                 |
| <a href="#">Intel Core i5-L16G7 @ 1.40GHz</a>   | 5 | 3,442  | 1,638 | 7   | FC-CSP1016  | Laptop                  |
| <a href="#">Intel Core i7-10510U @ 1.80GHz</a>  | 4 | 6,867  | 2,376 | 15  | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i7-10510Y @ 1.20GHz</a>  | 4 | 5,289  | 1,915 | 7   | UTFCBGA1377 | Laptop                  |
| <a href="#">Intel Core i7-1060NG7 @ 1.20GHz</a> | 4 | 7,316  | 1,951 | 10  | FCBGA1526   | Laptop                  |
| <a href="#">Intel Core i7-10610U @ 1.80GHz</a>  | 4 | 7,059  | 2,383 | 15  | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i7-1065G7 @ 1.30GHz</a>  | 4 | 8,761  | 2,420 | 15  | FCBGA-1526  | Laptop                  |
| <a href="#">Intel Core i7-1068NG7 @ 2.30GHz</a> | 4 | 10,241 | 2,499 | 28  | FCBGA1344   | Laptop                  |
| <a href="#">Intel Core i7-10700 @ 2.90GHz</a>   | 8 | 17,133 | 2,928 | 65  | FCLGA1200   | Desktop                 |
| <a href="#">Intel Core i7-10700E @ 2.90GHz</a>  | 8 | 17,020 | 2,845 | 65  | FCLGA1200   | Laptop, Mobile/Embedded |
| <a href="#">Intel Core i7-10700F @ 2.90GHz</a>  | 8 | 17,039 | 2,925 | 65  | FCLGA1200   | Desktop                 |
| <a href="#">Intel Core i7-10700K @ 3.80GHz</a>  | 8 | 19,377 | 3,077 | 125 | FCLGA1200   | Desktop                 |
| <a href="#">Intel Core i7-10700KF @ 3.80GHz</a> | 8 | 19,195 | 3,055 | 125 | FCLGA1200   | Desktop                 |
| <a href="#">Intel Core i7-10700T @ 2.00GHz</a>  | 8 | 13,305 | 2,702 | 35  | FCLGA1200   | Desktop                 |
| <a href="#">Intel Core i7-10700TE @ 2.00GHz</a> | 8 | 16,332 | 2,772 | 35  | FCLGA1200   | Laptop                  |
| <a href="#">Intel Core i7-10710U @ 1.10GHz</a>  | 6 | 10,085 | 2,458 | 15  | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i7-10750H @ 2.60GHz</a>  | 6 | 12,441 | 2,724 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Core i7-10810U @ 1.10GHz</a>  | 6 | 8,353  | 2,322 | 15  | FCBGA1528   | Laptop                  |
| <a href="#">Intel Core i7-10850H @ 2.70GHz</a>  | 6 | 12,175 | 2,743 | 45  | FCBGA1440   | Laptop                  |



| <a href="#">Intel Core i7-10870H @ 2.20GHz</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo   | Kategoria               |
|---|---|----------------|-------------------|-------------------|-----------|-------------------------|
| <a href="#">Intel Core i7-11370H @ 3.30GHz</a>                    | 4 | 12,305         | 3,000             | 35                | FCBGA1449 | Laptop                  |
| <a href="#">Intel Core i7-11375H @ 3.30GHz</a>                    | 4 | 12,305         | 3,085             | 35                | FCBGA1449 | Laptop                  |
| <a href="#">Intel Core i7-11390H @ 3.40GHz</a>                    | 4 | 11,140         | 3,107             | 35                | FCBGA1449 | Laptop                  |
| <a href="#">Intel Core i7-11600H @ 2.90GHz</a>                    | 6 | 15,909         | 3,193             | 45                | FCBGA1787 | Laptop                  |
| <a href="#">Intel Core i7-1160G7 @ 1.20GHz</a>                    | 4 | 10,316         | 2,827             | NA                | FCBGA1598 | Laptop                  |
| <a href="#">Intel Core i7-1165G7 @ 2.80GHz</a>                    | 4 | 10,612         | 2,877             | 15                | BGA1526   | Laptop                  |
| <a href="#">Intel Core i7-11700 @ 2.50GHz</a>                     | 8 | 21,046         | 3,150             | 95                | FCLGA1200 | Desktop                 |
| <a href="#">Intel Core i7-11700B @ 3.20GHz</a>                    | 8 | 22,922         | 3,362             | 65                | Unknown   | Desktop                 |
| <a href="#">Intel Core i7-11700F @ 2.50GHz</a>                    | 8 | 21,571         | 3,355             | 65                | FCLGA1200 | Desktop                 |
| <a href="#">Intel Core i7-11700K @ 3.60GHz</a>                    | 8 | 24,994         | 3,443             | 125               | FCLGA1200 | Desktop                 |
| <a href="#">Intel Core i7-11700KF @ 3.60GHz</a>                   | 8 | 24,321         | 3,414             | 125               | FCLGA1200 | Desktop                 |
| <a href="#">Intel Core i7-11700T @ 1.40GHz</a>                    | 8 | 14,965         | 2,729             | 35                | FCLGA1200 | Desktop                 |
| <a href="#">Intel Core i7-11800H @ 2.30GHz</a>                    | 8 | 21,595         | 3,143             | 45                | FCBGA1787 | Laptop                  |
| <a href="#">Intel Core i7-1180G7 @ 1.30GHz</a>                    | 4 | 6,607          | 2,323             | 15                | FCBGA1598 | Laptop                  |
| <a href="#">Intel Core i7-11850H @ 2.50GHz</a>                    | 8 | 21,739         | 3,234             | 45                | FCBGA1787 | Laptop                  |
| <a href="#">Intel Core i7-1185G7 @ 3.00GHz</a>                    | 4 | 11,012         | 2,924             | 15                | BGA1526   | Laptop                  |
| <a href="#">Intel Core i7-1185G7E @ 2.80GHz</a>                   | 4 | 11,645         | 3,005             | 15                | FCBGA1449 | Laptop, Mobile/Embedded |
| <a href="#">Intel Core i7-1185GRE @ 2.80GHz</a>                   | 4 | 9,165          | 2,835             | 15                | FCBGA1449 | Mobile/Embedded         |
| <a href="#">Intel Core i7-1195G7 @ 2.90GHz</a>                    | 4 | 11,411         | 3,090             | 28                | FCBGA1449 | Laptop                  |
| <a href="#">Intel Core i7-12700</a>                               | 8 | 32,016         | 3,906             | 65                | FCLGA1700 | Desktop                 |
| <a href="#">Intel Core i7-12700K</a>                              | 8 | 32,758         | 3,997             | 190               | FCLGA1700 | Desktop                 |
| <a href="#">Intel Core i7-12700KF</a>                             | 8 | 33,113         | 4,054             | 190               | FCLGA1700 | Desktop                 |
| <a href="#">Intel Core i7-2600 @ 3.40GHz</a>                      | 4 | 5,341          | 1,743             | 95                | LGA1155   | Desktop                 |
| <a href="#">Intel Core i7-2600K @ 3.40GHz</a>                     | 4 | 5,477          | 1,742             | 95                | LGA1155   | Desktop                 |
| <a href="#">Intel Core i7-2600S @ 2.80GHz</a>                     | 4 | 4,455          | 1,687             | 65                | LGA1155   | Desktop                 |
| <a href="#">Intel Core i7-2610UE @ 1.50GHz</a>                    | 2 | 1,409          | 972               | 17                | BGA1023   | Laptop                  |
| <a href="#">Intel Core i7-2617M @ 1.50GHz</a>                     | 2 | 1,687          | 1,092             | 17                | BGA1023   | Laptop                  |
| <a href="#">Intel Core i7-2620M @ 2.70GHz</a>                     | 2 | 2,417          | 1,465             | 35                | BGA1023   | Laptop                  |
| <a href="#">Intel Core i7-2630QM @ 2.00GHz</a>                    | 4 | 3,524          | 1,211             | 45                | PGA988B   | Laptop                  |
| <a href="#">Intel Core i7-2630UM @ 1.60GHz</a>                    | 2 | 400            | 221               | NA                | Unknown   | Laptop                  |
| <a href="#">Intel Core i7-2635QM @ 2.00GHz</a>                    | 4 | 3,466          | 1,235             | 45                | BGA1224   | Laptop                  |
| <a href="#">Intel Core i7-2637M @ 1.70GHz</a>                     | 2 | 1,942          | 1,222             | 17                | BGA1023   | Laptop                  |
| <a href="#">Intel Core i7-2640M @ 2.80GHz</a>                     | 2 | 2,410          | 1,476             | 35                | BGA1023   | Laptop                  |
| <a href="#">Intel Core i7-2655LE @ 2.20GHz</a>                    | 2 | 1,999          | 1,231             | 25                | BGA1023   | Desktop                 |
| <a href="#">Intel Core i7-2670QM @ 2.20GHz</a>                    | 4 | 3,775          | 1,337             | 45                | PGA988B   | Laptop                  |
| <a href="#">Intel Core i7-2675QM @ 2.20GHz</a>                    | 4 | 3,375          | 1,154             | 45                | BGA1224   | Laptop                  |
| <a href="#">Intel Core i7-2677M @ 1.80GHz</a>                     | 2 | 1,993          | 1,240             | 17                | BGA1023   | Laptop                  |

| Nazwa procesora | Procesor | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |
|-----------------|----------|----------------|------------|---------|---------|-----------|
|                 |          |                | Min        | Min...  |         |           |

## CPU Benchmarks ▼

|  |   |       |       |     |                  |         |
|--|---|-------|-------|-----|------------------|---------|
| <a href="#">Intel Core i7-2700K @ 3.50GHz</a>  |   |       |       |     |                  |         |
| <a href="#">Intel Core i7-2710QE @ 2.10GHz</a> | 4 | 4,045 | 1,377 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-2720QM @ 2.20GHz</a> | 4 | 4,408 | 1,564 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-2760QM @ 2.40GHz</a> | 4 | 4,314 | 1,517 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-2820QM @ 2.30GHz</a> |   |       |       |     |                  |         |
| <a href="#">Intel Core i7-2840QM @ 2.40GHz</a> | 4 | 3,842 | 1,493 | NA  | rPGA988B         | Laptop  |
| <a href="#">Intel Core i7-2860QM @ 2.50GHz</a> | 4 | 4,558 | 1,572 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-2920XM @ 2.50GHz</a> | 4 | 4,300 | 1,495 | 55  | FCPGA988         | Laptop  |
| <a href="#">Intel Core i7-2960XM @ 2.70GHz</a> | 4 | 4,423 | 1,491 | 55  | PGA988B          | Laptop  |
| <a href="#">Intel Core i7-3517U @ 1.90GHz</a>  | 2 | 2,100 | 1,313 | 17  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3517UE @ 1.70GHz</a> | 2 | 2,141 | 1,205 | 17  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3520M @ 2.90GHz</a>  | 2 | 2,880 | 1,748 | 35  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3537U @ 2.00GHz</a>  | 2 | 2,378 | 1,473 | 17  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3540M @ 3.00GHz</a>  | 2 | 2,892 | 1,765 | 35  | rPGA988B         | Laptop  |
| <a href="#">Intel Core i7-3555LE @ 2.50GHz</a> | 2 | 1,880 | 980   | 25  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3610QE @ 2.30GHz</a> | 4 | 4,767 | 1,526 | 45  | rPGA988B         | Laptop  |
| <a href="#">Intel Core i7-3610QM @ 2.30GHz</a> | 4 | 5,094 | 1,663 | 45  | PGA988B          | Laptop  |
| <a href="#">Intel Core i7-3612QE @ 2.10GHz</a> | 4 | 4,783 | 1,658 | 35  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-3612QM @ 2.10GHz</a> | 4 | 4,569 | 1,530 | 35  | PGA988B, FCBGA12 | Laptop  |
| <a href="#">Intel Core i7-3615QE @ 2.30GHz</a> | 4 | 5,334 | 1,751 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-3615QM @ 2.30GHz</a> | 4 | 5,138 | 1,734 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-3630QM @ 2.40GHz</a> | 4 | 5,113 | 1,693 | 45  | rPGA988B         | Laptop  |
| <a href="#">Intel Core i7-3632QM @ 2.20GHz</a> | 4 | 4,592 | 1,568 | 35  | rPGA988B         | Laptop  |
| <a href="#">Intel Core i7-3635QM @ 2.40GHz</a> | 4 | 4,657 | 1,673 | 45  | Unknown          | Laptop  |
| <a href="#">Intel Core i7-3667U @ 2.00GHz</a>  | 2 | 2,498 | 1,568 | 17  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3687U @ 2.10GHz</a>  | 2 | 2,641 | 1,592 | 17  | BGA1023          | Laptop  |
| <a href="#">Intel Core i7-3689Y @ 1.50GHz</a>  | 2 | 1,642 | 984   | 13  | FCBGA1023        | Laptop  |
| <a href="#">Intel Core i7-3720QM @ 2.60GHz</a> | 4 | 5,638 | 1,862 | 45  | BGA1224          | Laptop  |
| <a href="#">Intel Core i7-3740QM @ 2.70GHz</a> | 4 | 5,698 | 1,883 | 45  | rPGA988B         | Laptop  |
| <a href="#">Intel Core i7-3770 @ 3.40GHz</a>   | 4 | 6,379 | 2,075 | 77  | LGA1155          | Desktop |
| <a href="#">Intel Core i7-3770K @ 3.50GHz</a>  | 4 | 6,450 | 2,082 | 77  | LGA1155          | Desktop |
| <a href="#">Intel Core i7-3770S @ 3.10GHz</a>  | 4 | 6,169 | 2,035 | 65  | LGA1155          | Desktop |
| <a href="#">Intel Core i7-3770T @ 2.50GHz</a>  | 4 | 5,566 | 1,929 | 45  | LGA1155          | Desktop |
| <a href="#">Intel Core i7-3820 @ 3.60GHz</a>   | 4 | 5,747 | 1,738 | 130 | LGA2011          | Desktop |
| <a href="#">Intel Core i7-3820QM @ 2.50GHz</a> | 4 | 5,783 | 1,934 | 45  | BGA1224          | Laptop  |

| <a href="#">2.70GHz</a>                        |                               |                                |                            |                         |                         |                           |
|--|-------------------------------|--------------------------------|----------------------------|-------------------------|-------------------------|---------------------------|
| <a href="#">Nazwa procesora</a>                | <a href="#">Liczba rdzeni</a> | <a href="#">Znak procesora</a> | <a href="#">Znak wątku</a> | <a href="#">TDP (W)</a> | <a href="#">Gniazdo</a> | <a href="#">Kategoria</a> |
|  |                               |                                | Min                        | Min...                  |                         |                           |
| <a href="#">Intel Core i7-3840QM @ 2.70GHz</a> | 6                             | 8,254                          | 1,762                      | 130                     | LGA2011                 | Desktop                   |
| <a href="#">Intel Core i7-3940XM @ 3.00GHz</a> | 4                             | 5,671                          | 1,930                      | 55                      | rPGA988B                | Laptop                    |
| <a href="#">Intel Core i7-3960X @ 3.30GHz</a>  | 6                             | 8,600                          | 1,815                      | 130                     | LGA2011                 | Desktop                   |
| <a href="#">Intel Core i7-3970X @ 3.50GHz</a>  | 6                             | 8,322                          | 1,833                      | 150                     | LGA2011                 | Desktop                   |
| <a href="#">Intel Core i7-4500U @ 1.80GHz</a>  | 2                             | 2,524                          | 1,539                      | 15                      | BGA1168                 | Laptop                    |
| <a href="#">Intel Core i7-4510U @ 2.00GHz</a>  | 2                             | 2,584                          | 1,547                      | 15                      | FCBGA1168               | Laptop                    |
| <a href="#">Intel Core i7-4550U @ 1.50GHz</a>  | 2                             | 2,354                          | 1,289                      | 15                      | BGA1168                 | Laptop                    |
| <a href="#">Intel Core i7-4558U @ 2.80GHz</a>  | 2                             | 3,014                          | 1,836                      | 28                      | BGA1168                 | Laptop                    |
| <a href="#">Intel Core i7-4560U @ 1.60GHz</a>  | 2                             | 2,950                          | 1,782                      | NA                      | Unknown                 | Laptop                    |
| <a href="#">Intel Core i7-4578U @ 3.00GHz</a>  | 2                             | 2,949                          | 1,871                      | 28                      | FCBGA1168               | Laptop                    |
| <a href="#">Intel Core i7-4600M @ 2.90GHz</a>  | 2                             | 3,219                          | 1,878                      | 37                      | PGA946                  | Laptop                    |
| <a href="#">Intel Core i7-4600U @ 2.10GHz</a>  | 2                             | 2,680                          | 1,666                      | 15                      | FCBGA1168               | Laptop                    |
| <a href="#">Intel Core i7-4610M @ 3.00GHz</a>  | 2                             | 3,078                          | 1,787                      | 37                      | FPGA946,FPGA947         | Laptop                    |
| <a href="#">Intel Core i7-4610Y @ 1.70GHz</a>  | 2                             | 2,446                          | 1,583                      | 11.5                    | BGA1168                 | Desktop                   |
| <a href="#">Intel Core i7-4650U @ 1.70GHz</a>  | 2                             | 2,386                          | 1,519                      | 15                      | BGA1168                 | Laptop                    |
| <a href="#">Intel Core i7-4700EQ @ 2.40GHz</a> | 4                             | 4,941                          | 1,842                      | 47                      | FCBGA1364               | Desktop                   |
| <a href="#">Intel Core i7-4700HQ @ 2.40GHz</a> | 4                             | 5,521                          | 1,776                      | 47                      | FCBGA1364               | Laptop                    |
| <a href="#">Intel Core i7-4700MQ @ 2.40GHz</a> | 4                             | 5,334                          | 1,778                      | 47                      | rPGA946B                | Laptop                    |
| <a href="#">Intel Core i7-4702HQ @ 2.20GHz</a> | 4                             | 5,238                          | 1,622                      | 37                      | FCBGA1364               | Laptop                    |
| <a href="#">Intel Core i7-4702MQ @ 2.20GHz</a> | 4                             | 5,089                          | 1,685                      | 37                      | FCPGA946                | Laptop                    |
| <a href="#">Intel Core i7-4710HQ @ 2.50GHz</a> | 4                             | 5,510                          | 1,781                      | 47                      | FCBGA1364               | Laptop                    |
| <a href="#">Intel Core i7-4710MQ @ 2.50GHz</a> | 4                             | 5,813                          | 1,900                      | 47                      | FCPGA946                | Laptop                    |
| <a href="#">Intel Core i7-4712HQ @ 2.30GHz</a> | 4                             | 5,144                          | 1,682                      | 37                      | FCBGA1364               | Laptop                    |
| <a href="#">Intel Core i7-4712MQ @ 2.30GHz</a> | 4                             | 5,227                          | 1,789                      | 37                      | FCPGA946                | Laptop                    |
| <a href="#">Intel Core i7-4720HQ @ 2.60GHz</a> | 4                             | 5,755                          | 1,866                      | 47                      | BGA1364                 | Laptop                    |
| <a href="#">Intel Core i7-4722HQ @ 2.40GHz</a> | 4                             | 5,620                          | 1,844                      | 37                      | FCBGA1364               | Laptop                    |
| <a href="#">Intel Core i7-4750HQ @ 2.00GHz</a> | 4                             | 5,714                          | 1,781                      | 47                      | FCBGA1364               | Laptop                    |
| <a href="#">Intel Core i7-4760HQ @ 2.10GHz</a> | 4                             | 6,300                          | 1,944                      | 47                      | FCBGA1364               | Laptop                    |
| <a href="#">Intel Core i7-4765T @ 2.00GHz</a>  | 4                             | 4,981                          | 1,595                      | 35                      | FCLGA1150               | Desktop                   |
| <a href="#">Intel Core i7-4770 @ 3.40GHz</a>   | 4                             | 7,023                          | 2,168                      | 84                      | LGA1150                 | Desktop                   |
| <a href="#">Intel Core i7-4770HQ @ 2.20GHz</a> | 4                             | 6,130                          | 1,951                      | 47                      | FCBGA1364               | Laptop                    |
| <a href="#">Intel Core i7-4770K @ 3.50GHz</a>  | 4                             | 7,130                          | 2,165                      | 84                      | LGA1150                 | Desktop                   |
| <a href="#">Intel Core i7-4770R @ 3.20GHz</a>  | 4                             | 6,464                          | 2,132                      | 65                      | FCBGA1364               | Desktop                   |
| <a href="#">Intel Core i7-4770S @ 3.10GHz</a>  | 4                             | 6,803                          | 2,139                      | 65                      | LGA1150                 | Desktop                   |
| <a href="#">Intel Core i7-4770T @ 2.50GHz</a>  | 4                             | 6,038                          | 2,046                      | 45                      | LGA1150                 | Desktop                   |

| <a href="#">Intel Core i7-4770TE @ 2.30GHz</a><br>Nazwa procesora |  | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|---|--|----------------|-------------------|-------------------|---------|-----------|
|---|--|----------------|-------------------|-------------------|---------|-----------|

## 🏠 CPU Benchmarks ▼

|  |   |        |       |     |                 |         |
|--|---|--------|-------|-----|-----------------|---------|
| <a href="#">Intel Core i7-4790 @ 3.60GHz</a>   | 4 | 7,222  | 2,231 | 84  | FCLGA1150       | Desktop |
| <a href="#">Intel Core i7-4790K @ 4.00GHz</a>  | 4 | 8,059  | 2,469 | 88  | LGA1150         | Desktop |
| <a href="#">Intel Core i7-4790S @ 3.20GHz</a>  | 4 | 6,935  | 2,205 | 65  | LGA1150         | Desktop |
| <a href="#">Intel Core i7-4790T @ 2.70GHz</a>  | 4 | 6,291  | 2,100 | 45  | LGA1150         | Desktop |
| <a href="#">Intel Core i7-4800MQ @ 2.70GHz</a> | 4 | 5,844  | 1,948 | 47  | rPGA946B        | Laptop  |
| <a href="#">Intel Core i7-4810MQ @ 2.80GHz</a> | 4 | 6,057  | 2,016 | 47  | FCPGA946        | Laptop  |
| <a href="#">Intel Core i7-4820K @ 3.70GHz</a>  | 4 | 6,481  | 1,939 | 130 | FCLGA2011       | Desktop |
| <a href="#">Intel Core i7-4850HQ @ 2.30GHz</a> | 4 | 6,229  | 1,984 | 47  | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4860EQ @ 1.80GHz</a> | 4 | 5,500  | 1,754 | 47  | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4860HQ @ 2.40GHz</a> | 4 | 6,084  | 1,889 | 47  | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4870HQ @ 2.50GHz</a> | 4 | 6,256  | 2,052 | 47  | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4900MQ @ 2.80GHz</a> | 4 | 6,042  | 1,941 | 47  | FCPGA946        | Laptop  |
| <a href="#">Intel Core i7-4910MQ @ 2.90GHz</a> | 4 | 6,324  | 2,043 | 47  | FCPGA946        | Laptop  |
| <a href="#">Intel Core i7-4930K @ 3.40GHz</a>  | 6 | 9,353  | 1,967 | 130 | LGA2011         | Desktop |
| <a href="#">Intel Core i7-4930MX @ 3.00GHz</a> | 4 | 6,753  | 2,180 | 57  | FCPGA946        | Laptop  |
| <a href="#">Intel Core i7-4940MX @ 3.10GHz</a> | 4 | 7,047  | 2,284 | 57  | FPGA946,FPGA947 | Laptop  |
| <a href="#">Intel Core i7-4960HQ @ 2.60GHz</a> | 4 | 6,453  | 2,173 | 47  | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-4960X @ 3.60GHz</a>  | 6 | 9,836  | 2,069 | 130 | LGA2011         | Desktop |
| <a href="#">Intel Core i7-4980HQ @ 2.80GHz</a> | 4 | 6,822  | 2,254 | 47  | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-5500U @ 2.40GHz</a>  | 2 | 2,709  | 1,625 | 15  | FCBGA1168       | Laptop  |
| <a href="#">Intel Core i7-5550U @ 2.00GHz</a>  | 2 | 2,908  | 1,781 | 15  | FCBGA1168       | Laptop  |
| <a href="#">Intel Core i7-5557U @ 3.10GHz</a>  | 2 | 3,112  | 1,898 | 28  | FCBGA1168       | Laptop  |
| <a href="#">Intel Core i7-5600U @ 2.60GHz</a>  | 2 | 2,964  | 1,747 | 15  | FCBGA1168       | Laptop  |
| <a href="#">Intel Core i7-5650U @ 2.20GHz</a>  | 2 | 3,141  | 2,014 | 15  | FCBGA1168       | Laptop  |
| <a href="#">Intel Core i7-5675C @ 3.10GHz</a>  | 4 | 6,089  | 2,249 | 65  | LGA1150         | Desktop |
| <a href="#">Intel Core i7-5700EQ @ 2.60GHz</a> | 4 | 5,905  | 2,124 | 47  | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-5700HQ @ 2.70GHz</a> | 4 | 5,983  | 2,017 | 47  | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-5775C @ 3.30GHz</a>  | 4 | 7,797  | 2,319 | 65  | FCLGA1150       | Desktop |
| <a href="#">Intel Core i7-5775R @ 3.30GHz</a>  | 4 | 7,373  | 2,222 | 65  | LGA1150         | Desktop |
| <a href="#">Intel Core i7-5820K @ 3.30GHz</a>  | 6 | 9,817  | 2,012 | 140 | LGA2011-v3      | Desktop |
| <a href="#">Intel Core i7-5850EQ @ 2.70GHz</a> | 4 | 7,036  | 2,119 | 47  | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-5850HQ @ 2.70GHz</a> | 4 | 6,866  | 2,219 | 47  | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-5930K @ 3.50GHz</a>  | 6 | 10,278 | 2,061 | 140 | LGA2011-v3      | Desktop |
| <a href="#">Intel Core i7-5950HQ @ 2.90GHz</a> | 4 | 7,696  | 2,288 | 47  | FCBGA1364       | Laptop  |
| <a href="#">Intel Core i7-5960X @ 3.00GHz</a>  | 8 | 12,669 | 1,976 | 140 | LGA2011-v3      | Desktop |

| Nazwa procesora | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |
|-----------------|----------------|------------|---------|---------|-----------|
|                 |                | Min        | Min...  |         |           |

## CPU Benchmarks

| Nazwa procesora                                | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria   |         |
|--|----------------|------------|---------|---------|-------------|---------|
| <a href="#">Intel Core i7-610E @ 2.53GHz</a>   |                |            |         |         |             |         |
| <a href="#">Intel Core i7-620LM @ 2.00GHz</a>  |                |            |         |         |             |         |
| <a href="#">Intel Core i7-620UM @ 1.07GHz</a>  | 2              | 1,668      | 1,204   | 25      | BGA1288     | Laptop  |
| <a href="#">Intel Core i7-640LM @ 2.13GHz</a>  | 2              | 2,040      | 1,381   | 35      | BGA1288     | Laptop  |
| <a href="#">Intel Core i7-640M @ 2.80GHz</a>   | 2              | 1,090      | 817     | 18      | BGA1288     | Laptop  |
| <a href="#">Intel Core i7-640UM @ 1.20GHz</a>  | 2              | 3,303      | 1,721   | 15      | BGA1356     | Laptop  |
| <a href="#">Intel Core i7-6498DU @ 2.50GHz</a> | 2              |            |         |         |             |         |
| <a href="#">Intel Core i7-6500U @ 2.50GHz</a>  | 2              | 3,275      | 1,708   | 15      | FCBGA1356   | Laptop  |
| <a href="#">Intel Core i7-6560U @ 2.20GHz</a>  | 2              | 3,424      | 1,729   | 15      | Unknown     | Laptop  |
| <a href="#">Intel Core i7-6567U @ 3.30GHz</a>  | 2              | 3,895      | 2,084   | 28      | FCBGA1356   | Laptop  |
| <a href="#">Intel Core i7-6600U @ 2.60GHz</a>  | 2              | 3,509      | 1,853   | 15      | FCBGA1356   | Laptop  |
| <a href="#">Intel Core i7-660UM @ 1.33GHz</a>  | 2              | 1,272      | 927     | 18      | BGA1288     | Laptop  |
| <a href="#">Intel Core i7-6650U @ 2.20GHz</a>  | 2              | 3,612      | 1,834   | 15      | FCBGA1356   | Laptop  |
| <a href="#">Intel Core i7-6660U @ 2.40GHz</a>  | 2              | 3,873      | 1,979   | 15      | FCBGA1356   | Laptop  |
| <a href="#">Intel Core i7-6700 @ 3.40GHz</a>   | 4              | 8,066      | 2,304   | 65      | LGA 1151    | Desktop |
| <a href="#">Intel Core i7-6700HQ @ 2.60GHz</a> | 4              | 6,551      | 1,922   | 45      | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i7-6700K @ 4.00GHz</a>  | 4              | 8,947      | 2,518   | 95      | LGA1151     | Desktop |
| <a href="#">Intel Core i7-6700T @ 2.80GHz</a>  | 4              | 7,296      | 2,111   | 35      | LGA 1151    | Desktop |
| <a href="#">Intel Core i7-6700TE @ 2.40GHz</a> | 4              | 6,985      | 2,036   | 35      | LGA 1151    | Desktop |
| <a href="#">Intel Core i7-6770HQ @ 2.60GHz</a> | 4              | 7,150      | 1,969   | 45      | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i7-6800K @ 3.40GHz</a>  | 6              | 10,615     | 2,265   | 140     | LGA2011-v3  | Desktop |
| <a href="#">Intel Core i7-680UM @ 1.47GHz</a>  | 2              | 1,046      | 773     | 18      | BGA1288     | Laptop  |
| <a href="#">Intel Core i7-6820EQ @ 2.80GHz</a> | 4              | 6,924      | 1,969   | 45      | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i7-6820HK @ 2.70GHz</a> | 4              | 7,050      | 1,983   | 45      | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i7-6820HQ @ 2.70GHz</a> | 4              | 6,942      | 2,002   | 45      | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i7-6822EQ @ 2.00GHz</a> | 4              | 5,241      | 1,572   | 25      | LGA 1151    | Laptop  |
| <a href="#">Intel Core i7-6850K @ 3.60GHz</a>  | 6              | 11,300     | 2,415   | 140     | FCLGA2011-3 | Desktop |
| <a href="#">Intel Core i7-6900K @ 3.20GHz</a>  | 8              | 14,094     | 2,352   | 140     | FCLGA2011-3 | Desktop |
| <a href="#">Intel Core i7-6920HQ @ 2.90GHz</a> | 4              | 7,299      | 2,093   | 45      | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i7-6950X @ 3.00GHz</a>  | 10             | 17,076     | 2,343   | 140     | LGA2011-v3  | Desktop |
| <a href="#">Intel Core i7-720QM @ 1.60GHz</a>  | 4              | 1,649      | 964     | 45      | PGA988A     | Laptop  |
| <a href="#">Intel Core i7-740QM @ 1.73GHz</a>  | 4              | 1,767      | 1,004   | 45      | PGA988A     | Laptop  |
| <a href="#">Intel Core i7-7500U @ 2.70GHz</a>  | 2              | 3,649      | 1,956   | 15      | FCBGA1356   | Laptop  |
| <a href="#">Intel Core i7-7560U @ 2.40GHz</a>  | 2              | 3,801      | 2,013   | 15      | BGA1356     | Laptop  |
| <a href="#">Intel Core i7-7567U @ 3.50GHz</a>  | 2              | 4,244      | 2,258   | 28      | BGA1356     | Laptop  |
| <a href="#">Intel Core i7-7600U @ 2.80GHz</a>  | 2              | 3,604      | 1,962   | 15      | FCBGA1356   | Laptop  |
| <a href="#">Intel Core i7-7660U @ 2.50GHz</a>  | 2              | 4,167      | 2,172   | 15      | BGA1356     | Laptop  |
| <a href="#">Intel Core i7-7700 @ 3.60GHz</a>   | 4              | 8,631      | 2,474   | 65      | LGA1151     | Desktop |
| <a href="#">Intel Core i7-7700HQ @ 2.80GHz</a> | 4              | 6,955      | 2,069   | 45      | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i7-7700K @ 4.20GHz</a>  | 4              | 9,692      | 2,742   | 95      | LGA 1151    | Desktop |
| <a href="#">Intel Core i7-7700T @ 2.90GHz</a>  | 4              | 7,772      | 2,202   | 35      | FCLGA1151   | Desktop |
| <a href="#">Intel Core i7-7740X @ 4.30GHz</a>  | 4              | 9,814      | 2,800   | 112     | FCLGA2066   | Desktop |



| <a href="#">Intel Core i7-7800X @ 3.50GHz</a><br>Nazwa procesora |    | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo     | Kategoria       |
|--|----|----------------|-------------------|-------------------|-------------|-----------------|
| <a href="#">Intel Core i7-7800X @ 3.50GHz</a>                    | 7  | 17,117         | 2,100             | 125               | FCLGA2066   | Desktop         |
| <a href="#">Intel Core i7-7820HQ @ 2.90GHz</a>                   | 4  | 7,145          | 2,122             | 45                | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i7-7820X @ 3.60GHz</a>                    | 8  | 17,335         | 2,537             | 140               | FCLGA2066   | Desktop         |
| <a href="#">Intel Core i7-7900X @ 3.30GHz</a>                    | 10 | 19,358         | 2,610             | 140               | FCLGA2066   | Desktop         |
| CPU Benchmarks   |    |                |                   |                   |             |                 |
| <a href="#">Intel Core i7-7920HQ @ 3.10GHz</a>                   | 4  | 7,433          | 2,230             | 45                | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i7-7Y75 @ 1.30GHz</a>                     | 2  | 2,629          | 1,578             | 4.5               | FCBGA1515   | Desktop, Laptop |
| <a href="#">Intel Core i7-8086K @ 4.00GHz</a>                    | 6  | 14,602         | 2,898             | 95                | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i7-820QM @ 1.73GHz</a>                    | 4  | 1,753          | 1,021             | 45                | PGA988A     | Laptop          |
| <a href="#">Intel Core i7-840QM @ 1.87GHz</a>                    | 4  | 1,922          | 1,126             | 45                | PGA988A     | Laptop          |
| <a href="#">Intel Core i7-8500Y @ 1.50GHz</a>                    | 2  | 2,803          | 1,624             | 5                 | FCBGA1515   | Laptop          |
| <a href="#">Intel Core i7-8550U @ 1.80GHz</a>                    | 4  | 5,942          | 2,068             | 15                | FC-BGA1356  | Laptop          |
| <a href="#">Intel Core i7-8557U @ 1.70GHz</a>                    | 4  | 8,225          | 2,571             | 15                | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i7-8559U @ 2.70GHz</a>                    | 4  | 8,684          | 2,545             | 28                | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i7-8565U @ 1.80GHz</a>                    | 4  | 6,364          | 2,253             | 15                | FCBGA1356   | Laptop          |
| <a href="#">Intel Core i7-8565UC @ 1.80GHz</a>                   | 4  | 6,187          | 2,527             | 15                | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i7-8569U @ 2.80GHz</a>                    | 4  | 8,494          | 2,759             | 28                | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i7-860 @ 2.80GHz</a>                      | 4  | 2,876          | 1,322             | 95                | LGA1156     | Desktop         |
| <a href="#">Intel Core i7-860S @ 2.53GHz</a>                     | 4  | 2,725          | 1,413             | 82                | LGA1156     | Desktop         |
| <a href="#">Intel Core i7-8650U @ 1.90GHz</a>                    | 4  | 6,418          | 2,174             | 15                | FC-BGA1356  | Laptop          |
| <a href="#">Intel Core i7-8665U @ 1.90GHz</a>                    | 4  | 6,494          | 2,280             | 15                | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i7-8665UE @ 1.70GHz</a>                   | 4  | 6,587          | 2,491             | 15                | FCBGA1528   | Laptop          |
| <a href="#">Intel Core i7-870 @ 2.93GHz</a>                      | 4  | 3,051          | 1,399             | 95                | LGA1156     | Desktop         |
| <a href="#">Intel Core i7-8700 @ 3.20GHz</a>                     | 6  | 13,054         | 2,669             | 65                | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i7-8700B @ 3.20GHz</a>                    | 6  | 12,425         | 2,749             | 65                | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i7-8700K @ 3.70GHz</a>                    | 6  | 13,885         | 2,771             | 95                | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i7-8700T @ 2.40GHz</a>                    | 6  | 10,628         | 2,356             | 35                | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Core i7-8705G @ 3.10GHz</a>                    | 4  | 7,932          | 2,280             | 65                | BGA2270     | Laptop          |
| <a href="#">Intel Core i7-8706G @ 3.10GHz</a>                    | 4  | 8,136          | 2,519             | 65                | BGA2270     | Laptop          |
| <a href="#">Intel Core i7-8709G @ 3.10GHz</a>                    | 4  | 7,921          | 2,312             | 100               | BGA2270     | Laptop          |
| <a href="#">Intel Core i7-870S @ 2.67GHz</a>                     | 4  | 2,786          | 1,270             | 82                | LGA1156     | Desktop         |
| <a href="#">Intel Core i7-8750H @ 2.20GHz</a>                    | 6  | 10,136         | 2,340             | 45                | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i7-875K @ 2.93GHz</a>                     | 4  | 3,082          | 1,381             | 95                | LGA1156     | Desktop         |
| <a href="#">Intel Core i7-880 @ 3.07GHz</a>                      | 4  | 2,803          | 1,356             | 95                | LGA1156     | Desktop         |
| <a href="#">Intel Core i7-8809G @ 3.10GHz</a>                    | 4  | 8,781          | 2,461             | 100               | BGA2270     | Laptop          |
| <a href="#">Intel Core i7-8850H @ 2.60GHz</a>                    | 6  | 10,424         | 2,419             | 45                | FCBGA1440   | Laptop          |
| <a href="#">Intel Core i7-920 @ 2.67GHz</a>                      | 4  | 2,720          | 1,220             | 130               | LGA1366     | Desktop         |
| <a href="#">Intel Core i7-920XM @ 2.00GHz</a>                    | 4  | 1,965          | 994               | 55                | PGA988B     | Laptop          |
| <a href="#">Intel Core i7-930 @ 2.80GHz</a>                      | 4  | 2,871          | 1,281             | 130               | LGA1366     | Desktop         |
| <a href="#">Intel Core i7-940 @ 2.93GHz</a>                      | 4  | 3,013          | 1,336             | 130               | LGA1366     | Desktop         |
| <a href="#">Intel Core i7-940XM @ 2.13GHz</a>                    | 4  | 2,250          | 1,158             | 55                | PGA988      | Laptop          |
| <a href="#">Intel Core i7-950 @ 3.07GHz</a>                      | 4  | 3,129          | 1,393             | 130               | LGA1366     | Desktop         |
| <a href="#">Intel Core i7-960 @ 3.20GHz</a>                      | 4  | 3,247          | 1,458             | 130               | LGA1366     | Desktop         |
| <a href="#">Intel Core i7-965 @ 3.20GHz</a>                      | 4  | 3,288          | 1,452             | 130               | LGA1366     | Desktop         |

| <a href="#">Intel Core i7-970 @ 3.20GHz</a><br>Nazwa procesora |  | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|--|--|----------------|-------------------|-------------------|---------|-----------|
|--|--|----------------|-------------------|-------------------|---------|-----------|

## 🏠 CPU Benchmarks ▼

|   |    |        |       |     |             |                          |
|---|----|--------|-------|-----|-------------|--------------------------|
| <a href="#">Intel Core i7-9700F @ 3.00GHz</a>   | 8  | 13,498 | 2,800 | 65  | FCLGA1151-2 | Desktop                  |
| <a href="#">Intel Core i7-9700K @ 3.60GHz</a>   | 8  | 14,558 | 2,906 | 95  | FCLGA1151-2 | Desktop                  |
| <a href="#">Intel Core i7-9700KF @ 3.60GHz</a>  | 8  | 14,560 | 2,931 | 95  | FCLGA1151-2 | Desktop                  |
| <a href="#">Intel Core i7-9700T @ 2.00GHz</a>   | 8  | 10,677 | 2,450 | 35  | FCLGA1151-2 | Desktop                  |
| <a href="#">Intel Core i7-9700TE @ 1.80GHz</a>  | 8  | 10,826 | 2,309 | 35  | FCLGA1151-2 | Desktop, Laptop          |
|   |    |        |       |     |             |                          |
| <a href="#">Intel Core i7-975 @ 3.33GHz</a>     | 4  | 3,334  | 1,506 | 130 | LGA1366     | Desktop                  |
| <a href="#">Intel Core i7-9750H @ 2.60GHz</a>   | 6  | 11,232 | 2,491 | 45  | FCBGA1440   | Laptop                   |
| <a href="#">Intel Core i7-9750HF @ 2.60GHz</a>  | 6  | 11,531 | 2,551 | 45  | FCBGA1440   | Laptop                   |
| <a href="#">Intel Core i7-980 @ 3.33GHz</a>     | 6  | 7,018  | 1,558 | 130 | LGA1366     | Desktop                  |
| <a href="#">Intel Core i7-9800X @ 3.80GHz</a>   | 8  | 18,241 | 2,607 | 165 | FCLGA2066   | Desktop                  |
| <a href="#">Intel Core i7-980X @ 3.33GHz</a>    | 6  | 6,773  | 1,528 | 130 | LGA1366     | Desktop                  |
| <a href="#">Intel Core i7-985 @ 3.47GHz</a>     | 4  | 3,928  | 1,579 | NA  | LGA1366     | Unknown                  |
| <a href="#">Intel Core i7-9850H @ 2.60GHz</a>   | 6  | 11,542 | 2,562 | 45  | Unknown     | Laptop                   |
| <a href="#">Intel Core i7-9850HL @ 1.90GHz</a>  | 6  | 9,112  | 2,139 | 25  | FCBGA1440   | Desktop, Laptop          |
| <a href="#">Intel Core i7-990X @ 3.47GHz</a>    | 6  | 7,209  | 1,600 | 130 | LGA1366     | Desktop                  |
| <a href="#">Intel Core i7-995X @ 3.60GHz</a>    | 6  | 7,079  | 1,683 | NA  | Unknown     | Desktop                  |
| <a href="#">Intel Core i9-10850K @ 3.60GHz</a>  | 10 | 23,250 | 3,094 | 125 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10880H @ 2.30GHz</a>  | 8  | 15,064 | 2,805 | 45  | FCBGA1440   | Laptop                   |
| <a href="#">Intel Core i9-10885H @ 2.40GHz</a>  | 8  | 15,923 | 2,849 | 45  | FCBGA1440   | Laptop                   |
| <a href="#">Intel Core i9-10900 @ 2.80GHz</a>   | 10 | 20,660 | 3,067 | 65  | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10900E @ 2.80GHz</a>  | 10 | 20,658 | 2,969 | 65  | FCLGA1200   | Desktop, Mobile/Embedded |
| <a href="#">Intel Core i9-10900F @ 2.80GHz</a>  | 10 | 21,041 | 3,077 | 65  | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10900K @ 3.70GHz</a>  | 10 | 23,908 | 3,168 | 125 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10900KF @ 3.70GHz</a> | 10 | 23,756 | 3,138 | 125 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10900T @ 1.90GHz</a>  | 10 | 15,697 | 2,627 | 35  | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10900TE @ 1.80GHz</a> | 10 | 17,888 | 2,684 | 35  | FCLGA1200   | Mobile/Embedded          |
| <a href="#">Intel Core i9-10900X @ 3.70GHz</a>  | 10 | 22,794 | 2,703 | 165 | FCLGA2066   | Desktop                  |
| <a href="#">Intel Core i9-10910 @ 3.60GHz</a>   | 10 | 21,492 | 3,112 | 125 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-10920X @ 3.50GHz</a>  | 12 | 26,738 | 2,768 | 165 | FCLGA2066   | Desktop                  |
| <a href="#">Intel Core i9-10940X @ 3.30GHz</a>  | 14 | 28,714 | 2,723 | 165 | FCLGA2066   | Desktop                  |
| <a href="#">Intel Core i9-10980HK @ 2.40GHz</a> | 8  | 16,471 | 2,906 | 45  | FCBGA1440   | Laptop                   |
| <a href="#">Intel Core i9-10980XE @ 3.00GHz</a> | 18 | 33,602 | 2,670 | 165 | FCLGA2066   | Desktop                  |
| <a href="#">Intel Core i9-11900 @ 2.50GHz</a>   | 8  | 23,486 | 3,434 | 65  | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-11900F @ 2.50GHz</a>  | 8  | 24,232 | 3,538 | 65  | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-11900H @ 2.50GHz</a>  | 8  | 21,983 | 3,239 | 45  | FCBGA1787   | Laptop                   |
| <a href="#">Intel Core i9-11900K @ 3.50GHz</a>  | 8  | 25,633 | 3,508 | 125 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-11900KB @ 3.30GHz</a> | 8  | 24,103 | 3,425 | 65  | FCBGA1787   | Desktop                  |
| <a href="#">Intel Core i9-11900KF @ 3.50GHz</a> | 8  | 25,675 | 3,596 | 125 | FCLGA1200   | Desktop                  |
| <a href="#">Intel Core i9-11900T @ 1.50GHz</a>  | 8  | 21,759 | 3,401 | 35  | FCLGA1200   | Desktop                  |

| <a href="#">Intel Core i9-11950H @ 2.60GHz</a> |  |                |            |         |         |           |
|--|--|----------------|------------|---------|---------|-----------|
| Nazwa procesora                                |  | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |
| <a href="#">Intel Core i9-11980HK @</a>        |  |                | Min        | Min...  |         |           |

## 🏠 CPU Benchmarks ▼

|   |    |        |       |     |             |         |
|---|----|--------|-------|-----|-------------|---------|
| <a href="#">Intel Core i9-12900KF</a>           | 8  | 40,305 | 4,244 | 241 | FCLGA1700   | Desktop |
| <a href="#">Intel Core i9-7900X @ 3.30GHz</a>   | 10 | 21,295 | 2,597 | 140 | FCLGA2066   | Desktop |
| <a href="#">Intel Core i9-7920X @ 2.90GHz</a>   | 12 | 23,272 | 2,466 | 140 | FCLGA2066   | Desktop |
| <a href="#">Intel Core i9-7940X @ 3.10GHz</a>   | 14 | 26,676 | 2,486 | 165 | FCLGA2066   | Desktop |
| <a href="#">Intel Core i9-7960X @ 2.80GHz</a>   | 16 | 26,699 | 2,525 | 165 | FCLGA2066   | Desktop |
|   |    |        |       |     |             |         |
| <a href="#">Intel Core i9-7980XE @ 2.60GHz</a>  | 18 | 29,521 | 2,460 | 165 | FCLGA2066   | Desktop |
| <a href="#">Intel Core i9-8950HK @ 2.90GHz</a>  | 6  | 10,853 | 2,496 | 45  | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i9-9820X @ 3.30GHz</a>   | 10 | 18,240 | 2,406 | 165 | FCLGA2066   | Desktop |
| <a href="#">Intel Core i9-9880H @ 2.30GHz</a>   | 8  | 14,052 | 2,561 | 45  | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i9-9900 @ 3.10GHz</a>    | 8  | 17,001 | 2,880 | 65  | FCLGA1151-2 | Desktop |
| <a href="#">Intel Core i9-9900K @ 3.60GHz</a>   | 8  | 18,783 | 2,965 | 95  | FCLGA1151-2 | Desktop |
| <a href="#">Intel Core i9-9900KF @ 3.60GHz</a>  | 8  | 18,741 | 2,971 | 95  | FCLGA1151-2 | Desktop |
| <a href="#">Intel Core i9-9900KS @ 4.00GHz</a>  | 8  | 19,614 | 3,046 | 127 | FCLGA1151-2 | Desktop |
| <a href="#">Intel Core i9-9900T @ 2.10GHz</a>   | 8  | 13,896 | 2,500 | 35  | FCLGA1151-2 | Desktop |
| <a href="#">Intel Core i9-9900X @ 3.50GHz</a>   | 10 | 21,827 | 2,604 | 165 | FCLGA2066   | Desktop |
| <a href="#">Intel Core i9-9920X @ 3.50GHz</a>   | 12 | 25,229 | 2,625 | 165 | FCLGA2066   | Desktop |
| <a href="#">Intel Core i9-9940X @ 3.30GHz</a>   | 14 | 28,414 | 2,642 | 165 | FCLGA2066   | Desktop |
| <a href="#">Intel Core i9-9960X @ 3.10GHz</a>   | 16 | 31,144 | 2,648 | 165 | FCLGA2066   | Desktop |
| <a href="#">Intel Core i9-9980HK @ 2.40GHz</a>  | 8  | 14,843 | 2,630 | 45  | FCBGA1440   | Laptop  |
| <a href="#">Intel Core i9-9980XE @ 3.00GHz</a>  | 18 | 32,072 | 2,566 | 165 | FCLGA2066   | Desktop |
| <a href="#">Intel Core i9-9990XE @ 4.00GHz</a>  | 14 | 30,162 | 2,970 | 255 | LGA2066     | Desktop |
| <a href="#">Intel Core M-5Y10 @ 0.80GHz</a>     | 2  | 1,840  | 1,098 | 4.5 | Unknown     | Laptop  |
| <a href="#">Intel Core M-5Y10a @ 0.80GHz</a>    | 2  | 1,905  | 993   | 4.5 | FCBGA1234   | Laptop  |
| <a href="#">Intel Core M-5Y10c @ 0.80GHz</a>    | 2  | 1,769  | 1,061 | 4.5 | FCBGA1234   | Laptop  |
| <a href="#">Intel Core M-5Y31 @ 0.90GHz</a>     | 2  | 2,114  | 1,359 | 4.5 | FCBGA1234   | Laptop  |
| <a href="#">Intel Core M-5Y51 @ 1.10GHz</a>     | 2  | 2,140  | 1,384 | 4.5 | FCBGA1234   | Laptop  |
| <a href="#">Intel Core M-5Y70 @ 1.10GHz</a>     | 2  | 1,705  | 1,039 | 4.5 | BGA1234     | Laptop  |
| <a href="#">Intel Core M-5Y71 @ 1.20GHz</a>     | 2  | 2,201  | 1,424 | 4.5 | FCBGA1234   | Laptop  |
| <a href="#">Intel Core m3-6Y30 @ 0.90GHz</a>    | 2  | 2,003  | 1,215 | 4.5 | FCBGA1515   | Laptop  |
| <a href="#">Intel Core m3-7Y30 @ 1.00GHz</a>    | 2  | 2,576  | 1,402 | 4.5 | FCBGA1515   | Laptop  |
| <a href="#">Intel Core m3-7Y32 @ 1.10GHz</a>    | 2  | 2,916  | 1,673 | 4.5 | FCBGA1515   | Laptop  |
| <a href="#">Intel Core m3-8100Y @ 1.10GHz</a>   | 2  | 2,995  | 1,771 | 5   | FCBGA1515   | Laptop  |
| <a href="#">Intel Core m5-6Y54 @ 1.10GHz</a>    | 2  | 2,131  | 1,198 | 7   | FCBGA1515   | Laptop  |
| <a href="#">Intel Core m5-6Y57 @ 1.10GHz</a>    | 2  | 2,369  | 1,358 | 7   | FCBGA1515   | Laptop  |
| <a href="#">Intel Core m5-7Y54 @ 1.20GHz</a>    | 2  | 1,475  | 746   | NA  | Unknown     | Unknown |
| <a href="#">Intel Core m7-6Y75 @ 1.20GHz</a>    | 2  | 2,316  | 1,394 | 7   | FCBGA1515   | Laptop  |
| <a href="#">Intel Core Solo T1300 @ 1.66GHz</a> | 1  | 210    | 518   | 27  | PGA478      | Laptop  |
| <a href="#">Intel Core Solo T1350 @ 1.86GHz</a> | 1  | 194    | 413   | 31  | Unknown     | Laptop  |
| <a href="#">Intel Core Solo T1400 @</a>         | 1  | 253    | 525   | 27  | PGA478      | Laptop  |

| <a href="#">1.83GHz</a><br><a href="#">Intel Core Solo U1300 @ 1.83GHz</a> |   |       | <b>Znak procesora</b> | <b>Znak wątku</b><br>Min | <b>TDP (W)</b><br>Min... | <b>Gniazdo</b>  | <b>Kategoria</b> |
|--|---|-------|-----------------------|--------------------------|--------------------------|-----------------|------------------|
| <a href="#">1.33GHz</a><br><a href="#">Intel Core Solo U1500 @ 1.33GHz</a> | 1 | 164   |                       | 375                      | 5.5                      | Unknown         | Laptop           |
| <a href="#">1.80GHz</a><br><a href="#">Intel Core2 Duo E4300 @ 1.80GHz</a> | 2 | 571   |                       | 675                      | 65                       | LGA775          | Desktop          |
| <a href="#">2.00GHz</a><br><a href="#">Intel Core2 Duo E4400 @ 2.00GHz</a> | 2 | 656   |                       | 773                      | 65                       | LGA775          | Desktop          |
| <a href="#">2.20GHz</a><br><a href="#">Intel Core2 Duo E4500 @ 2.20GHz</a> | 2 | 739   |                       | 832                      | 65                       | LGA775          | Desktop          |
| <a href="#">2.40GHz</a><br><a href="#">Intel Core2 Duo E4600 @ 2.40GHz</a> | 2 | 787   |                       | 911                      | 65                       | LGA775          | Desktop          |
| <a href="#">2.60GHz</a><br><a href="#">Intel Core2 Duo E4700 @ 2.60GHz</a> | 2 | 803   |                       | 985                      | 65                       | LGA775          | Desktop          |
| <a href="#">1.86GHz</a><br><a href="#">Intel Core2 Duo E6300 @ 1.86GHz</a> | 2 | 586   |                       | 692                      | 65                       | LGA775, PLGA775 | Desktop          |
| <a href="#">1.86GHz</a><br><a href="#">Intel Core2 Duo E6320 @ 1.86GHz</a> | 2 | 597   |                       | 642                      | 65                       | PLGA775         | Desktop          |
| <a href="#">2.13GHz</a><br><a href="#">Intel Core2 Duo E6400 @ 2.13GHz</a> | 2 | 787   |                       | 846                      | 65                       | LGA775          | Desktop          |
| <a href="#">2.13GHz</a><br><a href="#">Intel Core2 Duo E6420 @ 2.13GHz</a> | 2 | 780   |                       | 836                      | 65                       | PLGA775         | Desktop          |
| <a href="#">2.33GHz</a><br><a href="#">Intel Core2 Duo E6540 @ 2.33GHz</a> | 2 | 808   |                       | 969                      | 65                       | LGA775          | Desktop          |
| <a href="#">2.33GHz</a><br><a href="#">Intel Core2 Duo E6550 @ 2.33GHz</a> | 2 | 855   |                       | 905                      | 65                       | LGA775          | Desktop          |
| <a href="#">2.40GHz</a><br><a href="#">Intel Core2 Duo E6600 @ 2.40GHz</a> | 2 | 889   |                       | 953                      | 65                       | PLGA775         | Desktop          |
| <a href="#">2.66GHz</a><br><a href="#">Intel Core2 Duo E6700 @ 2.66GHz</a> | 2 | 1,001 |                       | 1,054                    | 65                       | LGA775          | Desktop          |
| <a href="#">2.66GHz</a><br><a href="#">Intel Core2 Duo E6750 @ 2.66GHz</a> | 2 | 998   |                       | 1,051                    | 65                       | LGA775          | Desktop          |
| <a href="#">3.00GHz</a><br><a href="#">Intel Core2 Duo E6850 @ 3.00GHz</a> | 2 | 1,140 |                       | 1,198                    | 65                       | LGA775          | Desktop          |
| <a href="#">2.53GHz</a><br><a href="#">Intel Core2 Duo E7200 @ 2.53GHz</a> | 2 | 962   |                       | 1,075                    | 65                       | LGA775          | Desktop          |
| <a href="#">2.66GHz</a><br><a href="#">Intel Core2 Duo E7300 @ 2.66GHz</a> | 2 | 951   |                       | 1,094                    | 65                       | LGA775          | Desktop          |
| <a href="#">2.80GHz</a><br><a href="#">Intel Core2 Duo E7400 @ 2.80GHz</a> | 2 | 965   |                       | 1,088                    | 65                       | LGA775          | Desktop          |
| <a href="#">2.93GHz</a><br><a href="#">Intel Core2 Duo E7500 @ 2.93GHz</a> | 2 | 1,090 |                       | 1,200                    | 65                       | LGA775          | Desktop          |
| <a href="#">3.06GHz</a><br><a href="#">Intel Core2 Duo E7600 @ 3.06GHz</a> | 2 | 1,158 |                       | 1,279                    | 65                       | LGA775          | Desktop          |
| <a href="#">2.40GHz</a><br><a href="#">Intel Core2 Duo E8135 @ 2.40GHz</a> | 2 | 973   |                       | 1,028                    | NA                       | Unknown         | Unknown          |
| <a href="#">2.66GHz</a><br><a href="#">Intel Core2 Duo E8135 @ 2.66GHz</a> | 2 | 1,099 |                       | 1,144                    | NA                       | Socket P        | Laptop           |
| <a href="#">2.66GHz</a><br><a href="#">Intel Core2 Duo E8200 @ 2.66GHz</a> | 2 | 1,020 |                       | 1,118                    | 65                       | LGA775          | Desktop          |
| <a href="#">2.80GHz</a><br><a href="#">Intel Core2 Duo E8235 @ 2.80GHz</a> | 2 | 995   |                       | 1,113                    | NA                       | Socket P        | Laptop           |
| <a href="#">2.83GHz</a><br><a href="#">Intel Core2 Duo E8290 @ 2.83GHz</a> | 2 | 1,408 |                       | 1,302                    | 65                       | LGA775          | Unknown          |
| <a href="#">2.83GHz</a><br><a href="#">Intel Core2 Duo E8300 @ 2.83GHz</a> | 2 | 1,034 |                       | 1,169                    | 65                       | LGA775          | Desktop          |
| <a href="#">2.83GHz</a><br><a href="#">Intel Core2 Duo E8335 @ 2.83GHz</a> | 2 | 1,172 |                       | 1,126                    | NA                       | Socket P        | Laptop           |

| <a href="#">Intel Core2 Duo E6330 @ 2.66GHz</a>  |   |                |            |         |          |           |
|--|---|----------------|------------|---------|----------|-----------|
| Nazwa procesora                                  |   | Znak procesora | Znak wątku | TDP (W) | Gniazdo  | Kategoria |
| <a href="#">Intel Core2 Duo E8335 @ 3.00GHz</a>  |   |                | Min        | Min...  |          |           |
| <a href="#">Intel Core2 Duo E8435 @ 3.06GHz</a>  | 2 | 1,240          | 1,307      | NA      | Socket P | Laptop    |
| <a href="#">Intel Core2 Duo E8500 @ 3.16GHz</a>  | 2 | 1,242          | 1,324      | 65      | LGA775   | Desktop   |
| <a href="#">Intel Core2 Duo E8600 @ 3.33GHz</a>  | 2 | 1,330          | 1,399      | 65      | LGA775   | Desktop   |
|  |   |                |            |         |          |           |
| <a href="#">Intel Core2 Duo L7100 @ 1.20GHz</a>  | 2 | 467            | 484        | NA      | BGA956   | Laptop    |
| <a href="#">Intel Core2 Duo L7300 @ 1.40GHz</a>  | 2 | 550            | 635        | 17      | BGA479   | Laptop    |
| <a href="#">Intel Core2 Duo L7400 @ 1.50GHz</a>  | 2 | 516            | 555        | 17      | BGA479   | Laptop    |
| <a href="#">Intel Core2 Duo L7500 @ 1.60GHz</a>  | 2 | 575            | 600        | 17      | BGA479   | Laptop    |
| <a href="#">Intel Core2 Duo L7700 @ 1.80GHz</a>  | 2 | 607            | 748        | 17      | Unknown  | Laptop    |
| <a href="#">Intel Core2 Duo L7800 @ 2.00GHz</a>  | 2 | 680            | 622        | NA      | Unknown  | Unknown   |
| <a href="#">Intel Core2 Duo L9300 @ 1.60GHz</a>  | 2 | 641            | 655        | 17      | BGA956   | Laptop    |
| <a href="#">Intel Core2 Duo L9600 @ 2.13GHz</a>  | 2 | 892            | 914        | 17      | BGA956   | Laptop    |
| <a href="#">Intel Core2 Duo P7350 @ 2.00GHz</a>  | 2 | 753            | 801        | 25      | BGA479   | Laptop    |
| <a href="#">Intel Core2 Duo P7370 @ 2.00GHz</a>  | 2 | 790            | 793        | 25      | PGA478   | Laptop    |
| <a href="#">Intel Core2 Duo P7450 @ 2.13GHz</a>  | 2 | 757            | 834        | 25      | PGA478   | Laptop    |
| <a href="#">Intel Core2 Duo P7550 @ 2.26GHz</a>  | 2 | 915            | 951        | 25      | PGA478   | Laptop    |
| <a href="#">Intel Core2 Duo P7570 @ 2.26GHz</a>  | 2 | 711            | 884        | 25      | PGA478   | Laptop    |
| <a href="#">Intel Core2 Duo P8400 @ 2.26GHz</a>  | 2 | 829            | 923        | 25      | BGA479   | Laptop    |
| <a href="#">Intel Core2 Duo P8600 @ 2.40GHz</a>  | 2 | 843            | 935        | 25      | BGA479   | Laptop    |
| <a href="#">Intel Core2 Duo P8700 @ 2.53GHz</a>  | 2 | 945            | 1,040      | 25      | BGA479   | Laptop    |
| <a href="#">Intel Core2 Duo P8800 @ 2.66GHz</a>  | 2 | 898            | 1,074      | 25      | BGA479   | Laptop    |
| <a href="#">Intel Core2 Duo P9300 @ 2.26GHz</a>  | 2 | 909            | 855        | NA      | Unknown  | Laptop    |
| <a href="#">Intel Core2 Duo P9500 @ 2.53GHz</a>  | 2 | 959            | 1,056      | 25      | BGA479   | Laptop    |
| <a href="#">Intel Core2 Duo P9600 @ 2.53GHz</a>  | 2 | 1,012          | 1,075      | 25      | PGA478   | Laptop    |
| <a href="#">Intel Core2 Duo P9600 @ 2.66GHz</a>  | 2 | 1,069          | 1,111      | 25      | PGA478   | Laptop    |
| <a href="#">Intel Core2 Duo P9700 @ 2.80GHz</a>  | 2 | 1,109          | 1,151      | 28      | PGA478   | Laptop    |
| <a href="#">Intel Core2 Duo SL9400 @ 1.86GHz</a> | 2 | 743            | 767        | 17      | BGA956   | Laptop    |
| <a href="#">Intel Core2 Duo SP9400 @ 2.40GHz</a> | 2 | 988            | 966        | 25      | BGA956   | Laptop    |
| <a href="#">Intel Core2 Duo SU9400 @ 2.40GHz</a> | 2 | 520            | 502        | 10      | BGA956   | Laptop    |



| <a href="#">Intel Core2 Duo S59400 @ 1.40GHz</a> |   |                |            |         |                  |           |
|--|---|----------------|------------|---------|------------------|-----------|
| Nazwa procesora                                  |   | Znak procesora | Znak wątku | TDP (W) | Gniazdo          | Kategoria |
| <a href="#">Intel Core2 Duo T5200 @ 1.50GHz</a>  |   |                |            |         |                  |           |
| <a href="#">Intel Core2 Duo T5270 @ 1.40GHz</a>  | 2 | 496            | 586        | 35      | PGA478           | Laptop    |
| <a href="#">Intel Core2 Duo T5300 @ 1.73GHz</a>  | 2 | 635            | 423        | 34      | PGA478           | Laptop    |
| <a href="#">Intel Core2 Duo T5450 @ 1.66GHz</a>  | 2 | 541            | 579        | 35      | PGA478           | Laptop    |
| <a href="#">Intel Core2 Duo T5470 @ 1.60GHz</a>  | 2 | 459            | 576        | 35      | PGA478           | Laptop    |
| <a href="#">Intel Core2 Duo T5500 @ 1.66GHz</a>  | 2 | 510            | 594        | 34      | PGA478           | Laptop    |
| <a href="#">Intel Core2 Duo T5550 @ 1.83GHz</a>  | 2 | 596            | 664        | 35      | PGA478           | Laptop    |
| <a href="#">Intel Core2 Duo T5600 @ 1.83GHz</a>  | 2 | 634            | 715        | 34      | PGA478           | Laptop    |
| <a href="#">Intel Core2 Duo T5670 @ 1.80GHz</a>  | 2 | 530            | 635        | 35      | Socket P         | Laptop    |
| <a href="#">Intel Core2 Duo T5750 @ 2.00GHz</a>  | 2 | 657            | 724        | 35      | Socket P         | Laptop    |
| <a href="#">Intel Core2 Duo T5800 @ 2.00GHz</a>  | 2 | 636            | 742        | 35      | PGA478           | Laptop    |
| <a href="#">Intel Core2 Duo T5850 @ 2.16GHz</a>  | 2 | 705            | 797        | NA      | Socket P         | Laptop    |
| <a href="#">Intel Core2 Duo T5870 @ 2.00GHz</a>  | 2 | 700            | 748        | 35      | PPGA478, Socket  | Laptop    |
| <a href="#">Intel Core2 Duo T5900 @ 2.20GHz</a>  | 2 | 668            | 772        | NA      | Socket P         | Laptop    |
| <a href="#">Intel Core2 Duo T6400 @ 2.00GHz</a>  | 2 | 701            | 796        | 35      | PGA478           | Laptop    |
| <a href="#">Intel Core2 Duo T6500 @ 2.10GHz</a>  | 2 | 712            | 841        | 35      | PGA478           | Laptop    |
| <a href="#">Intel Core2 Duo T6570 @ 2.10GHz</a>  | 2 | 704            | 815        | 35      | PGA478           | Laptop    |
| <a href="#">Intel Core2 Duo T6600 @ 2.20GHz</a>  | 2 | 753            | 850        | 35      | PGA478           | Laptop    |
| <a href="#">Intel Core2 Duo T6670 @ 2.20GHz</a>  | 2 | 768            | 861        | 35      | PGA478           | Laptop    |
| <a href="#">Intel Core2 Duo T7100 @ 1.80GHz</a>  | 2 | 616            | 697        | 35      | BGA479           | Laptop    |
| <a href="#">Intel Core2 Duo T7200 @ 2.00GHz</a>  | 2 | 718            | 754        | 34      | PBGA479, PPGA478 | Laptop    |
| <a href="#">Intel Core2 Duo T7250 @ 2.00GHz</a>  | 2 | 688            | 771        | 35      | BGA479           | Laptop    |
| <a href="#">Intel Core2 Duo T7300 @ 2.00GHz</a>  | 2 | 702            | 783        | 35      | BGA479           | Laptop    |
| <a href="#">Intel Core2 Duo T7400 @ 2.16GHz</a>  | 2 | 702            | 774        | 34      | BGA479           | Laptop    |
| <a href="#">Intel Core2 Duo T7500 @ 2.20GHz</a>  | 2 | 804            | 872        | 35      | BGA479           | Laptop    |
| <a href="#">Intel Core2 Duo T7600 @ 2.33GHz</a>  | 2 | 772            | 857        | 34      | PBGA479, PPGA478 | Laptop    |
| <a href="#">Intel Core2 Duo T7700 @ 2.40GHz</a>  | 2 | 817            | 896        | 35      | BGA479           | Laptop    |
| <a href="#">Intel Core2 Duo T7800 @ 2.60GHz</a>  | 2 | 965            | 1,035      | 35      | BGA479           | Laptop    |
| <a href="#">Intel Core2 Duo T8100 @ 2.66GHz</a>  | 2 | 751            | 855        | 35      | BGA479           | Laptop    |

| <a href="#">Intel Core2 Duo T8100 @ 2.10GHz</a> |          |                |            |         |         |           |
|---|----------|----------------|------------|---------|---------|-----------|
| Nazwa procesora                                 | Procesor | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |

## 🏠 CPU Benchmarks ▼

|   |   |       |       |     |               |         |
|---|---|-------|-------|-----|---------------|---------|
| <a href="#">2.50GHz</a>                             |   |       |       |     |               |         |
| <a href="#">Intel Core2 Duo T9400 @ 2.53GHz</a>     | 2 | 937   | 1,015 | 35  | BGA479        | Laptop  |
| <a href="#">Intel Core2 Duo T9500 @ 2.60GHz</a>     | 2 | 1,011 | 1,093 | 35  | BGA479        | Laptop  |
| <a href="#">Intel Core2 Duo T9550 @ 2.66GHz</a>     | 2 | 910   | 1,021 | 35  | BGA479        | Laptop  |
| <a href="#">Intel Core2 Duo T9600 @ 2.80GHz</a>     | 2 | 1,075 | 1,150 | 35  | BGA479        | Laptop  |
| <a href="#">Intel Core2 Duo T9800 @ 2.93GHz</a>     | 2 | 1,142 | 1,210 | 35  | BGA479        | Laptop  |
| <a href="#">Intel Core2 Duo T9900 @ 3.06GHz</a>     | 2 | 1,213 | 1,193 | 35  | BGA479,PGA478 | Laptop  |
| <a href="#">Intel Core2 Duo U7300 @ 1.30GHz</a>     | 2 | 501   | 533   | 10  | BGA956        | Laptop  |
| <a href="#">Intel Core2 Duo U7500 @ 1.06GHz</a>     | 2 | 366   | 427   | 10  | BGA479        | Laptop  |
| <a href="#">Intel Core2 Duo U7600 @ 1.20GHz</a>     | 2 | 316   | 427   | 10  | BGA479        | Laptop  |
| <a href="#">Intel Core2 Duo U7700 @ 1.33GHz</a>     | 2 | 345   | 345   | 10  | Unknown       | Laptop  |
| <a href="#">Intel Core2 Duo U9300 @ 1.20GHz</a>     | 2 | 485   | 542   | 10  | BGA956        | Laptop  |
| <a href="#">Intel Core2 Duo U9600 @ 1.60GHz</a>     | 2 | 582   | 651   | 10  | BGA956        | Laptop  |
| <a href="#">Intel Core2 Extreme Q6800 @ 2.93GHz</a> | 4 | 2,267 | 1,202 | 75  | LGA775        | Desktop |
| <a href="#">Intel Core2 Extreme Q6850 @ 3.00GHz</a> | 4 | 2,243 | 1,227 | 130 | LGA775        | Desktop |
| <a href="#">Intel Core2 Extreme Q9200 @ 2.40GHz</a> | 4 | 2,011 | 1,080 | NA  | Unknown       | Desktop |
| <a href="#">Intel Core2 Extreme Q9300 @ 2.53GHz</a> | 4 | 1,845 | 1,046 | 45  | PGA478        | Desktop |
| <a href="#">Intel Core2 Extreme X6800 @ 2.93GHz</a> | 2 | 823   | 973   | 75  | PLGA775       | Desktop |
| <a href="#">Intel Core2 Extreme X7800 @ 2.60GHz</a> | 2 | 1,138 | 1,077 | 44  | PGA478        | Laptop  |
| <a href="#">Intel Core2 Extreme X7900 @ 2.80GHz</a> | 2 | 1,018 | 1,040 | 44  | PGA478        | Laptop  |
| <a href="#">Intel Core2 Extreme X9000 @ 2.80GHz</a> | 2 | 1,135 | 1,103 | 44  | PGA478        | Laptop  |
| <a href="#">Intel Core2 Extreme X9100 @ 3.06GHz</a> | 2 | 1,139 | 1,175 | 44  | PGA478        | Laptop  |
| <a href="#">Intel Core2 Extreme X9650 @ 3.00GHz</a> | 4 | 2,454 | 1,284 | 130 | LGA775        | Desktop |
| <a href="#">Intel Core2 Extreme X9750 @ 3.16GHz</a> | 4 | 2,348 | 1,352 | NA  | Unknown       | Unknown |
| <a href="#">Intel Core2 Extreme X9770 @ 3.20GHz</a> | 4 | 2,632 | 1,398 | 136 | LGA775        | Desktop |
| <a href="#">Intel Core2 Extreme X9775 @ 3.20GHz</a> | 4 | 2,780 | 1,451 | 150 | LGA771        | Desktop |
| <a href="#">Intel Core2 Quad Q6600 @ 2.40GHz</a>    | 4 | 1,771 | 959   | 105 | LGA775        | Desktop |
| <a href="#">Intel Core2 Quad Q6700 @ 2.66GHz</a>    | 4 | 2,045 | 1,075 | 105 | LGA775        | Desktop |
| <a href="#">Intel Core2 Quad Q8200 @ 2.66GHz</a>    | 4 | 1,766 | 1,011 | 95  | LGA775        | Desktop |

| <a href="#">Intel Core2 Quad Q6200 @ 2.33GHz</a> |   |                |            |         |           |           |
|--|---|----------------|------------|---------|-----------|-----------|
| Nazwa procesora                                  |   | Znak procesora | Znak wątku | TDP (W) | Gniazdo   | Kategoria |
| <a href="#">Intel Core2 Quad Q8300 @ 2.66GHz</a> |   |                | Min        | Min...  |           |           |
| <a href="#">Intel Core2 Quad Q9000 @ 2.00GHz</a> | 4 | 1,480          | 879        | 45      | PGA478    | Laptop    |
| <a href="#">Intel Core2 Quad Q9100 @ 2.26GHz</a> | 4 | 1,637          | 851        | 45      | PGA478    | Laptop    |
| <a href="#">Intel Core2 Quad Q9300 @ 2.50GHz</a> | 4 | 1,940          | 1,087      | 95      | LGA775    | Desktop   |
| <a href="#">Intel Core2 Quad Q9400 @ 2.66GHz</a> | 4 | 2,050          | 1,141      | 95      | LGA775    | Desktop   |
| <a href="#">Intel Core2 Quad Q9450 @ 2.66GHz</a> | 4 | 2,072          | 1,124      | 95      | LGA775    | Desktop   |
| <a href="#">Intel Core2 Quad Q9500 @ 2.83GHz</a> | 4 | 2,196          | 1,218      | 95      | LGA775    | Desktop   |
| <a href="#">Intel Core2 Quad Q9505 @ 2.83GHz</a> | 4 | 2,020          | 1,190      | 95      | LGA775    | Desktop   |
| <a href="#">Intel Core2 Quad Q9550 @ 2.83GHz</a> | 4 | 2,280          | 1,225      | 95      | LGA775    | Desktop   |
| <a href="#">Intel Core2 Quad Q9650 @ 3.00GHz</a> | 4 | 2,385          | 1,290      | 95      | LGA775    | Desktop   |
| <a href="#">Intel Core2 Solo U2100 @ 1.06GHz</a> | 1 | 233            | 258        | 5.5     | Unknown   | Laptop    |
| <a href="#">Intel Core2 Solo U3500 @ 1.40GHz</a> | 1 | 252            | 546        | 5.5     | BGA956    | Laptop    |
| <a href="#">Intel Pentium 1403 @ 2.60GHz</a>     | 2 | 1,851          | 990        | 80      | LGA1356   | Server    |
| <a href="#">Intel Pentium 1403 v2 @ 2.60GHz</a>  | 2 | 2,284          | 1,391      | 80      | Unknown   | Server    |
| <a href="#">Intel Pentium 2020M @ 2.40GHz</a>    | 2 | 1,387          | 1,292      | 35      | FCPGA988  | Laptop    |
| <a href="#">Intel Pentium 2030M @ 2.50GHz</a>    | 2 | 1,353          | 1,157      | 35      | FCPGA988  | Laptop    |
| <a href="#">Intel Pentium 2117U @ 1.80GHz</a>    | 2 | 1,006          | 930        | 17      | FCBGA1023 | Laptop    |
| <a href="#">Intel Pentium 2127U @ 1.90GHz</a>    | 2 | 1,117          | 1,022      | 17      | FCBGA1023 | Laptop    |
| <a href="#">Intel Pentium 2129Y @ 1.10GHz</a>    | 2 | 635            | 587        | 10      | FCBGA1023 | Laptop    |
| <a href="#">Intel Pentium 3550M @ 2.30GHz</a>    | 2 | 1,238          | 1,143      | 37      | FCPGA946  | Laptop    |
| <a href="#">Intel Pentium 3556U @ 1.70GHz</a>    | 2 | 1,007          | 939        | 15      | BGA1168   | Laptop    |
| <a href="#">Intel Pentium 3558U @ 1.70GHz</a>    | 2 | 1,008          | 928        | 15      | FCBGA1168 | Laptop    |
| <a href="#">Intel Pentium 3560M @ 2.40GHz</a>    | 2 | 1,552          | 1,421      | 37      | FCPGA946  | Laptop    |
| <a href="#">Intel Pentium 3560Y @ 1.20GHz</a>    | 2 | 849            | 700        | 11.5    | BGA1168   | Laptop    |
| <a href="#">Intel Pentium 3805U @ 1.90GHz</a>    | 2 | 1,126          | 1,066      | 15      | FCBGA1168 | Laptop    |
| <a href="#">Intel Pentium 3825U @ 1.90GHz</a>    | 2 | 1,330          | 1,103      | 15      | FCBGA1168 | Laptop    |
| <a href="#">Intel Pentium 4 1.50GHz</a>          | 1 | 86             | 228        | 57.8    | PGA423    | Desktop   |
| <a href="#">Intel Pentium 4 1.60GHz</a>          | 1 | 84             | 225        | 38      | PGA478    | Desktop   |
| <a href="#">Intel Pentium 4 1.70GHz</a>          | 1 | 86             | 254        | 64      | PGA423    | Desktop   |
| <a href="#">Intel Pentium 4 1.80GHz</a>          | 1 | 115            | 318        | 68.1    | PGA478    | Desktop   |
| <a href="#">Intel Pentium 4 1.90GHz</a>          | 1 | 104            | 292        | 69.2    | PGA423    | Desktop   |
| <a href="#">Intel Pentium 4 1300MHz</a>          | 1 | 77             | 203        | 51.6    | PGA423    | Desktop   |
| <a href="#">Intel Pentium 4 1400MHz</a>          | 1 | 83             | 180        | 54.7    | PGA423    | Desktop   |
| <a href="#">Intel Pentium 4 1500MHz</a>          | 1 | 81             | 223        | 57.8    | PGA423    | Desktop   |
| <a href="#">Intel Pentium 4 1700MHz</a>          | 1 | 100            | 266        | 64      | PGA423    | Desktop   |
| <a href="#">Intel Pentium 4 1800MHz</a>          | 1 | 114            | 317        | 68.1    | PGA478    | Desktop   |
| <a href="#">Intel Pentium 4 2.00GHz</a>          | 1 | 133            | 349        | 54.3    | PGA478    | Desktop   |
| <a href="#">Intel Pentium 4 2.20GHz</a>          | 1 | 157            | 379        | 57.1    | PGA478    | Desktop   |
| <a href="#">Intel Pentium 4 2.26GHz</a>          | 1 | 151            | 409        | 58      | PGA478    | Desktop   |

| <a href="#">Intel Pentium 4 2.40GHz</a><br>Nazwa procesora |  | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|--|--|----------------|-------------------|-------------------|---------|-----------|
|--|--|----------------|-------------------|-------------------|---------|-----------|

## 🏠 CPU Benchmarks ▼

|  |   |       |       |       |                 |         |
|--|---|-------|-------|-------|-----------------|---------|
| <a href="#">Intel Pentium 4 2.60GHz</a>        | 1 | 215   | 494   | 69    | PGA478          | Desktop |
| <a href="#">Intel Pentium 4 2.66GHz</a>        | 1 | 157   | 431   | 66.1  | PGA478          | Desktop |
| <a href="#">Intel Pentium 4 2.80GHz</a>        | 1 | 236   | 506   | 69.7  | PGA478          | Desktop |
| <a href="#">Intel Pentium 4 2.93GHz</a>        | 1 | 150   | 269   | NA    | Unknown         | Desktop |
| <a href="#">Intel Pentium 4 3.00GHz</a>        | 1 | 318   | 556   | 81.9  | PGA478          | Desktop |
| <a href="#">Intel Pentium 4 3.06GHz</a>        | 1 | 249   | 551   | 81.8  | PGA478          | Desktop |
|  |   |       |       |       |                 |         |
| <a href="#">Intel Pentium 4 3.20GHz</a>        | 1 | 306   | 533   | 82    | PGA478          | Desktop |
| <a href="#">Intel Pentium 4 3.40GHz</a>        | 1 | 293   | 666   | 89    | PGA478          | Desktop |
| <a href="#">Intel Pentium 4 3.46GHz</a>        | 1 | 295   | 512   | 110.7 | Unknown         | Desktop |
| <a href="#">Intel Pentium 4 3.60GHz</a>        | 1 | 320   | 605   | 115   | Unknown         | Desktop |
| <a href="#">Intel Pentium 4 3.73GHz</a>        | 1 | 385   | 572   | 115   | Unknown         | Desktop |
| <a href="#">Intel Pentium 4 3.80GHz</a>        | 1 | 313   | 596   | 65    | Unknown         | Desktop |
| <a href="#">Intel Pentium 4 3.83GHz</a>        | 1 | 154   | 237   | NA    | Unknown         | Desktop |
| <a href="#">Intel Pentium 4 Mobile 1.60GHz</a> | 1 | 116   | 254   | NA    | Unknown         | Laptop  |
| <a href="#">Intel Pentium 4 Mobile 1.80GHz</a> | 1 | 114   | 195   | NA    | Unknown         | Laptop  |
| <a href="#">Intel Pentium 4 Mobile 1.90GHz</a> | 1 | 136   | 282   | NA    | Unknown         | Laptop  |
| <a href="#">Intel Pentium 4 Mobile 2.00GHz</a> | 1 | 132   | 310   | NA    | Unknown         | Laptop  |
| <a href="#">Intel Pentium 4405U @ 2.10GHz</a>  | 2 | 2,063 | 1,205 | 15    | FCBGA1356       | Laptop  |
| <a href="#">Intel Pentium 4405Y @ 1.50GHz</a>  | 2 | 1,518 | 868   | 6     | FCBGA1515       | Laptop  |
| <a href="#">Intel Pentium 4410Y @ 1.50GHz</a>  | 2 | 1,444 | 777   | 6     | FCBGA1515       | Laptop  |
| <a href="#">Intel Pentium 4415U @ 2.30GHz</a>  | 2 | 2,194 | 1,269 | 15    | BGA1356         | Laptop  |
| <a href="#">Intel Pentium 4415Y @ 1.60GHz</a>  | 2 | 1,607 | 908   | 6     | FCBGA1515       | Laptop  |
| <a href="#">Intel Pentium 4417U @ 2.30GHz</a>  | 2 | 2,257 | 1,326 | 15    | FCBGA1356       | Laptop  |
| <a href="#">Intel Pentium 4425Y @ 1.70GHz</a>  | 2 | 1,687 | 961   | 6     | FCBGA1515       | Laptop  |
| <a href="#">Intel Pentium 5405U @ 2.30GHz</a>  | 2 | 2,274 | 1,328 | 15    | FCBGA1528       | Laptop  |
| <a href="#">Intel Pentium 6405U @ 2.40GHz</a>  | 2 | 2,360 | 1,420 | 15    | FCBGA1528       | Laptop  |
| <a href="#">Intel Pentium 6805 @ 1.10GHz</a>   | 2 | 4,735 | 1,917 | 15    | FCBGA1526       | Laptop  |
| <a href="#">Intel Pentium 957 @ 1.20GHz</a>    | 2 | 622   | 574   | 17    | FCBGA1023       | Laptop  |
| <a href="#">Intel Pentium 967 @ 1.30GHz</a>    | 2 | 626   | 620   | 17    | FCBGA1023       | Laptop  |
| <a href="#">Intel Pentium 987 @ 1.50GHz</a>    | 2 | 626   | 634   | 17    | FCBGA1023       | Laptop  |
| <a href="#">Intel Pentium 997 @ 1.60GHz</a>    | 2 | 789   | 729   | 17    | BGA-1023        | Unknown |
| <a href="#">Intel Pentium A1018 @ 2.10GHz</a>  | 2 | 1,117 | 1,020 | 35    | FCPGA988        | Laptop  |
| <a href="#">Intel Pentium A1020 @ 2.41GHz</a>  | 4 | 1,265 | 705   | 10    | FCBGA1170       | Laptop  |
| <a href="#">Intel Pentium B940 @ 2.00GHz</a>   | 2 | 814   | 855   | 35    | PGA988          | Laptop  |
| <a href="#">Intel Pentium B950 @ 2.10GHz</a>   | 2 | 978   | 931   | 35    | PGA988          | Laptop  |
| <a href="#">Intel Pentium B960 @ 2.20GHz</a>   | 2 | 913   | 949   | 35    | PGA988          | Laptop  |
| <a href="#">Intel Pentium B970 @ 2.30GHz</a>   | 2 | 1,085 | 1,053 | 35    | PGA988          | Laptop  |
| <a href="#">Intel Pentium B980 @ 2.40GHz</a>   | 2 | 1,088 | 1,056 | 35    | FCPGA988        | Laptop  |
| <a href="#">Intel Pentium D 805 @ 2.66GHz</a>  | 2 | 374   | 497   | 95    | PLGA775         | Desktop |
| <a href="#">Intel Pentium D 830 @ 3.00GHz</a>  | 2 | 474   | 535   | 95    | PLGA775         | Desktop |
| <a href="#">Intel Pentium D 915 @ 2.80GHz</a>  | 2 | 465   | 562   | 95    | PLGA775         | Desktop |
| <a href="#">Intel Pentium D 940 @ 3.20GHz</a>  | 2 | 498   | 574   | 130   | PLGA775         | Desktop |
| <a href="#">Intel Pentium D 950 @ 3.40GHz</a>  | 2 | 686   | 697   | 130   | PLGA775         | Desktop |
| <a href="#">Intel Pentium D 960 @ 3.60GHz</a>  | 2 | 743   | 775   | 130   | PLGA775         | Desktop |
| <a href="#">Intel Pentium D1508 @ 2.20GHz</a>  | 2 | 3,240 | 1,760 | 25    | FCBGA1667       | Server  |
| <a href="#">Intel Pentium E2140 @ 1.60GHz</a>  | 2 | 508   | 594   | 65    | LGA775, PLGA775 | Desktop |
| <a href="#">Intel Pentium E2160 @ 1.80GHz</a>  | 2 | 633   | 683   | 65    | LGA775          | Desktop |

| <a href="#">Intel Pentium E2180 @ 2.00GHz</a><br>Nazwa procesora |  | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|--|--|----------------|-------------------|-------------------|---------|-----------|
|--|--|----------------|-------------------|-------------------|---------|-----------|

## 🏠 CPU Benchmarks ▼

|   |   |       |       |     |           |         |
|---|---|-------|-------|-----|-----------|---------|
| <a href="#">Intel Pentium E2220 @ 2.40GHz</a>               | 2 | 793   | 892   | 65  | LGA775    | Desktop |
| <a href="#">Intel Pentium E5200 @ 2.50GHz</a>               | 2 | 848   | 1,004 | 65  | LGA775    | Desktop |
| <a href="#">Intel Pentium E5300 @ 2.60GHz</a>               | 2 | 911   | 1,043 | 65  | LGA775    | Desktop |
| <a href="#">Intel Pentium E5400 @ 2.70GHz</a>               | 2 | 924   | 1,079 | 65  | LGA775    | Desktop |
| <a href="#">Intel Pentium E5500 @ 2.80GHz</a>               | 2 | 1,020 | 1,150 | 65  | LGA775    | Desktop |
| <a href="#">Intel Pentium E5700 @ 3.00GHz</a>               | 2 | 1,025 | 1,182 | 65  | LGA775    | Desktop |
|   |   |       |       |     |           |         |
| <a href="#">Intel Pentium E5800 @ 3.20GHz</a>               | 2 | 1,141 | 1,306 | 65  | LGA775    | Desktop |
| <a href="#">Intel Pentium E6300 @ 2.80GHz</a>               | 2 | 966   | 1,117 | 65  | LGA775    | Desktop |
| <a href="#">Intel Pentium E6500 @ 2.93GHz</a>               | 2 | 1,073 | 1,212 | 65  | LGA775    | Desktop |
| <a href="#">Intel Pentium E6600 @ 3.06GHz</a>               | 2 | 1,044 | 1,132 | 65  | LGA775    | Desktop |
| <a href="#">Intel Pentium E6700 @ 3.20GHz</a>               | 2 | 1,194 | 1,342 | 65  | LGA775    | Desktop |
| <a href="#">Intel Pentium E6800 @ 3.33GHz</a>               | 2 | 1,184 | 1,375 | 65  | LGA775    | Desktop |
| <a href="#">Intel Pentium Extreme Edition 955 @ 3.46GHz</a> | 2 | 469   | 515   | 130 | PLGA775   | Desktop |
| <a href="#">Intel Pentium Extreme Edition 965 @ 3.73GHz</a> | 2 | 987   | 818   | 130 | PLGA775   | Desktop |
| <a href="#">Intel Pentium G2010 @ 2.80GHz</a>               | 2 | 1,509 | 1,461 | 55  | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2020 @ 2.90GHz</a>               | 2 | 1,654 | 1,558 | 55  | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2020T @ 2.50GHz</a>              | 2 | 1,308 | 1,338 | 35  | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2030 @ 3.00GHz</a>               | 2 | 1,715 | 1,603 | 55  | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2030T @ 2.60GHz</a>              | 2 | 1,534 | 1,443 | 35  | LGA1155   | Desktop |
| <a href="#">Intel Pentium G2100T @ 2.60GHz</a>              | 2 | 1,691 | 1,460 | 35  | LGA1155   | Desktop |
| <a href="#">Intel Pentium G2120 @ 3.10GHz</a>               | 2 | 1,898 | 1,716 | 55  | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2120T @ 2.70GHz</a>              | 2 | 1,613 | 1,493 | 35  | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2130 @ 3.20GHz</a>               | 2 | 1,868 | 1,738 | 55  | FCLGA1155 | Desktop |
| <a href="#">Intel Pentium G2140 @ 3.30GHz</a>               | 2 | 2,059 | 1,837 | 55  | LGA1155   | Desktop |
| <a href="#">Intel Pentium G3220 @ 3.00GHz</a>               | 2 | 1,842 | 1,699 | 54  | FCLGA1150 | Desktop |
| <a href="#">Intel Pentium G3220T @ 2.60GHz</a>              | 2 | 1,551 | 1,442 | 35  | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3240 @ 3.10GHz</a>               | 2 | 1,910 | 1,764 | 53  | FCLGA1150 | Desktop |
| <a href="#">Intel Pentium G3240T @ 2.70GHz</a>              | 2 | 1,755 | 1,558 | 35  | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3250 @ 3.20GHz</a>               | 2 | 1,924 | 1,814 | 53  | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3250T @ 2.80GHz</a>              | 2 | 1,699 | 1,553 | 35  | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3258 @ 3.20GHz</a>               | 2 | 2,056 | 1,841 | 53  | FCLGA1150 | Desktop |
| <a href="#">Intel Pentium G3260 @ 3.30GHz</a>               | 2 | 2,028 | 1,861 | 53  | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3260T @ 2.90GHz</a>              | 2 | 1,755 | 1,568 | 35  | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3320TE @ 2.30GHz</a>             | 2 | 1,623 | 1,314 | 35  | FCLGA1150 | Desktop |
| <a href="#">Intel Pentium G3420 @ 3.20GHz</a>               | 2 | 1,999 | 1,807 | 54  | FCLGA1150 | Desktop |
| <a href="#">Intel Pentium G3420T @ 2.70GHz</a>              | 2 | 1,912 | 1,570 | 35  | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3430 @ 3.30GHz</a>               | 2 | 2,125 | 1,915 | 54  | FCLGA1150 | Desktop |
| <a href="#">Intel Pentium G3440 @ 3.30GHz</a>               | 2 | 2,129 | 1,895 | 53  | LGA1150   | Desktop |
| <a href="#">Intel Pentium G3440T @</a>                      | 2 | 2,107 | 1,615 | 35  | LGA1150   | Desktop |



| <a href="#">2.80GHz</a><br>Nazwa procesora    |  | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|---|--|----------------|-------------------|-------------------|---------|-----------|
| <a href="#">Intel Pentium G3450 @ 3.40GHz</a> |  |                |                   |                   |         |           |

## 🏠 CPU Benchmarks ▼

|   |   |       |       |    |             |                 |
|---|---|-------|-------|----|-------------|-----------------|
| <a href="#">Intel Pentium G3460 @ 3.50GHz</a>       | 2 | 2,165 | 1,954 | 53 | LGA1150     | Desktop         |
| <a href="#">Intel Pentium G3470 @ 3.60GHz</a>       | 2 | 2,428 | 2,089 | 53 | LGA1150     | Desktop         |
| <a href="#">Intel Pentium G4400 @ 3.30GHz</a>       | 2 | 2,603 | 2,029 | 54 | FCLGA1151   | Desktop         |
| <a href="#">Intel Pentium G4400T @ 2.90GHz</a>      | 2 | 2,402 | 1,804 | 35 | FCLGA1151   | Desktop         |
| <a href="#">Intel Pentium G4400TE @ 2.40GHz</a>     | 2 | 2,190 | 1,481 | 35 | FCLGA1151   | Laptop          |
| <a href="#">Intel Pentium G4500 @ 3.50GHz</a>       | 2 | 2,696 | 2,123 | 51 | FCLGA1151   | Desktop         |
| <a href="#">Intel Pentium G4500T @ 3.00GHz</a>      | 2 | 2,518 | 1,845 | 35 | FCLGA1151   | Desktop         |
| <a href="#">Intel Pentium G4520 @ 3.60GHz</a>       | 2 | 2,945 | 2,241 | 51 | FCLGA1151   | Desktop         |
| <a href="#">Intel Pentium G4560 @ 3.50GHz</a>       | 2 | 3,521 | 2,112 | 54 | FCLGA1151   | Desktop         |
| <a href="#">Intel Pentium G4560T @ 2.90GHz</a>      | 2 | 3,000 | 1,758 | 35 | FCLGA1151   | Desktop         |
| <a href="#">Intel Pentium G4600 @ 3.60GHz</a>       | 2 | 3,606 | 2,189 | 51 | FCLGA1151   | Desktop         |
| <a href="#">Intel Pentium G4600T @ 3.00GHz</a>      | 2 | 3,130 | 1,843 | 35 | FCLGA1151   | Desktop         |
| <a href="#">Intel Pentium G4620 @ 3.70GHz</a>       | 2 | 3,813 | 2,280 | 51 | FCLGA1151   | Desktop         |
| <a href="#">Intel Pentium G620 @ 2.60GHz</a>        | 2 | 1,220 | 1,210 | 65 | LGA1155     | Desktop         |
| <a href="#">Intel Pentium G620T @ 2.20GHz</a>       | 2 | 896   | 961   | 35 | LGA1155     | Desktop         |
| <a href="#">Intel Pentium G630 @ 2.70GHz</a>        | 2 | 1,263 | 1,215 | 65 | LGA1155     | Desktop         |
| <a href="#">Intel Pentium G630T @ 2.30GHz</a>       | 2 | 1,029 | 1,040 | 35 | LGA1155     | Desktop         |
| <a href="#">Intel Pentium G640 @ 2.80GHz</a>        | 2 | 1,237 | 1,299 | 65 | LGA1155     | Desktop         |
| <a href="#">Intel Pentium G640T @ 2.40GHz</a>       | 2 | 1,139 | 1,102 | 35 | LGA1155     | Desktop         |
| <a href="#">Intel Pentium G645 @ 2.90GHz</a>        | 2 | 1,345 | 1,299 | 65 | LGA1155     | Desktop         |
| <a href="#">Intel Pentium G645T @ 2.50GHz</a>       | 2 | 1,241 | 1,195 | 35 | LGA1155     | Desktop         |
| <a href="#">Intel Pentium G6950 @ 2.80GHz</a>       | 2 | 1,134 | 1,050 | 73 | LGA1156     | Desktop         |
| <a href="#">Intel Pentium G6951 @ 2.80GHz</a>       | 2 | 1,401 | 1,137 | 73 | LGA1156     | Desktop         |
| <a href="#">Intel Pentium G6960 @ 2.93GHz</a>       | 2 | 1,293 | 1,264 | 73 | LGA1156     | Desktop         |
| <a href="#">Intel Pentium G840 @ 2.80GHz</a>        | 2 | 1,132 | 1,239 | 65 | FCLGA1155   | Desktop         |
| <a href="#">Intel Pentium G850 @ 2.90GHz</a>        | 2 | 1,352 | 1,327 | 65 | FCLGA1155   | Desktop         |
| <a href="#">Intel Pentium G860 @ 3.00GHz</a>        | 2 | 1,414 | 1,380 | 65 | FCLGA1155   | Desktop         |
| <a href="#">Intel Pentium G870 @ 3.10GHz</a>        | 2 | 1,495 | 1,464 | 65 | FCLGA1155   | Desktop         |
| <a href="#">Intel Pentium GOLD 6500Y @ 1.10GHz</a>  | 2 | 3,214 | 2,005 | 5  | Unknown     | Mobile/Embedded |
| <a href="#">Intel Pentium Gold 7505 @ 2.00GHz</a>   | 2 | 5,361 | 2,308 | 15 | FCBGA1449   | Laptop          |
| <a href="#">Intel Pentium Gold G5400 @ 3.70GHz</a>  | 2 | 3,727 | 2,227 | 54 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Pentium Gold G5400T @ 3.10GHz</a> | 2 | 3,119 | 1,807 | 35 | FCLGA1151-2 | Server          |
| <a href="#">Intel Pentium Gold G5420 @ 3.80GHz</a>  | 2 | 3,606 | 2,286 | 54 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Pentium Gold G5420T @ 3.20GHz</a> | 2 | 3,508 | 1,978 | 35 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Pentium Gold G5500 @ 3.80GHz</a>  | 2 | 3,736 | 2,254 | 54 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Pentium Gold G5500T @ 3.20GHz</a> | 2 | 3,234 | 1,964 | 35 | FCLGA1151-2 | Desktop         |
| <a href="#">Intel Pentium Gold G5600 @</a>          | 2 | 3,769 | 2,291 | 54 | FCLGA1151-2 | Desktop         |

| <a href="#">3.90GHz</a> |  | <b>Znak procesora</b> | <b>Znak wiatku</b> | <b>TDP (W)</b> | <b>Gniazdo</b> | <b>Kategoria</b> |
|-------------------------|--|-----------------------|--------------------|----------------|----------------|------------------|
| Nazwa procesora         |  |                       | Min                | Min...         |                |                  |

## CPU Benchmarks ▼

|   |   |       |       |      |                  |         |
|---|---|-------|-------|------|------------------|---------|
| <a href="#">4.00GHz</a>                             |   |       |       |      |                  |         |
| <a href="#">Intel Pentium Gold G6400 @ 4.00GHz</a>  | 2 | 4,137 | 2,490 | 58   | FCLGA1200        | Desktop |
| <a href="#">Intel Pentium Gold G6400T @ 3.40GHz</a> | 2 | 3,610 | 2,140 | 35   | FCLGA1200        | Desktop |
| <a href="#">Intel Pentium Gold G6405 @ 4.10GHz</a>  | 2 | 4,286 | 2,511 | 58   | FCLGA1200        | Desktop |
| <a href="#">Intel Pentium Gold G6405T @ 3.50GHz</a> | 2 | 3,746 | 2,206 | 35   | FCLGA1200        | Desktop |
| <a href="#">Intel Pentium Gold G6500 @ 4.10GHz</a>  | 2 | 4,147 | 2,491 | 58   | FCLGA1200        | Desktop |
| <a href="#">Intel Pentium Gold G6500T @ 3.50GHz</a> | 2 | 4,005 | 2,277 | 35   | FCLGA1200        | Desktop |
| <a href="#">Intel Pentium Gold G6505 @ 4.20GHz</a>  | 2 | 4,378 | 2,652 | 58   | FCLGA1200        | Desktop |
| <a href="#">Intel Pentium Gold G6600 @ 4.20GHz</a>  | 2 | 4,396 | 2,577 | 58   | FCLGA1200        | Desktop |
| <a href="#">Intel Pentium Gold G6605 @ 4.30GHz</a>  | 2 | 4,517 | 2,673 | 58   | FCLGA1200        | Desktop |
| <a href="#">Intel Pentium III 1400 @ 1400MHz</a>    | 1 | 193   | 272   | 31.2 | Socket 370       | Desktop |
| <a href="#">Intel Pentium III 1400S @ 1400MHz</a>   | 1 | 194   | 278   | 32.2 | Socket 370       | Desktop |
| <a href="#">Intel Pentium III Mobile 1066MHz</a>    | 1 | 160   | 210   | NA   | Unknown          | Laptop  |
| <a href="#">Intel Pentium III Mobile 1133MHz</a>    | 1 | 164   | 218   | NA   | Unknown          | Laptop  |
| <a href="#">Intel Pentium III Mobile 1200MHz</a>    | 1 | 156   | 216   | NA   | Unknown          | Laptop  |
| <a href="#">Intel Pentium III Mobile 800MHz</a>     | 1 | 119   | 155   | NA   | Unknown          | Laptop  |
| <a href="#">Intel Pentium III Mobile 866MHz</a>     | 1 | 99    | 132   | NA   | Unknown          | Laptop  |
| <a href="#">Intel Pentium J2850 @ 2.41GHz</a>       | 4 | 1,016 | 646   | 10   | FCBGA1170        | Desktop |
| <a href="#">Intel Pentium J2900 @ 2.41GHz</a>       | 4 | 1,242 | 730   | 10   | FCBGA1170        | Desktop |
| <a href="#">Intel Pentium J3710 @ 1.60GHz</a>       | 4 | 1,444 | 710   | 6.5  | Unknown          | Desktop |
| <a href="#">Intel Pentium J4205 @ 1.50GHz</a>       | 4 | 2,384 | 914   | 10   | FCBGA1296        | Desktop |
| <a href="#">Intel Pentium M 1.10GHz</a>             | 1 | 184   | 218   | NA   | Unknown          | Unknown |
| <a href="#">Intel Pentium M 1.20GHz</a>             | 1 | 199   | 262   | NA   | Unknown          | Unknown |
| <a href="#">Intel Pentium M 1.30GHz</a>             | 1 | 196   | 250   | 22   | H-PBGA479, PPG   | Laptop  |
| <a href="#">Intel Pentium M 1.40GHz</a>             | 1 | 225   | 264   | 22   | H-PBGA479, PPG   | Laptop  |
| <a href="#">Intel Pentium M 1.50GHz</a>             | 1 | 240   | 323   | 24.5 | H-PBGA479, PPG   | Laptop  |
| <a href="#">Intel Pentium M 1.60GHz</a>             | 1 | 229   | 307   | 24.5 | H-PBGA479, PPG   | Laptop  |
| <a href="#">Intel Pentium M 1.70GHz</a>             | 1 | 239   | 318   | 24.5 | H-PBGA479, PPG   | Laptop  |
| <a href="#">Intel Pentium M 1.73GHz</a>             | 1 | 205   | 494   | 27   | H-PBGA479, PPGA4 | Laptop  |
| <a href="#">Intel Pentium M 1.80GHz</a>             | 1 | 280   | 389   | 21   | H-PBGA479, PPGA4 | Laptop  |
| <a href="#">Intel Pentium M 1.86GHz</a>             | 1 | 238   | 460   | 27   | H-PBGA479, PPGA4 | Laptop  |
| <a href="#">Intel Pentium M 1000MHz</a>             | 1 | 156   | 222   | 7    | Unknown          | Laptop  |
| <a href="#">Intel Pentium M 1200MHz</a>             | 1 | 155   | 166   | 12   | Unknown          | Laptop  |
| <a href="#">Intel Pentium M 1300MHz</a>             | 1 | 197   | 271   | 22   | H-PBGA479, PPGA4 | Laptop  |
| <a href="#">Intel Pentium M 1400MHz</a>             | 1 | 208   | 282   | 22   | H-PBGA479, PPGA4 | Laptop  |
| <a href="#">Intel Pentium M 1500MHz</a>             | 1 | 188   | 251   | 24.5 | H-PBGA479, PPGA4 | Laptop  |
| <a href="#">Intel Pentium M 1600MHz</a>             | 1 | 193   | 313   | 24.5 | H-PBGA479, PPGA4 | Laptop  |
| <a href="#">Intel Pentium M 1700MHz</a>             | 1 | 237   | 361   | 24.5 | H-PBGA479, PPGA4 | Laptop  |

| <a href="#">Intel Pentium M 2.00GHz</a>       |          |                |            |         |           |           |
|---|----------|----------------|------------|---------|-----------|-----------|
| Nazwa procesora                               | Prędkość | Znak procesora | Znak wątku | TDP (W) | Gniazdo   | Kategoria |
| <a href="#">Intel Pentium M 2.10GHz</a>       | 1        | 441            | 200        | 7       | Unknown   | Laptop    |
| <a href="#">Intel Pentium M 900MHz</a>        | 1        | 141            | 200        | 7       | Unknown   | Laptop    |
| <a href="#">Intel Pentium N3510 @ 1.99GHz</a> | 4        | 878            | 534        | 7.5     | FCBGA1170 | Laptop    |
| <a href="#">Intel Pentium N3520 @ 2.16GHz</a> | 4        | 1,137          | 666        | 7.5     | FCBGA1170 | Laptop    |
| <a href="#">Intel Pentium N3530 @ 2.16GHz</a> | 4        | 1,198          | 707        | 7.5     | FCBGA1170 | Laptop    |
| <a href="#">Intel Pentium N3540 @ 2.16GHz</a> | 4        | 1,216          | 713        | 7.5     | FCBGA1170 | Laptop    |

## CPU Benchmarks

|  |   |       |       |     |           |                         |
|--|---|-------|-------|-----|-----------|-------------------------|
| <a href="#">Intel Pentium N3700 @ 1.60GHz</a>        | 4 | 1,327 | 648   | 6   | FCBGA1170 | Laptop                  |
| <a href="#">Intel Pentium N3710 @ 1.60GHz</a>        | 4 | 1,354 | 688   | 6   | FCBGA1170 | Laptop                  |
| <a href="#">Intel Pentium N4200 @ 1.10GHz</a>        | 4 | 2,143 | 856   | 6   | FCBGA1296 | Laptop                  |
| <a href="#">Intel Pentium N6415 @ 1.20GHz</a>        | 4 | 3,760 | 1,616 | 6.5 | FCBGA1493 | Mobile/Embedded         |
| <a href="#">Intel Pentium P6000 @ 1.87GHz</a>        | 2 | 768   | 724   | 35  | PGA988    | Laptop                  |
| <a href="#">Intel Pentium P6100 @ 2.00GHz</a>        | 2 | 845   | 828   | 35  | PGA988    | Laptop                  |
| <a href="#">Intel Pentium P6200 @ 2.13GHz</a>        | 2 | 833   | 835   | 35  | PGA988    | Laptop                  |
| <a href="#">Intel Pentium P6300 @ 2.27GHz</a>        | 2 | 881   | 727   | 35  | PGA988    | Laptop                  |
| <a href="#">Intel Pentium Silver J5005 @ 1.50GHz</a> | 4 | 3,062 | 1,205 | 10  | FCBGA1090 | Desktop                 |
| <a href="#">Intel Pentium Silver J5040 @ 2.00GHz</a> | 4 | 3,586 | 1,421 | NA  | FCBGA1090 | Desktop                 |
| <a href="#">Intel Pentium Silver N5000 @ 1.10GHz</a> | 4 | 2,595 | 1,149 | 6   | FCBGA1090 | Laptop                  |
| <a href="#">Intel Pentium Silver N5020 @ 1.10GHz</a> | 4 | 3,404 | 1,307 | 6   | FCBGA1090 | Laptop                  |
| <a href="#">Intel Pentium Silver N5030 @ 1.10GHz</a> | 4 | 2,684 | 1,308 | 6   | FCBGA1090 | Laptop                  |
| <a href="#">Intel Pentium Silver N6000 @ 1.10GHz</a> | 4 | 2,933 | 1,117 | 6   | FCBGA1338 | Mobile/Embedded         |
| <a href="#">Intel Pentium Silver N6005 @ 2.00GHz</a> | 4 | 4,143 | 1,752 | 10  | FCBGA1338 | Laptop, Mobile/Embedded |
| <a href="#">Intel Pentium SU2700 @ 1.30GHz</a>       | 1 | 239   | 432   | 10  | Unknown   | Laptop                  |
| <a href="#">Intel Pentium SU4100 @ 1.30GHz</a>       | 2 | 476   | 513   | 10  | BGA956    | Laptop                  |
| <a href="#">Intel Pentium T2060 @ 1.60GHz</a>        | 2 | 330   | 490   | 31  | PGA478    | Laptop                  |
| <a href="#">Intel Pentium T2080 @ 1.73GHz</a>        | 2 | 348   | 530   | 31  | PGA478    | Laptop                  |
| <a href="#">Intel Pentium T2130 @ 1.86GHz</a>        | 2 | 382   | 583   | 31  | PGA478    | Laptop                  |
| <a href="#">Intel Pentium T2310 @ 1.46GHz</a>        | 2 | 484   | 551   | 35  | PPGA478   | Laptop                  |
| <a href="#">Intel Pentium T2330 @ 1.60GHz</a>        | 2 | 545   | 582   | 35  | PPGA478   | Laptop                  |
| <a href="#">Intel Pentium T2370 @ 1.73GHz</a>        | 2 | 500   | 546   | 35  | PPGA478   | Laptop                  |
| <a href="#">Intel Pentium T2390 @ 1.86GHz</a>        | 2 | 551   | 652   | 35  | PPGA478   | Laptop                  |
| <a href="#">Intel Pentium T2410 @ 2.00GHz</a>        | 2 | 569   | 787   | NA  | Unknown   | Unknown                 |
| <a href="#">Intel Pentium T3200 @ 2.00GHz</a>        | 2 | 621   | 704   | 35  | PPGA478   | Laptop                  |
| <a href="#">Intel Pentium T3400 @ 2.16GHz</a>        | 2 | 633   | 717   | 35  | PPGA478   | Laptop                  |
| <a href="#">Intel Pentium T4200 @ 2.00GHz</a>        | 2 | 722   | 803   | 35  | PGA478    | Laptop                  |
| <a href="#">Intel Pentium T4300 @ 2.10GHz</a>        | 2 | 767   | 827   | 35  | PGA478    | Laptop                  |
| <a href="#">Intel Pentium T4400 @ 2.20GHz</a>        | 2 | 754   | 857   | 35  | PGA478    | Laptop                  |
| <a href="#">Intel Pentium T4500 @ 2.30GHz</a>        | 2 | 787   | 910   | 35  | PGA478    | Laptop                  |
| <a href="#">Intel Pentium U5400 @ 1.20GHz</a>        | 2 | 517   | 499   | 18  | BGA1288   | Laptop                  |
| <a href="#">Intel Pentium U5600 @ 1.33GHz</a>        | 2 | 611   | 592   | 18  | BGA1288   | Laptop                  |
| <a href="#">Intel T1400 @ 1.73GHz</a>                | 2 | 475   | 671   | NA  | Unknown   | Unknown                 |
| <a href="#">Intel T1500 @ 1.86GHz</a>                | 2 | 548   | 661   | NA  | Unknown   | Unknown                 |

| <a href="#">Intel T2050 @ 2.00GHz</a><br>Nazwa procesora |    | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo   | Kategoria      |
|--|----|----------------|-------------------|-------------------|-----------|----------------|
| <a href="#">Intel Xeon 2.40GHz</a>                       | 1  | 180            | 387               | NA                | Unknown   | Server         |
| <a href="#">Intel Xeon 2.80GHz</a>                       | 1  | 260            | 384               | 103               | PPGA604   | Server         |
| <a href="#">Intel Xeon 3.00GHz</a>                       | 1  | 425            | 607               | 103               | PPGA604   | Server         |
| <a href="#">Intel Xeon 3.20GHz</a>                       | 1  | 478            | 696               | 103               | PPGA604   | Server         |
| <a href="#">Intel Xeon 3.40GHz</a>                       | 1  | 375            | 519               | 103               | PPGA604   | Server         |
| <a href="#">Intel Xeon 3.60GHz</a>                       | 1  | 403            | 643               | 110               | PPGA604   | Server         |
| <a href="#">Intel Xeon 3.73GHz</a>                       | 2  | 901            | 734               | NA                | Unknown   | Server         |
| <a href="#">Intel Xeon 3.80GHz</a>                       | 1  | 393            | 594               | 110               | PPGA604   | Server         |
| <a href="#">Intel Xeon 3040 @ 1.86GHz</a>                | 2  | 789            | 474               | 65                | LGA775    | Server         |
| <a href="#">Intel Xeon 3050 @ 2.13GHz</a>                | 2  | 841            | 672               | 65                | LGA775    | Server         |
| <a href="#">Intel Xeon 3060 @ 2.40GHz</a>                | 2  | 939            | 942               | 65                | LGA775    | Server         |
| <a href="#">Intel Xeon 3065 @ 2.33GHz</a>                | 2  | 867            | 836               | 65                | LGA775    | Server         |
| <a href="#">Intel Xeon 3070 @ 2.66GHz</a>                | 2  | 1,025          | 1,024             | 65                | LGA775    | Server         |
| <a href="#">Intel Xeon 3075 @ 2.66GHz</a>                | 2  | 1,096          | 1,096             | NA                | Unknown   | Server         |
| <a href="#">Intel Xeon 3085 @ 3.00GHz</a>                | 2  | 1,070          | 1,124             | 65                | LGA775    | Server         |
| <a href="#">Intel Xeon 5110 @ 1.60GHz</a>                | 2  | 600            | 606               | 65                | LGA771    | Server         |
| <a href="#">Intel Xeon 5120 @ 1.86GHz</a>                | 2  | 763            | 748               | 65                | LGA771    | Server         |
| <a href="#">Intel Xeon 5130 @ 2.00GHz</a>                | 2  | 795            | 796               | 65                | LGA771    | Server         |
| <a href="#">Intel Xeon 5133 @ 2.20GHz</a>                | 2  | 887            | 838               | 40                | LGA771    | Server         |
| <a href="#">Intel Xeon 5140 @ 2.33GHz</a>                | 2  | 857            | 870               | 65                | LGA771    | Server         |
| <a href="#">Intel Xeon 5148 @ 2.33GHz</a>                | 2  | 912            | 868               | 40                | LGA771    | Server         |
| <a href="#">Intel Xeon 5150 @ 2.66GHz</a>                | 2  | 840            | 999               | 65                | LGA771    | Server         |
| <a href="#">Intel Xeon 5160 @ 3.00GHz</a>                | 2  | 963            | 1,134             | 80                | LGA771    | Server         |
| <a href="#">Intel Xeon @ 2.00GHz</a>                     | 6  | 7,363          | 939               | NA                | Unknown   | Unknown        |
| <a href="#">Intel Xeon @ 2.20GHz</a>                     | 1  | 1,324          | 1,383             | 61                | PPGA603   | Server         |
| <a href="#">Intel Xeon Bronze 3104 @ 1.70GHz</a>         | 6  | 4,627          | 1,015             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Bronze 3106 @ 1.70GHz</a>         | 8  | 5,758          | 1,010             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Bronze 3204 @ 1.90GHz</a>         | 6  | 5,060          | 1,111             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon D-1518 @ 2.20GHz</a>              | 4  | 4,784          | 1,256             | 35                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1520 @ 2.20GHz</a>              | 4  | 3,324          | 419               | 45                | BGA 1667  | Server         |
| <a href="#">Intel Xeon D-1521 @ 2.40GHz</a>              | 4  | 5,843          | 1,715             | 45                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1528 @ 1.90GHz</a>              | 6  | 5,910          | 1,281             | 35                | FCBGA1667 | Laptop, Server |
| <a href="#">Intel Xeon D-1531 @ 2.20GHz</a>              | 6  | 7,967          | 1,731             | 45                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1537 @ 1.70GHz</a>              | 8  | 7,176          | 1,104             | 35                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1539 @ 1.60GHz</a>              | 8  | 7,175          | 1,179             | 35                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1540 @ 2.00GHz</a>              | 8  | 10,017         | 1,621             | 45                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1541 @ 2.10GHz</a>              | 8  | 10,028         | 1,711             | 45                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1548 @ 2.00GHz</a>              | 8  | 9,075          | 1,647             | 45                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1557 @ 1.50GHz</a>              | 12 | 7,118          | 718               | 45                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1559 @ 1.50GHz</a>              | 12 | 5,647          | 569               | 45                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1567 @ 2.10GHz</a>              | 12 | 9,236          | 988               | 65                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1577 @ 1.30GHz</a>              | 16 | 11,645         | 1,319             | 45                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1581 @ 1.80GHz</a>              | 16 | 10,476         | 1,466             | 65                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1587 @ 1.70GHz</a>              | 16 | 9,223          | 835               | 65                | FCBGA1667 | Server         |
| <a href="#">Intel Xeon D-1602 @ 2.50GHz</a>              | 2  | 2,459          | 1,435             | 27                | FCBGA1667 | Server         |



| Nazwa procesora | Procesor | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |
|-----------------|----------|----------------|------------|---------|---------|-----------|
|                 |          |                | Min        | Min...  |         |           |

## CPU Benchmarks

|  |    |        |       |     |             |                         |
|--|----|--------|-------|-----|-------------|-------------------------|
| <a href="#">Intel Xeon D-2143IT @ 2.20GHz</a>  | 8  | 13,107 | 1,812 | 65  | FCBGA2518   | Server                  |
| <a href="#">Intel Xeon D-2146NT @ 2.30GHz</a>  | 8  | 11,718 | 1,786 | 80  | FCBGA2518   | Server                  |
| <a href="#">Intel Xeon D-2166NT @ 2.00GHz</a>  | 12 | 15,105 | 1,751 | 85  | FCBGA2518   | Server                  |
| <a href="#">Intel Xeon D-2183IT @ 2.20GHz</a>  | 16 | 18,385 | 1,728 | 100 | FCBGA2518   | Server                  |
| <a href="#">Intel Xeon D-2187NT @ 2.00GHz</a>  | 16 | 18,070 | 1,425 | 110 | FCBGA2518   | Server                  |
| <a href="#">Intel Xeon E-2104G @ 3.20GHz</a>   | 4  | 6,215  | 1,981 | 65  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2124 @ 3.30GHz</a>    | 4  | 6,957  | 2,529 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2124G @ 3.40GHz</a>   | 4  | 7,500  | 2,767 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2126G @ 3.30GHz</a>   | 6  | 10,922 | 2,658 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2134 @ 3.50GHz</a>    | 4  | 8,741  | 2,569 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2136 @ 3.30GHz</a>    | 6  | 13,527 | 2,711 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2144G @ 3.60GHz</a>   | 4  | 9,288  | 2,704 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2146G @ 3.50GHz</a>   | 6  | 13,460 | 2,706 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2174G @ 3.80GHz</a>   | 4  | 9,568  | 2,648 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2176G @ 3.70GHz</a>   | 6  | 13,725 | 2,775 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2176M @ 2.70GHz</a>   | 6  | 10,843 | 2,451 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Xeon E-2186G @ 3.80GHz</a>   | 6  | 13,904 | 2,806 | 95  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2186M @ 2.90GHz</a>   | 6  | 10,809 | 2,441 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Xeon E-2224 @ 3.40GHz</a>    | 4  | 7,202  | 2,404 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2224G @ 3.50GHz</a>   | 4  | 7,490  | 2,717 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2226G @ 3.40GHz</a>   | 6  | 11,119 | 2,853 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2234 @ 3.60GHz</a>    | 4  | 10,010 | 2,895 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2236 @ 3.40GHz</a>    | 6  | 14,456 | 2,888 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2244G @ 3.80GHz</a>   | 4  | 9,826  | 2,807 | 71  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2246G @ 3.60GHz</a>   | 6  | 13,975 | 2,824 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2254ML @ 1.70GHz</a>  | 4  | 6,333  | 2,029 | 25  | FCBGA1440   | Server                  |
| <a href="#">Intel Xeon E-2274G @ 4.00GHz</a>   | 4  | 9,660  | 2,758 | 83  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2276G @ 3.80GHz</a>   | 6  | 13,481 | 2,890 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2276M @ 2.80GHz</a>   | 6  | 12,000 | 2,659 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Xeon E-2276ME @ 2.80GHz</a>  | 6  | 9,680  | 1,692 | 45  | FCBGA1440   | Server, Mobile/Embedded |
| <a href="#">Intel Xeon E-2278G @ 3.40GHz</a>   | 8  | 17,684 | 2,958 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2278GE @ 3.30GHz</a>  | 8  | 17,210 | 2,754 | 80  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2278GEL @ 2.00GHz</a> | 8  | 12,024 | 2,428 | 35  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2286G @ 4.00GHz</a>   | 6  | 14,384 | 2,846 | 95  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2286M @ 2.40GHz</a>   | 8  | 15,580 | 2,797 | 45  | FCBGA1440   | Laptop                  |
| <a href="#">Intel Xeon E-2288G @ 3.70GHz</a>   | 8  | 17,128 | 2,903 | 95  | FCLGA1151-2 | Server                  |
| <a href="#">Intel Xeon E-2314 @ 2.80GHz</a>    | 4  | 8,549  | 3,167 | 65  | FCLGA1200   | Server                  |
| <a href="#">Intel Xeon E-2336 @ 2.90GHz</a>    | 6  | 15,419 | 3,343 | 65  | FCLGA1200   | Server                  |
| <a href="#">Intel Xeon E-2374G @ 3.70GHz</a>   | 4  | 14,086 | 3,445 | 80  | FCLGA1200   | Server                  |
| <a href="#">Intel Xeon E-2378 @ 2.60GHz</a>    | 8  | 18,172 | 2,997 | 65  | FCLGA1200   | Server                  |
| <a href="#">Intel Xeon E-2388G @ 3.20GHz</a>   | 8  | 25,777 | 3,483 | 95  | FCLGA1200   | Server                  |



| <a href="#">Intel Xeon E3-1205 v6 @ 3.00GHz</a><br>Nazwa procesora |  | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|--|--|----------------|-------------------|-------------------|---------|-----------|
|--|--|----------------|-------------------|-------------------|---------|-----------|

## 🏠 CPU Benchmarks ▼

|  |   |       |       |    |           |        |
|--|---|-------|-------|----|-----------|--------|
| <a href="#">Intel Xeon E3-1220 v3 @ 3.10GHz</a>  | 4 | 5,102 | 1,979 | 80 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1220 v5 @ 3.00GHz</a>  | 4 | 5,635 | 1,996 | 80 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1220 v6 @ 3.00GHz</a>  | 4 | 5,773 | 1,879 | 72 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1220L @ 2.20GHz</a>    | 2 | 2,050 | 1,421 | 20 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1220L V2 @ 2.30GHz</a> | 2 | 2,278 | 1,344 | 17 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1220L v3 @ 1.10GHz</a> | 2 | 1,407 | 777   | 13 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1225 @ 3.10GHz</a>     | 4 | 3,789 | 1,567 | 95 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1225 V2 @ 3.20GHz</a>  | 4 | 4,774 | 1,955 | 77 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1225 v3 @ 3.20GHz</a>  | 4 | 5,261 | 2,003 | 84 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1225 v5 @ 3.30GHz</a>  | 4 | 5,923 | 2,047 | 80 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1225 v6 @ 3.30GHz</a>  | 4 | 6,264 | 2,300 | 73 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1226 v3 @ 3.30GHz</a>  | 4 | 5,455 | 2,096 | 84 | FCLGA1150 | Server |
| <a href="#">Intel Xeon E3-1230 @ 3.20GHz</a>     | 4 | 5,058 | 1,653 | 80 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1230 V2 @ 3.30GHz</a>  | 4 | 6,179 | 1,993 | 69 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1230 v3 @ 3.30GHz</a>  | 4 | 6,731 | 2,074 | 80 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1230 v5 @ 3.40GHz</a>  | 4 | 8,021 | 2,199 | 80 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1230 v6 @ 3.50GHz</a>  | 4 | 8,405 | 2,311 | 72 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1230L v3 @ 1.80GHz</a> | 4 | 4,764 | 1,502 | 25 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1231 v3 @ 3.40GHz</a>  | 4 | 6,961 | 2,147 | 80 | FCLGA1150 | Server |
| <a href="#">Intel Xeon E3-1235 @ 3.20GHz</a>     | 4 | 4,725 | 1,562 | 95 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1235L v5 @ 2.00GHz</a> | 4 | 5,013 | 1,761 | 25 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1240 @ 3.30GHz</a>     | 4 | 5,348 | 1,734 | 80 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1240 V2 @ 3.40GHz</a>  | 4 | 6,273 | 2,039 | 69 | LGA1155   | Server |
| <a href="#">Intel Xeon E3-1240 v3 @ 3.40GHz</a>  | 4 | 7,038 | 2,158 | 80 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1240 v5 @ 3.50GHz</a>  | 4 | 8,257 | 2,342 | 80 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1240 v6 @ 3.70GHz</a>  | 4 | 8,706 | 2,462 | 72 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1240L v3 @ 2.00GHz</a> | 4 | 5,304 | 1,769 | 25 | FCLGA1150 | Server |
| <a href="#">Intel Xeon E3-1240L v5 @ 2.10GHz</a> | 4 | 6,072 | 1,910 | 25 | FCLGA1151 | Server |
| <a href="#">Intel Xeon E3-1241 v3 @ 3.50GHz</a>  | 4 | 7,114 | 2,166 | 80 | LGA1150   | Server |
| <a href="#">Intel Xeon E3-1245 @ 3.30GHz</a>     | 4 | 5,334 | 1,735 | 95 | LGA1155   | Server |

[Intel Xeon E3-1245 v2 @ 3.50GHz](#)Intel Xeon E3-1245 V2 @  
Nazwa procesora  
3.50GHzZnak  
procesoraZnak wątku  
MinTDP (W)  
Min...

Gniazdo

Kategoria

 CPU Benchmarks ▼

| <a href="#">Nazwa procesora</a>                  |   | Znak procesora | Znak wątku | TDP (W) | Gniazdo   | Kategoria      |
|--|---|----------------|------------|---------|-----------|----------------|
| <a href="#">Intel Xeon E3-1245 v5 @ 3.50GHz</a>  | 4 | 8,074          | 2,276      | 80      | FCLGA1151 | Server         |
| <a href="#">Intel Xeon E3-1245 v6 @ 3.70GHz</a>  | 4 | 8,606          | 2,433      | 73      | FCLGA1151 | Server         |
| <a href="#">Intel Xeon E3-1246 v3 @ 3.50GHz</a>  | 4 | 7,196          | 2,190      | 84      | FCLGA1150 | Server         |
| <a href="#">Intel Xeon E3-1260L @ 2.40GHz</a>    | 4 | 3,981          | 1,484      | 45      | LGA1155   | Server         |
| <a href="#">Intel Xeon E3-1260L v5 @ 2.90GHz</a> | 4 | 7,757          | 2,287      | 45      | FCLGA1151 | Server         |
| <a href="#">Intel Xeon E3-1265L @ 2.40GHz</a>    | 4 | 3,589          | 1,451      | 45      | LGA1155   | Server         |
| <a href="#">Intel Xeon E3-1265L V2 @ 2.50GHz</a> | 4 | 4,711          | 1,552      | 45      | LGA1155   | Server         |
| <a href="#">Intel Xeon E3-1265L v3 @ 2.50GHz</a> | 4 | 5,987          | 2,104      | 45      | FCLGA1150 | Server         |
| <a href="#">Intel Xeon E3-1265L v4 @ 2.30GHz</a> | 4 | 6,493          | 1,977      | 35      | FCLGA1150 | Server         |
| <a href="#">Intel Xeon E3-1268L v3 @ 2.30GHz</a> | 4 | 5,333          | 1,896      | 45      | LGA1150   | Server         |
| <a href="#">Intel Xeon E3-1268L v5 @ 2.40GHz</a> | 4 | 6,600          | 1,869      | 35      | FCLGA1151 | Laptop, Server |
| <a href="#">Intel Xeon E3-1270 @ 3.40GHz</a>     | 4 | 5,390          | 1,764      | 80      | LGA1155   | Server         |
| <a href="#">Intel Xeon E3-1270 V2 @ 3.50GHz</a>  | 4 | 6,409          | 2,060      | 69      | LGA1155   | Server         |
| <a href="#">Intel Xeon E3-1270 v3 @ 3.50GHz</a>  | 4 | 7,195          | 2,171      | 80      | LGA1150   | Server         |
| <a href="#">Intel Xeon E3-1270 v5 @ 3.60GHz</a>  | 4 | 8,328          | 2,284      | 80      | FCLGA1151 | Server         |
| <a href="#">Intel Xeon E3-1270 v6 @ 3.80GHz</a>  | 4 | 8,817          | 2,455      | 72      | FCLGA1151 | Server         |
| <a href="#">Intel Xeon E3-1270L v4 @ 3.00GHz</a> | 4 | 7,662          | 2,378      | 45      | LGA1150   | Server         |
| <a href="#">Intel Xeon E3-1271 v3 @ 3.60GHz</a>  | 4 | 7,435          | 2,280      | 80      | FCLGA1150 | Server         |
| <a href="#">Intel Xeon E3-1275 @ 3.40GHz</a>     | 4 | 5,383          | 1,740      | 95      | LGA1155   | Server         |
| <a href="#">Intel Xeon E3-1275 V2 @ 3.50GHz</a>  | 4 | 6,552          | 2,140      | 77      | LGA1155   | Server         |
| <a href="#">Intel Xeon E3-1275 v3 @ 3.50GHz</a>  | 4 | 7,121          | 2,208      | 95      | LGA1150   | Server         |
| <a href="#">Intel Xeon E3-1275 v5 @ 3.60GHz</a>  | 4 | 8,401          | 2,315      | 80      | FCLGA1151 | Server         |
| <a href="#">Intel Xeon E3-1275 v6 @ 3.80GHz</a>  | 4 | 9,200          | 2,588      | 73      | FCLGA1151 | Server         |
| <a href="#">Intel Xeon E3-1275L v3 @ 2.70GHz</a> | 4 | 5,949          | 2,065      | 45      | LGA1150   | Server         |
| <a href="#">Intel Xeon E3-1276 v3 @ 3.60GHz</a>  | 4 | 7,345          | 2,258      | 84      | FCLGA1150 | Server         |
| <a href="#">Intel Xeon E3-1280 @ 3.50GHz</a>     | 4 | 5,510          | 1,780      | 95      | LGA1155   | Server         |
| <a href="#">Intel Xeon E3-1280 V2 @ 3.60GHz</a>  | 4 | 6,451          | 2,166      | 69      | LGA1155   | Server         |
| <a href="#">Intel Xeon E3-1280 v3 @ 3.60GHz</a>  | 4 | 7,256          | 2,294      | 82      | LGA1150   | Server         |
| <a href="#">Intel Xeon E3-1280 v5 @ 3.70GHz</a>  | 4 | 8,320          | 2,343      | 80      | FCLGA1151 | Server         |
| <a href="#">Intel Xeon E3-1280 v6 @ 3.80GHz</a>  | 4 | 9,087          | 2,564      | 72      | FCLGA1151 | Server         |

| <a href="#">Intel Xeon E3-1200 v3 @ 3.90GHz</a>  |   |                |            |         |             |                |
|--|---|----------------|------------|---------|-------------|----------------|
| Nazwa procesora                                  |   | Znak procesora | Znak wątku | TDP (W) | Gniazdo     | Kategoria      |
| <a href="#">Intel Xeon E3-1281 v3 @ 3.60GHz</a>  |   |                | Min        | Min...  |             |                |
| <a href="#">Intel Xeon E3-1285 v4 @ 3.50GHz</a>  | 4 | 7,614          | 2,260      | 95      | FCLGA1150   | Server         |
| <a href="#">Intel Xeon E3-1285 v6 @ 4.10GHz</a>  | 4 | 9,276          | 2,692      | 79      | FCLGA1151   | Server         |
| <a href="#">Intel Xeon E3-1285L v3 @ 3.10GHz</a> | 4 | 6,848          | 2,132      | 65      | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1285L v4 @ 3.40GHz</a> | 4 | 8,014          | 2,341      | 65      | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1286 v3 @ 3.70GHz</a>  | 4 | 7,418          | 2,391      | 84      | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1286L v3 @ 3.20GHz</a> | 4 | 6,450          | 2,207      | 65      | LGA1150     | Server         |
| <a href="#">Intel Xeon E3-1290 @ 3.60GHz</a>     | 4 | 4,988          | 1,833      | 95      | LGA1155     | Server         |
| <a href="#">Intel Xeon E3-1290 V2 @ 3.70GHz</a>  | 4 | 6,461          | 2,112      | 87      | LGA1155     | Server         |
| <a href="#">Intel Xeon E3-1505L v5 @ 2.00GHz</a> | 4 | 4,838          | 1,635      | 25      | FCBGA1440   | Laptop, Server |
| <a href="#">Intel Xeon E3-1505L v6 @ 2.20GHz</a> | 4 | 6,088          | 1,848      | 25      | FCBGA1440   | Laptop, Server |
| <a href="#">Intel Xeon E3-1505M v5 @ 2.80GHz</a> | 4 | 7,036          | 2,028      | 45      | FCBGA1440   | Server         |
| <a href="#">Intel Xeon E3-1505M v6 @ 3.00GHz</a> | 4 | 7,004          | 2,157      | 45      | Unknown     | Server         |
| <a href="#">Intel Xeon E3-1515M v5 @ 2.80GHz</a> | 4 | 7,938          | 2,148      | 45      | FCBGA1440   | Server         |
| <a href="#">Intel Xeon E3-1535M v5 @ 2.90GHz</a> | 4 | 7,514          | 2,121      | 45      | FCBGA1440   | Laptop, Server |
| <a href="#">Intel Xeon E3-1535M v6 @ 3.10GHz</a> | 4 | 8,243          | 2,370      | 35      | FCBGA1440   | Laptop, Server |
| <a href="#">Intel Xeon E3-1545M v5 @ 2.90GHz</a> | 4 | 7,848          | 2,092      | 45      | FCBGA1440   | Laptop, Server |
| <a href="#">Intel Xeon E3-1575M v5 @ 3.00GHz</a> | 4 | 7,552          | 2,105      | 45      | FCBGA1440   | Server         |
| <a href="#">Intel Xeon E3-1585 v5 @ 3.50GHz</a>  | 4 | 8,408          | 2,402      | 65      | FCBGA1440   | Server         |
| <a href="#">Intel Xeon E3-1585L v5 @ 3.00GHz</a> | 4 | 8,021          | 2,179      | 45      | FCBGA1440   | Server         |
| <a href="#">Intel Xeon E3110 @ 3.00GHz</a>       | 2 | 1,242          | 1,331      | 65      | LGA775      | Server         |
| <a href="#">Intel Xeon E3113 @ 3.00GHz</a>       | 2 | 1,429          | 1,282      | 65      | LGA775      | Server         |
| <a href="#">Intel Xeon E3120 @ 3.16GHz</a>       | 2 | 1,330          | 1,364      | 65      | LGA775      | Server         |
| <a href="#">Intel Xeon E5-1410 @ 2.80GHz</a>     | 4 | 4,634          | 1,484      | 80      | LGA1356     | Server         |
| <a href="#">Intel Xeon E5-1410 v2 @ 2.80GHz</a>  | 4 | 5,842          | 1,689      | 80      | LGA 1356    | Server         |
| <a href="#">Intel Xeon E5-1428L v2 @ 2.20GHz</a> | 6 | 6,566          | 1,321      | 60      | FCLGA1356   | Server         |
| <a href="#">Intel Xeon E5-1603 @ 2.80GHz</a>     | 4 | 3,471          | 1,336      | 130     | LGA2011     | Server         |
| <a href="#">Intel Xeon E5-1603 v3 @ 2.80GHz</a>  | 4 | 4,477          | 1,633      | 140     | LGA2011-v3  | Server         |
| <a href="#">Intel Xeon E5-1603 v4 @ 2.80GHz</a>  | 4 | 4,812          | 1,754      | 140     | FCLGA2011-3 | Server         |
| <a href="#">Intel Xeon E5-1607 @ 3.00GHz</a>     | 4 | 3,719          | 1,439      | 130     | LGA2011     | Server         |
| <a href="#">Intel Xeon E5-1607 v2 @ 3.00GHz</a>  | 4 | 4,270          | 1,638      | 130     | LGA 2011    | Server         |

| <a href="#">Intel Xeon E5-1607 v3 @ 3.10GHz</a><br>Nazwa procesora |    | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo     | Kategoria |
|--|----|----------------|-------------------|-------------------|-------------|-----------|
| <a href="#">Intel Xeon E5-1620 v3 @ 3.60GHz</a>                    | 4  | 5,869          | 1,174             | 130               | LGA2011     | Server    |
| <a href="#">Intel Xeon E5-1620 v2 @ 3.70GHz</a>                    | 4  | 6,532          | 2,015             | 130               | FCLGA2011   | Server    |
| <a href="#">Intel Xeon E5-1620 v3 @ 3.50GHz</a>                    | 4  | 7,007          | 2,027             | 140               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-1620 v4 @ 3.50GHz</a>                    | 4  | 7,412          | 2,259             | 140               | FCLGA2011-3 | Server    |
| <a href="#">Intel Xeon E5-1630 v3 @ 3.70GHz</a>                    | 4  | 7,466          | 2,133             | 140               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-1630 v4 @ 3.70GHz</a>                    | 4  | 7,615          | 2,383             | 140               | FCLGA2011-3 | Server    |
| <a href="#">Intel Xeon E5-1650 @ 3.20GHz</a>                       | 6  | 8,105          | 1,742             | 130               | LGA2011     | Server    |
| <a href="#">Intel Xeon E5-1650 v2 @ 3.50GHz</a>                    | 6  | 9,291          | 2,007             | 130               | FCLGA2011   | Server    |
| <a href="#">Intel Xeon E5-1650 v3 @ 3.50GHz</a>                    | 6  | 10,380         | 2,113             | 140               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-1650 v4 @ 3.60GHz</a>                    | 6  | 11,436         | 2,394             | 140               | FCLGA2011-3 | Server    |
| <a href="#">Intel Xeon E5-1660 @ 3.30GHz</a>                       | 6  | 8,389          | 1,788             | 130               | LGA2011     | Server    |
| <a href="#">Intel Xeon E5-1660 v2 @ 3.70GHz</a>                    | 6  | 10,239         | 2,081             | 130               | LGA 2011    | Server    |
| <a href="#">Intel Xeon E5-1660 v3 @ 3.00GHz</a>                    | 8  | 12,273         | 1,966             | 140               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-1660 v4 @ 3.20GHz</a>                    | 8  | 13,350         | 2,192             | 140               | FCLGA2011-3 | Server    |
| <a href="#">Intel Xeon E5-1680 v2 @ 3.00GHz</a>                    | 8  | 12,408         | 2,075             | 130               | LGA 2011    | Server    |
| <a href="#">Intel Xeon E5-1680 v3 @ 3.20GHz</a>                    | 8  | 13,161         | 2,119             | 140               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-1680 v4 @ 3.40GHz</a>                    | 8  | 13,538         | 2,282             | 140               | FCLGA2011-3 | Server    |
| <a href="#">Intel Xeon E5-1681 v3 @ 2.90GHz</a>                    | 10 | 14,820         | 2,040             | 135               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-2403 @ 1.80GHz</a>                       | 4  | 2,363          | 829               | 80                | LGA 1356    | Server    |
| <a href="#">Intel Xeon E5-2403 v2 @ 1.80GHz</a>                    | 4  | 2,873          | 991               | 80                | FCLGA1356   | Server    |
| <a href="#">Intel Xeon E5-2407 @ 2.20GHz</a>                       | 4  | 2,661          | 883               | 80                | LGA 1356    | Server    |
| <a href="#">Intel Xeon E5-2407 v2 @ 2.40GHz</a>                    | 4  | 3,504          | 1,068             | 80                | FCLGA1356   | Server    |
| <a href="#">Intel Xeon E5-2418L @ 2.00GHz</a>                      | 4  | 3,518          | 977               | 50                | LGA 1356    | Server    |
| <a href="#">Intel Xeon E5-2420 @ 1.90GHz</a>                       | 6  | 5,170          | 1,104             | 95                | LGA1356     | Server    |
| <a href="#">Intel Xeon E5-2420 v2 @ 2.20GHz</a>                    | 6  | 6,498          | 1,387             | 80                | FCLGA1356   | Server    |
| <a href="#">Intel Xeon E5-2430 @ 2.20GHz</a>                       | 6  | 5,863          | 1,190             | 95                | LGA 1356    | Server    |
| <a href="#">Intel Xeon E5-2430 v2 @ 2.50GHz</a>                    | 6  | 6,864          | 1,413             | 80                | LGA 1356    | Server    |
| <a href="#">Intel Xeon E5-2430L @ 2.00GHz</a>                      | 6  | 5,273          | 1,005             | 60                | FCLGA1356   | Server    |
| <a href="#">Intel Xeon E5-2430L v2 @ 2.40GHz</a>                   | 6  | 5,903          | 1,211             | 60                | LGA 1356    | Server    |
| <a href="#">Intel Xeon E5-2440 @ 2.40GHz</a>                       | 6  | 5,970          | 1,260             | 95                | LGA 1356    | Server    |
| <a href="#">Intel Xeon E5-2440 v2 @ 1.90GHz</a>                    | 8  | 6,927          | 962               | 95                | LGA 1356    | Server    |
| <a href="#">Intel Xeon E5-2448L v2 @ 1.80GHz</a>                   | 10 | 6,774          | 1,235             | 70                | LGA 1356    | Server    |

| <a href="#">Intel Xeon E5-2450 @ 2.10GHz</a>  |  |                |            |         |         |           |
|---|--|----------------|------------|---------|---------|-----------|
| Nazwa procesora                               |  | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |
| <a href="#">Intel Xeon E5-2450L @ 1.80GHz</a> |  |                | Min        | Min...  |         |           |

## 🏠 CPU Benchmarks ▼

|  |    |        |       |     |             |        |
|--|----|--------|-------|-----|-------------|--------|
| <a href="#">Intel Xeon E5-2470 v2 @ 2.40GHz</a>  | 10 | 10,979 | 1,584 | 95  | LGA 1350    | Server |
| <a href="#">Intel Xeon E5-2603 @ 1.80GHz</a>     | 4  | 2,362  | 868   | 80  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2603 v2 @ 1.80GHz</a>  | 4  | 2,751  | 977   | 80  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2603 v3 @ 1.60GHz</a>  | 6  | 3,726  | 932   | 85  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2603 v4 @ 1.70GHz</a>  | 6  | 4,695  | 1,046 | 85  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2608L v3 @ 2.00GHz</a> | 6  | 6,415  | 1,210 | 52  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2609 @ 2.40GHz</a>     | 4  | 2,623  | 1,081 | 80  | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2609 v2 @ 2.50GHz</a>  | 4  | 3,516  | 1,371 | 80  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2609 v3 @ 1.90GHz</a>  | 6  | 4,391  | 1,095 | 80  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2609 v4 @ 1.70GHz</a>  | 8  | 5,720  | 1,067 | 85  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2618L v3 @ 2.30GHz</a> | 8  | 10,464 | 1,872 | 75  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2618L v4 @ 2.20GHz</a> | 10 | 12,885 | 2,015 | 75  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2620 @ 2.00GHz</a>     | 6  | 5,267  | 1,112 | 95  | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2620 v2 @ 2.10GHz</a>  | 6  | 6,245  | 1,304 | 80  | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2620 v3 @ 2.40GHz</a>  | 6  | 7,896  | 1,690 | 85  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2620 v4 @ 2.10GHz</a>  | 8  | 8,989  | 1,616 | 85  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2623 v3 @ 3.00GHz</a>  | 4  | 6,908  | 1,868 | 105 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2623 v4 @ 2.60GHz</a>  | 4  | 7,582  | 1,696 | 85  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2628 v3 @ 2.50GHz</a>  | 8  | 8,447  | 1,754 | 85  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2628L v2 @ 1.90GHz</a> | 8  | 7,181  | 1,106 | 70  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2628L v3 @ 2.00GHz</a> | 10 | 9,949  | 1,483 | 75  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2628L v4 @ 1.90GHz</a> | 12 | 11,079 | 1,433 | 75  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2629 v3 @ 2.40GHz</a>  | 8  | 9,139  | 1,426 | 85  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2630 @ 2.30GHz</a>     | 6  | 6,133  | 1,309 | 95  | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2630 v2 @ 2.60GHz</a>  | 6  | 7,465  | 1,577 | 80  | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2630 v3 @ 2.40GHz</a>  | 8  | 10,279 | 1,762 | 85  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2630 v4 @ 2.20GHz</a>  | 10 | 11,104 | 1,752 | 85  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2630L @ 2.00GHz</a>    | 6  | 5,305  | 1,119 | 60  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2630L v2 @ 2.40GHz</a> | 6  | 6,439  | 1,396 | 60  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2630L v3 @ 1.80GHz</a> | 8  | 8,845  | 1,515 | 55  | LGA2011-v3  | Server |



| <a href="#">Intel Xeon E5-2630L v4 @ 3.50GHz</a> |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
| <a href="#">Intel Xeon E5-2637 v3 @ 3.50GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2637 v4 @ 3.50GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2640 @ 2.50GHz</a>     |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2640 v2 @ 2.00GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2640 v3 @ 2.60GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2640 v4 @ 2.40GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2643 @ 3.30GHz</a>     |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2643 v2 @ 3.50GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2643 v3 @ 3.40GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2643 v4 @ 3.40GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2648L @ 1.80GHz</a>    |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2648L v2 @ 1.90GHz</a> |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2648L v3 @ 1.80GHz</a> |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2648L v4 @ 1.80GHz</a> |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2649 v3 @ 2.30GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2650 @ 2.00GHz</a>     |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2650 v2 @ 2.60GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2650 v3 @ 2.30GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2650 v4 @ 2.20GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2650L @ 1.80GHz</a>    |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2650L v2 @ 1.70GHz</a> |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2650L v3 @ 1.80GHz</a> |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2650L v4 @ 1.70GHz</a> |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2651 v2 @ 1.80GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2658 @ 2.10GHz</a>     |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2658 v2 @ 2.40GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2658 v3 @ 2.20GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2658 v4 @ 2.30GHz</a>  |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2660 @ 2.20GHz</a>     |  |  |  |  |  |  |
| <a href="#">Intel Xeon E5-2660 v2 @ 2.20GHz</a>  |  |  |  |  |  |  |

| <a href="#">Nazwa procesora</a>                  |    | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo     | Kategoria |
|--|----|----------------|-------------------|-------------------|-------------|-----------|
| <a href="#">Intel Xeon E5-2660 v3 @ 2.80GHz</a>  | 10 | 11,777         | 2,040             | 120               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-2665 @ 2.40GHz</a>     | 8  | 8,411          | 1,399             | 115               | LGA2011     | Server    |
| <a href="#">Intel Xeon E5-2667 @ 2.90GHz</a>     | 6  | 7,513          | 1,597             | 130               | LGA2011     | Server    |
| <a href="#">Intel Xeon E5-2667 v2 @ 3.30GHz</a>  | 8  | 12,210         | 2,011             | 130               | LGA 2011    | Server    |
| <a href="#">Intel Xeon E5-2667 v3 @ 3.20GHz</a>  | 8  | 12,578         | 1,976             | 135               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-2667 v4 @ 3.20GHz</a>  | 8  | 14,027         | 2,231             | 135               | FCLGA2011-3 | Server    |
| <a href="#">Intel Xeon E5-2669 v3 @ 2.30GHz</a>  | 12 | 16,107         | 1,502             | 120               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-2670 @ 2.60GHz</a>     | 8  | 8,894          | 1,474             | 115               | LGA2011     | Server    |
| <a href="#">Intel Xeon E5-2670 v2 @ 2.50GHz</a>  | 10 | 11,603         | 1,652             | 115               | FCLGA2011   | Server    |
| <a href="#">Intel Xeon E5-2670 v3 @ 2.30GHz</a>  | 12 | 13,954         | 1,708             | 120               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-2673 v2 @ 3.30GHz</a>  | 8  | 11,919         | 1,959             | 110               | LGA 2011    | Server    |
| <a href="#">Intel Xeon E5-2673 v3 @ 2.40GHz</a>  | 12 | 14,379         | 1,726             | 110               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-2673 v4 @ 2.30GHz</a>  | 20 | 17,533         | 1,909             | 135               | FCLGA2011-3 | Server    |
| <a href="#">Intel Xeon E5-2675 v3 @ 1.80GHz</a>  | 16 | 11,960         | 1,209             | NA                | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-2676 v3 @ 2.40GHz</a>  | 12 | 14,537         | 1,687             | 120               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-2676 v4 @ 2.40GHz</a>  | 16 | 18,978         | 1,730             | 145               | FCLGA2011-3 | Server    |
| <a href="#">Intel Xeon E5-2678 v3 @ 2.50GHz</a>  | 12 | 14,936         | 1,725             | 120               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-2679 v4 @ 2.50GHz</a>  | 20 | 23,512         | 1,951             | 200               | FCLGA2011-3 | Server    |
| <a href="#">Intel Xeon E5-2680 @ 2.70GHz</a>     | 8  | 9,359          | 1,568             | 130               | LGA2011     | Server    |
| <a href="#">Intel Xeon E5-2680 v2 @ 2.80GHz</a>  | 10 | 12,518         | 1,801             | 115               | FCLGA2011   | Server    |
| <a href="#">Intel Xeon E5-2680 v3 @ 2.50GHz</a>  | 12 | 15,492         | 1,775             | 120               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-2680 v4 @ 2.40GHz</a>  | 14 | 17,869         | 1,952             | 120               | FCLGA2011-3 | Server    |
| <a href="#">Intel Xeon E5-2680R v4 @ 2.40GHz</a> | 14 | 17,795         | 1,833             | 120               | FCLGA2011-3 | Server    |
| <a href="#">Intel Xeon E5-2682 v4 @ 2.50GHz</a>  | 16 | 19,551         | 1,868             | 120               | FCLGA2011-3 | Server    |
| <a href="#">Intel Xeon E5-2683 v3 @ 2.00GHz</a>  | 14 | 14,734         | 1,587             | 120               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-2683 v4 @ 2.10GHz</a>  | 16 | 17,688         | 1,696             | 120               | FCLGA2011-3 | Server    |
| <a href="#">Intel Xeon E5-2685 v3 @ 2.60GHz</a>  | 12 | 12,944         | 1,726             | 120               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-2686 v3 @ 2.00GHz</a>  | 18 | 17,678         | 1,862             | 120               | LGA2011-v3  | Server    |
| <a href="#">Intel Xeon E5-2686 v4 @ 2.30GHz</a>  | 18 | 16,745         | 1,613             | 145               | FCLGA2011-3 | Server    |

| <a href="#">Intel Xeon E5-2687W @ 3.10GHz</a><br>Nazwa procesora |  | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|--|--|----------------|-------------------|-------------------|---------|-----------|
|--|--|----------------|-------------------|-------------------|---------|-----------|

## 🏠 CPU Benchmarks ▼

|  |    |        |       |     |             |        |
|--|----|--------|-------|-----|-------------|--------|
| <a href="#">Intel Xeon E5-2687W v3 @ 3.10GHz</a> | 10 | 14,787 | 1,905 | 160 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2687W v4 @ 3.00GHz</a> | 12 | 17,757 | 2,065 | 160 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2689 @ 2.60GHz</a>     | 8  | 9,776  | 1,571 | 115 | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2689 v4 @ 3.10GHz</a>  | 10 | 16,706 | 2,380 | 165 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2690 @ 2.90GHz</a>     | 8  | 9,827  | 1,653 | 135 | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2690 v2 @ 3.00GHz</a>  | 10 | 13,412 | 1,877 | 130 | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2690 v3 @ 2.60GHz</a>  | 12 | 16,467 | 1,912 | 135 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2690 v4 @ 2.60GHz</a>  | 14 | 20,214 | 2,011 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2692 v2 @ 2.20GHz</a>  | 12 | 12,119 | 1,571 | 115 | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2695 v2 @ 2.40GHz</a>  | 12 | 13,495 | 1,599 | 115 | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-2695 v3 @ 2.30GHz</a>  | 14 | 16,032 | 1,778 | 120 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2695 v4 @ 2.10GHz</a>  | 18 | 20,373 | 1,948 | 120 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2696 v2 @ 2.50GHz</a>  | 12 | 14,190 | 1,657 | NA  | LGA2011     | Server |
| <a href="#">Intel Xeon E5-2696 v3 @ 2.30GHz</a>  | 18 | 24,224 | 2,216 | NA  | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2696 v4 @ 2.20GHz</a>  | 22 | 22,810 | 2,237 | 145 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2697 v2 @ 2.70GHz</a>  | 12 | 14,111 | 1,788 | 130 | FCLGA2011   | Server |
| <a href="#">Intel Xeon E5-2697 v3 @ 2.60GHz</a>  | 14 | 19,337 | 2,023 | 145 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2697 v4 @ 2.30GHz</a>  | 18 | 21,545 | 1,963 | 145 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2697A v4 @ 2.60GHz</a> | 16 | 21,634 | 2,060 | 145 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2697R v4 @ 2.30GHz</a> | 18 | 20,843 | 2,007 | 145 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2698 v3 @ 2.30GHz</a>  | 16 | 19,776 | 1,978 | 135 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2698 v4 @ 2.20GHz</a>  | 20 | 22,429 | 2,115 | 135 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2698R v4 @ 2.20GHz</a> | 20 | 26,198 | 2,392 | NA  | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2699 v3 @ 2.30GHz</a>  | 18 | 21,401 | 1,945 | 145 | LGA2011-v3  | Server |
| <a href="#">Intel Xeon E5-2699 v4 @ 2.20GHz</a>  | 22 | 24,415 | 1,950 | 145 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2699A v4 @ 2.40GHz</a> | 22 | 14,917 | 1,037 | 145 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-2699C v4 @ 2.20GHz</a> | 22 | 20,079 | 1,622 | 145 | FCLGA2011-3 | Server |
| <a href="#">Intel Xeon E5-4603 @ 2.00GHz</a>     | 4  | 3,391  | 953   | 95  | LGA 2011    | Server |
| <a href="#">Intel Xeon E5-4607 v2 @ 2.60GHz</a>  | 6  | 6,986  | 1,363 | 95  | FCLGA2011   | Server |

| <a href="#">Intel Xeon E5-4610 @ 2.40GHz</a>     |                               |                                |                            |                         |                         |                           |
|--|-------------------------------|--------------------------------|----------------------------|-------------------------|-------------------------|---------------------------|
| <a href="#">Nazwa procesora</a>                  | <a href="#">Liczba rdzeni</a> | <a href="#">Znak procesora</a> | <a href="#">Znak wątku</a> | <a href="#">TDP (W)</a> | <a href="#">Gniazdo</a> | <a href="#">Kategoria</a> |
|  |                               |                                | Min                        | Min...                  |                         |                           |
| <a href="#">Intel Xeon E5-4620 @ 2.20GHz</a>     | 8                             | 6,830                          | 1,239                      | 95                      | LGA 2011                | Server                    |
| <a href="#">Intel Xeon E5-4620 v3 @ 2.00GHz</a>  | 10                            | 10,525                         | 1,486                      | 105                     | FCLGA2011-3             | Server                    |
| <a href="#">Intel Xeon E5-4627 v2 @ 3.30GHz</a>  | 8                             | 9,320                          | 1,786                      | 130                     | FCLGA2011               | Server                    |
| <a href="#">Intel Xeon E5-4627 v3 @ 2.60GHz</a>  | 10                            | 11,344                         | 1,749                      | 135                     | FCLGA2011-3             | Server                    |
| <a href="#">Intel Xeon E5-4627 v4 @ 2.60GHz</a>  | 10                            | 12,969                         | 2,030                      | 135                     | FCLGA2011-3             | Server                    |
| <a href="#">Intel Xeon E5-4640 @ 2.40GHz</a>     | 8                             | 7,308                          | 1,311                      | 95                      | LGA2011                 | Server                    |
| <a href="#">Intel Xeon E5-4640 v3 @ 1.90GHz</a>  | 12                            | 10,372                         | 1,514                      | 105                     | FCLGA2011-3             | Server                    |
| <a href="#">Intel Xeon E5-4648 v3 @ 1.70GHz</a>  | 12                            | 9,061                          | 1,317                      | 105                     | FCLGA2011-3             | Server                    |
| <a href="#">Intel Xeon E5-4650 @ 2.70GHz</a>     | 8                             | 8,589                          | 1,500                      | 130                     | LGA2011                 | Server                    |
| <a href="#">Intel Xeon E5-4650 v3 @ 2.10GHz</a>  | 12                            | 10,838                         | 1,384                      | 105                     | FCLGA2011-3             | Server                    |
| <a href="#">Intel Xeon E5-4650L @ 2.60GHz</a>    | 8                             | 8,415                          | 1,457                      | 115                     | LGA 2011                | Server                    |
| <a href="#">Intel Xeon E5-4655 v3 @ 2.90GHz</a>  | 6                             | 9,377                          | 1,817                      | 135                     | FCLGA2011-3             | Server                    |
| <a href="#">Intel Xeon E5-4657L v2 @ 2.40GHz</a> | 12                            | 12,495                         | 1,478                      | 115                     | FCLGA2011               | Server                    |
| <a href="#">Intel Xeon E5-4660 v3 @ 2.10GHz</a>  | 14                            | 14,256                         | 1,558                      | 120                     | FCLGA2011-3             | Server                    |
| <a href="#">Intel Xeon E5-4667 v3 @ 2.00GHz</a>  | 16                            | 15,397                         | 1,461                      | 135                     | FCLGA2011-3             | Server                    |
| <a href="#">Intel Xeon E5-4669 v3 @ 2.10GHz</a>  | 18                            | 17,430                         | 1,474                      | 135                     | FCLGA2011-3             | Server                    |
| <a href="#">Intel Xeon E5-4669 v4 @ 2.20GHz</a>  | 22                            | 11,523                         | 1,366                      | 135                     | FCLGA2011-3             | Server                    |
| <a href="#">Intel Xeon E5205 @ 1.86GHz</a>       | 2                             | 838                            | 788                        | 65                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5240 @ 3.00GHz</a>       | 2                             | 1,448                          | 1,312                      | 65                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5310 @ 1.60GHz</a>       | 4                             | 1,306                          | 640                        | 80                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5320 @ 1.86GHz</a>       | 4                             | 1,402                          | 769                        | 80                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5335 @ 2.00GHz</a>       | 4                             | 1,549                          | 817                        | 80                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5345 @ 2.33GHz</a>       | 4                             | 1,814                          | 947                        | 80                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5405 @ 2.00GHz</a>       | 4                             | 1,630                          | 875                        | 80                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5410 @ 2.33GHz</a>       | 4                             | 1,923                          | 1,024                      | 80                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5420 @ 2.50GHz</a>       | 4                             | 1,920                          | 1,065                      | 80                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5430 @ 2.66GHz</a>       | 4                             | 2,195                          | 1,154                      | 80                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5440 @ 2.83GHz</a>       | 4                             | 2,272                          | 1,237                      | 80                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5450 @ 3.00GHz</a>       | 4                             | 2,459                          | 1,291                      | 80                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5462 @ 2.80GHz</a>       | 4                             | 2,040                          | 1,119                      | 80                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5472 @ 3.00GHz</a>       | 4                             | 2,432                          | 1,297                      | 80                      | LGA771                  | Server                    |
| <a href="#">Intel Xeon E5502 @ 1.87GHz</a>       | 2                             | 837                            | 799                        | 80                      | LGA1366                 | Server                    |
| <a href="#">Intel Xeon E5503 @ 2.00GHz</a>       | 2                             | 804                            | 845                        | 80                      | LGA1366                 | Server                    |
| <a href="#">Intel Xeon E5504 @ 2.00GHz</a>       | 4                             | 1,529                          | 838                        | 80                      | LGA1366                 | Server                    |
| <a href="#">Intel Xeon E5506 @ 2.13GHz</a>       | 4                             | 1,924                          | 941                        | 80                      | LGA1366                 | Server                    |
| <a href="#">Intel Xeon E5507 @ 2.27GHz</a>       | 4                             | 1,928                          | 997                        | 80                      | LGA1366                 | Server                    |
| <a href="#">Intel Xeon E5520 @ 2.27GHz</a>       | 4                             | 2,479                          | 1,056                      | 80                      | LGA1366                 | Server                    |
| <a href="#">Intel Xeon E5530 @ 2.40GHz</a>       | 4                             | 2,607                          | 1,157                      | 80                      | LGA1366                 | Server                    |

| Nazwa procesora                            | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |
|--|----------------|------------|---------|---------|-----------|
| <a href="#">Intel Xeon E5540 @ 2.53GHz</a> |                |            | Min...  |         |           |
| <a href="#">Intel Xeon E5603 @ 1.60GHz</a> |                | Min        |         |         |           |

## 🏠 CPU Benchmarks ▼

|   |    |        |       |     |           |        |
|---|----|--------|-------|-----|-----------|--------|
| <a href="#">Intel Xeon E5607 @ 2.47GHz</a>      | 4  | 2,000  | 1,000 | 80  | LGA1366   | Server |
| <a href="#">Intel Xeon E5620 @ 2.40GHz</a>      | 4  | 3,683  | 1,127 | 80  | LGA1366   | Server |
| <a href="#">Intel Xeon E5630 @ 2.53GHz</a>      | 4  | 3,726  | 1,176 | 80  | LGA1366   | Server |
| <a href="#">Intel Xeon E5640 @ 2.67GHz</a>      | 4  | 4,018  | 1,204 | 80  | LGA1366   | Server |
| <a href="#">Intel Xeon E5645 @ 2.40GHz</a>      | 6  | 4,932  | 1,146 | 80  | LGA1366   | Server |
| <a href="#">Intel Xeon E5649 @ 2.53GHz</a>      | 6  | 4,936  | 1,176 | 80  | LGA1366   | Server |
|   |    |        |       |     |           |        |
| <a href="#">Intel Xeon E7- 2830 @ 2.13GHz</a>   | 4  | 2,027  | 559   | 105 | LGA1567   | Server |
| <a href="#">Intel Xeon E7-8880 v3 @ 2.30GHz</a> | 18 | 18,244 | 1,612 | 150 | LGA2011-1 | Server |
| <a href="#">Intel Xeon E7320 @ 2.13GHz</a>      | 4  | 1,469  | 776   | 80  | 604       | Server |
| <a href="#">Intel Xeon Gold 5117 @ 2.00GHz</a>  | 14 | 15,816 | 1,531 | 105 | Unknown   | Server |
| <a href="#">Intel Xeon Gold 5118 @ 2.30GHz</a>  | 12 | 16,015 | 1,768 | 105 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 5120 @ 2.20GHz</a>  | 14 | 16,990 | 1,887 | 105 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 5120T @ 2.20GHz</a> | 14 | 17,540 | 1,827 | 105 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 5122 @ 3.60GHz</a>  | 4  | 8,595  | 2,078 | 105 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 5215 @ 2.50GHz</a>  | 10 | 16,058 | 2,021 | 85  | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 5217 @ 3.00GHz</a>  | 8  | 15,036 | 2,039 | 115 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 5218 @ 2.30GHz</a>  | 16 | 22,117 | 2,245 | 125 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 5218R @ 2.10GHz</a> | 20 | 25,191 | 2,200 | 125 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 5220 @ 2.20GHz</a>  | 18 | 25,740 | 2,396 | 125 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 5220R @ 2.20GHz</a> | 24 | 33,370 | 2,399 | 150 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 5222 @ 3.80GHz</a>  | 4  | 9,428  | 2,372 | 105 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 5315Y @ 3.20GHz</a> | 8  | 21,225 | 2,524 | 140 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 5317 @ 3.00GHz</a>  | 12 | 28,580 | 2,437 | 150 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6126 @ 2.60GHz</a>  | 12 | 19,223 | 2,019 | 125 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6128 @ 3.40GHz</a>  | 6  | 14,273 | 2,247 | 115 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6130 @ 2.10GHz</a>  | 16 | 20,721 | 1,880 | 125 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6130T @ 2.10GHz</a> | 16 | 21,803 | 1,698 | 125 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6132 @ 2.60GHz</a>  | 14 | 19,552 | 2,177 | 140 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6133 @ 2.50GHz</a>  | 1  | 1,172  | 1,429 | 150 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6134 @ 3.20GHz</a>  | 8  | 16,511 | 2,257 | 130 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Gold 6136 @ 3.00GHz</a>  | 12 | 22,266 | 2,224 | 150 | FCLGA3647 | Server |



| <a href="#">Intel Xeon Gold 6137 @ 3.90GHz</a><br>Nazwa procesora |    | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo   | Kategoria |
|---|----|----------------|-------------------|-------------------|-----------|-----------|
| <a href="#">Intel Xeon Gold 6138L @ 2.00GHz</a>                   | 20 | 24,800         | 2,050             | 125               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6140 @ 2.30GHz</a>                    | 18 | 22,733         | 1,840             | 140               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6143 @ 2.80GHz</a>                    | 16 | 24,786         | 2,248             | 205               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6144 @ 3.50GHz</a>                    | 8  | 18,656         | 2,523             | 150               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6146 @ 3.20GHz</a>                    | 12 | 23,432         | 2,493             | 165               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6148 @ 2.40GHz</a>                    | 20 | 27,529         | 2,155             | 150               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6150 @ 2.70GHz</a>                    | 18 | 24,489         | 2,190             | 165               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6152 @ 2.10GHz</a>                    | 22 | 22,291         | 2,155             | 140               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6154 @ 3.00GHz</a>                    | 18 | 26,298         | 2,249             | 200               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6208U @ 2.90GHz</a>                   | 16 | 26,901         | 2,247             | 150               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6210U @ 2.50GHz</a>                   | 20 | 28,915         | 2,203             | 150               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6212U @ 2.40GHz</a>                   | 24 | 27,470         | 2,013             | 165               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6226 @ 2.70GHz</a>                    | 12 | 19,810         | 2,104             | 125               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6226R @ 2.90GHz</a>                   | 16 | 26,981         | 2,288             | 150               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6230 @ 2.10GHz</a>                    | 20 | 26,657         | 2,285             | 125               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6230R @ 2.10GHz</a>                   | 26 | 30,391         | 2,309             | 150               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6238 @ 2.10GHz</a>                    | 22 | 27,617         | 1,691             | 140               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6238R @ 2.20GHz</a>                   | 28 | 37,171         | 2,355             | 165               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6242 @ 2.80GHz</a>                    | 16 | 26,288         | 2,196             | 150               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6242R @ 3.10GHz</a>                   | 20 | 35,505         | 2,421             | 205               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6246 @ 3.30GHz</a>                    | 12 | 24,446         | 2,450             | 165               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6246R @ 3.40GHz</a>                   | 16 | 30,145         | 2,370             | 205               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6248 @ 2.50GHz</a>                    | 20 | 24,234         | 2,290             | 150               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6248R @ 3.00GHz</a>                   | 24 | 38,604         | 2,296             | 205               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6252 @ 2.10GHz</a>                    | 24 | 32,410         | 2,143             | 150               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6253CL @ 3.10GHz</a>                  | 18 | 30,616         | 2,346             | 205               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6254 @ 3.10GHz</a>                    | 18 | 29,356         | 2,381             | 200               | FCLGA3647 | Server    |
| <a href="#">Intel Xeon Gold 6254U @ 2.50GHz</a>                   | 24 | 42,745         | 2,382             | 185               | FCLGA4180 | Server    |

| <a href="#">Intel Xeon Gold 6312U @ 2.40GHz</a> |  | <b>Znak procesora</b> | <b>Znak wątku</b> | <b>TDP (W)</b> | <b>Gniazdo</b> | <b>Kategoria</b> |
|---|--|-----------------------|-------------------|----------------|----------------|------------------|
| <b>Nazwa procesora</b>                          |  |                       | Min               | Min...         |                |                  |

## 🏠 CPU Benchmarks ▼

|  |    |        |       |     |           |        |
|--|----|--------|-------|-----|-----------|--------|
| <a href="#">2.00GHz</a>                              |    |        |       |     |           |        |
| <a href="#">Intel Xeon Gold 6334 @ 3.60GHz</a>       | 8  | 22,160 | 2,592 | 165 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6336Y @ 2.40GHz</a>      | 24 | 45,517 | 2,522 | 185 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6342 @ 2.80GHz</a>       | 24 | 48,330 | 2,453 | 230 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6346 @ 3.10GHz</a>       | 16 | 37,390 | 2,451 | 205 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6348 @ 2.60GHz</a>       | 28 | 53,112 | 2,455 | 235 | FCLGA4189 | Server |
| <a href="#">Intel Xeon Gold 6354 @ 3.00GHz</a>       | 18 | 41,434 | 2,406 | 205 | FCLGA4189 | Server |
| <a href="#">Intel Xeon L3110 @ 3.00GHz</a>           | 2  | 1,338  | 1,279 | 45  | LGA775    | Server |
| <a href="#">Intel Xeon L3360 @ 2.83GHz</a>           | 4  | 2,273  | 1,226 | 65  | LGA775    | Server |
| <a href="#">Intel Xeon L3406 @ 2.27GHz</a>           | 2  | 928    | 647   | 30  | LGA1156   | Server |
| <a href="#">Intel Xeon L3426 @ 1.87GHz</a>           | 4  | 2,423  | 1,163 | 45  | LGA1156   | Server |
| <a href="#">Intel Xeon L5240 @ 3.00GHz</a>           | 2  | 1,337  | 1,299 | 40  | LGA771    | Server |
| <a href="#">Intel Xeon L5310 @ 1.60GHz</a>           | 4  | 1,385  | 662   | 50  | LGA771    | Server |
| <a href="#">Intel Xeon L5320 @ 1.86GHz</a>           | 4  | 1,118  | 281   | 50  | LGA771    | Server |
| <a href="#">Intel Xeon L5335 @ 2.00GHz</a>           | 4  | 1,678  | 827   | 50  | LGA771    | Server |
| <a href="#">Intel Xeon L5408 @ 2.13GHz</a>           | 4  | 1,761  | 935   | 40  | LGA771    | Server |
| <a href="#">Intel Xeon L5410 @ 2.33GHz</a>           | 4  | 1,921  | 1,029 | 50  | LGA771    | Server |
| <a href="#">Intel Xeon L5420 @ 2.50GHz</a>           | 4  | 2,040  | 1,102 | 50  | LGA771    | Server |
| <a href="#">Intel Xeon L5430 @ 2.66GHz</a>           | 4  | 2,260  | 1,154 | 50  | LGA771    | Server |
| <a href="#">Intel Xeon L5520 @ 2.27GHz</a>           | 4  | 2,312  | 1,067 | 60  | LGA1366   | Server |
| <a href="#">Intel Xeon L5530 @ 2.40GHz</a>           | 4  | 2,522  | 1,169 | 60  | LGA1366   | Server |
| <a href="#">Intel Xeon L5609 @ 1.87GHz</a>           | 4  | 3,298  | 1,160 | 40  | LGA1366   | Server |
| <a href="#">Intel Xeon L5630 @ 2.13GHz</a>           | 4  | 2,943  | 1,043 | 40  | LGA1366   | Server |
| <a href="#">Intel Xeon L5638 @ 2.00GHz</a>           | 6  | 3,225  | 727   | 60  | LGA1366   | Server |
| <a href="#">Intel Xeon L5639 @ 2.13GHz</a>           | 6  | 4,419  | 1,102 | 60  | LGA1366   | Server |
| <a href="#">Intel Xeon L5640 @ 2.27GHz</a>           | 6  | 4,591  | 1,139 | 60  | LGA1366   | Server |
| <a href="#">Intel Xeon L7455 @ 2.13GHz</a>           | 6  | 2,494  | 601   | 65  | PGA604    | Server |
| <a href="#">Intel Xeon MV 3.20GHz</a>                | 2  | 582    | 378   | 90  | mPGA604   | Server |
| <a href="#">Intel Xeon Platinum 8124M @ 3.00GHz</a>  | 18 | 22,298 | 2,051 | NA  | FCLGA3647 | Server |
| <a href="#">Intel Xeon Platinum 8151 @ 3.40GHz</a>   | 2  | 6,591  | 2,393 | NA  | Unknown   | Server |
| <a href="#">Intel Xeon Platinum 8160 @ 2.10GHz</a>   | 24 | 26,485 | 1,984 | 150 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Platinum 8167M @ 2.00GHz</a>  | 26 | 25,396 | 1,455 | NA  | FCLGA3647 | Server |
| <a href="#">Intel Xeon Platinum 8168 @ 2.70GHz</a>   | 24 | 32,616 | 2,138 | 205 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Platinum 8173M @ 2.00GHz</a>  | 28 | 27,377 | 2,123 | 165 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Platinum 8175M @ 2.50GHz</a>  | 24 | 26,659 | 1,903 | NA  | FCLGA3647 | Server |
| <a href="#">Intel Xeon Platinum 8176 @ 2.10GHz</a>   | 28 | 23,179 | 2,048 | 165 | FCLGA3647 | Server |
| <a href="#">Intel Xeon Platinum 8259CL @ 2.50GHz</a> | 24 | 31,500 | 1,863 | 210 | LGA 3647  | Server |

| <a href="#">Intel Xeon Platinum 8260M @ 2.30GHz</a><br>Nazwa procesora |    | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo   | Kategoria      |
|--|----|----------------|-------------------|-------------------|-----------|----------------|
| <a href="#">Intel Xeon Platinum 8280 @ 2.70GHz</a>                     | 28 | 37,575         | 2,011             | 205               | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Platinum 8358 @ 2.60GHz</a>                     | 32 | 54,416         | 2,382             | 250               | FCLGA4189 | Server         |
| <a href="#">Intel Xeon Platinum 8380 @ 2.30GHz</a>                     | 40 | 62,317         | 2,385             | 270               | FCLGA4189 | Server         |
| <a href="#">Intel Xeon Silver 4108 @ 1.80GHz</a>                       | 8  | 9,343          | 1,567             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4109T @ 2.00GHz</a>                      | 8  | 10,348         | 1,445             | 70                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4110 @ 2.10GHz</a>                       | 8  | 10,260         | 1,628             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4112 @ 2.60GHz</a>                       | 4  | 6,420          | 1,690             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4114 @ 2.20GHz</a>                       | 10 | 13,169         | 1,681             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4116 @ 2.10GHz</a>                       | 12 | 14,931         | 1,709             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4116T @ 2.10GHz</a>                      | 12 | 15,187         | 1,781             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4123 @ 3.00GHz</a>                       | 8  | 14,405         | 1,967             | 105               | Unknown   | Server         |
| <a href="#">Intel Xeon Silver 4208 @ 2.10GHz</a>                       | 8  | 11,163         | 1,818             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4210 @ 2.20GHz</a>                       | 10 | 14,304         | 1,853             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4210R @ 2.40GHz</a>                      | 10 | 15,030         | 1,831             | 100               | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4214 @ 2.20GHz</a>                       | 12 | 16,140         | 1,712             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4214R @ 2.40GHz</a>                      | 12 | 18,598         | 1,999             | 100               | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4214Y @ 2.20GHz</a>                      | 12 | 15,248         | 1,790             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4215 @ 2.50GHz</a>                       | 8  | 14,439         | 2,060             | 85                | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4215R @ 3.20GHz</a>                      | 8  | 15,133         | 2,349             | 130               | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4216 @ 2.10GHz</a>                       | 16 | 19,414         | 1,793             | 100               | FCLGA3647 | Server         |
| <a href="#">Intel Xeon Silver 4309Y @ 2.80GHz</a>                      | 8  | 19,010         | 2,494             | 105               | FCLGA4189 | Server         |
| <a href="#">Intel Xeon Silver 4310 @ 2.10GHz</a>                       | 12 | 24,113         | 2,136             | 120               | FCLGA4189 | Server         |
| <a href="#">Intel Xeon Silver 4310T @ 2.30GHz</a>                      | 10 | 20,973         | 2,288             | 105               | FCLGA4189 | Server         |
| <a href="#">Intel Xeon Silver 4314 @ 2.40GHz</a>                       | 16 | 30,821         | 2,271             | 135               | FCLGA4189 | Server         |
| <a href="#">Intel Xeon Silver 4316 @ 2.30GHz</a>                       | 20 | 37,264         | 2,380             | 150               | FCLGA4189 | Server         |
| <a href="#">Intel Xeon W-10855M @ 2.80GHz</a>                          | 6  | 13,066         | 2,805             | 45                | FCBGA1440 | Laptop, Server |
| <a href="#">Intel Xeon W-10885M @ 2.40GHz</a>                          | 8  | 15,950         | 2,760             | 45                | FCBGA1440 | Laptop, Server |
| <a href="#">Intel Xeon W-11855M @ 2.40GHz</a>                          | 6  | 10,170         | 2,318             | 45                | FCBGA1787 | Laptop, Server |

[Intel Xeon W-11055M @ 3.20GHz](#)  
**Nazwa procesora**  
[Intel Xeon W-11055M @ 3.20GHz](#)

**Znak procesora**

**Znak wątku**  
Min

**TDP (W)**  
Min...

**Gniazdo**

**Kategoria**

## CPU Benchmarks

| Nazwa procesora                               | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria  |                 |
|---|----------------|------------|---------|---------|------------|-----------------|
| <a href="#">Intel Xeon W-1250P @ 4.10GHz</a>  | 6              | 14,924     | 2,985   | 125     | FCLGA1200  | Desktop, Server |
| <a href="#">Intel Xeon W-1270 @ 3.40GHz</a>   | 8              | 18,093     | 3,060   | 80      | FCLGA1200  | Server          |
| <a href="#">Intel Xeon W-1270P @ 3.80GHz</a>  | 8              | 19,245     | 3,074   | 95      | FCLGA1200  | Server          |
| <a href="#">Intel Xeon W-1270TE @ 2.00GHz</a> | 8              | 13,553     | 2,796   | 35      | FCLGA1200  | Server          |
| <a href="#">Intel Xeon W-1290 @ 3.20GHz</a>   | 10             | 21,196     | 3,093   | 80      | FCLGA1200  | Server          |
| <a href="#">Intel Xeon W-1290E @ 3.50GHz</a>  | 10             | 22,066     | 2,914   | 95      | FCLGA1200  | Server          |
| <a href="#">Intel Xeon W-1290P @ 3.70GHz</a>  | 10             | 23,462     | 3,231   | 125     | FCLGA1200  | Server          |
| <a href="#">Intel Xeon W-1290T @ 1.90GHz</a>  | 10             | 18,409     | 2,974   | 35      | FCLGA1200  | Server          |
| <a href="#">Intel Xeon W-1350 @ 3.30GHz</a>   | 6              | 18,682     | 3,518   | 80      | FCLGA1200  | Server          |
| <a href="#">Intel Xeon W-1350P @ 4.00GHz</a>  | 6              | 19,930     | 3,581   | 65      | FCLGA1200  | Server          |
| <a href="#">Intel Xeon W-1370 @ 2.90GHz</a>   | 8              | 24,511     | 3,568   | 80      | FCLGA1200  | Desktop, Server |
| <a href="#">Intel Xeon W-1370P @ 3.60GHz</a>  | 8              | 25,202     | 3,494   | 125     | FCLGA1200  | Desktop, Server |
| <a href="#">Intel Xeon W-1390 @ 2.80GHz</a>   | 8              | 23,635     | 3,329   | 80      | FCLGA1200  | Server          |
| <a href="#">Intel Xeon W-1390P @ 3.50GHz</a>  | 8              | 25,810     | 3,567   | 125     | FCLGA1200  | Desktop, Server |
| <a href="#">Intel Xeon W-2102 @ 2.90GHz</a>   | 4              | 5,063      | 1,748   | 120     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2104 @ 3.20GHz</a>   | 4              | 6,202      | 1,836   | 120     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2123 @ 3.60GHz</a>   | 4              | 8,592      | 2,261   | 120     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2125 @ 4.00GHz</a>   | 4              | 9,990      | 2,593   | 120     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2133 @ 3.60GHz</a>   | 6              | 12,385     | 2,271   | 140     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2135 @ 3.70GHz</a>   | 6              | 14,175     | 2,613   | 140     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2140B @ 3.20GHz</a>  | 8              | 17,549     | 2,561   | NA      | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2145 @ 3.70GHz</a>   | 8              | 18,165     | 2,625   | 140     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2150B @ 3.00GHz</a>  | 10             | 19,933     | 2,609   | NA      | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2155 @ 3.30GHz</a>   | 10             | 21,137     | 2,666   | 140     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2170B @ 2.50GHz</a>  | 14             | 24,745     | 2,578   | NA      | FCLGA-2066 | Server          |
| <a href="#">Intel Xeon W-2175 @ 2.50GHz</a>   | 14             | 23,215     | 2,481   | 140     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2191B @ 2.30GHz</a>  | 18             | 28,797     | 2,617   | 140     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2195 @ 2.30GHz</a>   | 18             | 27,325     | 2,413   | 140     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2223 @ 3.60GHz</a>   | 4              | 8,692      | 2,250   | 120     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2225 @ 4.10GHz</a>   | 4              | 10,899     | 2,677   | 105     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2235 @ 3.80GHz</a>   | 6              | 14,486     | 2,694   | 130     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2245 @ 3.90GHz</a>   | 8              | 19,486     | 2,769   | 155     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2255 @ 3.70GHz</a>   | 10             | 22,277     | 2,717   | 165     | FCLGA2066  | Desktop, Server |
| <a href="#">Intel Xeon W-2265 @ 3.50GHz</a>   | 12             | 25,837     | 2,819   | 165     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-2275 @ 3.30GHz</a>   | 14             | 27,933     | 2,805   | 165     | FCLGA2066  | Desktop         |
| <a href="#">Intel Xeon W-2295 @ 3.00GHz</a>   | 18             | 31,715     | 2,685   | 165     | FCLGA2066  | Server          |
| <a href="#">Intel Xeon W-3175X @ 3.10GHz</a>  | 28             | 37,167     | 2,148   | 255     | FCLGA3647  | Desktop         |
| <a href="#">Intel Xeon W-3223 @ 3.50GHz</a>   | 8              | 17,378     | 2,486   | 160     | FCLGA3647  | Server          |
| <a href="#">Intel Xeon W-3235 @ 3.30GHz</a>   | 12             | 25,974     | 2,622   | 180     | FCLGA3647  | Server          |
| <a href="#">Intel Xeon W-3245 @ 3.20GHz</a>   | 16             | 30,246     | 2,531   | 205     | FCLGA3647  | Server          |
| <a href="#">Intel Xeon W-3265 @ 2.70GHz</a>   | 24             | 30,105     | 2,572   | 205     | FCLGA3647  | Server          |
| <a href="#">Intel Xeon W-3265M @ 2.70GHz</a>  | 24             | 39,765     | 2,600   | 205     | FCLGA3647  | Desktop, Server |
| <a href="#">Intel Xeon W-3275M @ 2.50GHz</a>  | 28             | 41,582     | 2,702   | 205     | FCLGA3647  | Server          |
| <a href="#">Intel Xeon W-3323 @ 3.50GHz</a>   | 12             | 25,875     | 2,617   | 220     | FCLGA4189  | Desktop, Server |
| <a href="#">Intel Xeon W3503 @ 2.40GHz</a>    | 2              | 1,052      | 1,015   | 130     | LGA1366    | Server          |
| <a href="#">Intel Xeon W3505 @ 2.53GHz</a>    | 2              | 1,136      | 1,105   | 130     | LGA1366    | Server          |



| <a href="#">Intel Xeon W3520 @ 2.67GHz</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|---|---|----------------|-------------------|-------------------|---------|-----------|
| <a href="#">Intel Xeon W3550 @ 3.07GHz</a>                    | 4 | 3,179          | 1,414             | 130               | LGA1366 | Server    |
| <a href="#">Intel Xeon W3565 @ 3.20GHz</a>                    | 4 | 3,314          | 1,496             | 130               | LGA1366 | Server    |
| <a href="#">Intel Xeon W3570 @ 3.20GHz</a>                    | 4 | 3,354          | 1,520             | 130               | LGA1366 | Server    |
| <a href="#">Intel Xeon W3580 @ 3.33GHz</a>                    | 4 | 3,463          | 1,549             | 130               | LGA1366 | Server    |
| <a href="#">Intel Xeon W3670 @ 3.20GHz</a>                    | 6 | 6,545          | 1,499             | 130               | LGA1366 | Server    |
| <a href="#">Intel Xeon W3680 @ 3.33GHz</a>                    | 6 | 6,896          | 1,545             | 130               | LGA1366 | Server    |
| <hr/>   |   |                |                   |                   |         |           |
| <a href="#">Intel Xeon W3690 @ 3.47GHz</a>                    | 6 | 7,200          | 1,608             | 130               | LGA1366 | Server    |
| <a href="#">Intel Xeon W5580 @ 3.20GHz</a>                    | 4 | 3,386          | 1,503             | 130               | LGA1366 | Server    |
| <a href="#">Intel Xeon W5590 @ 3.33GHz</a>                    | 4 | 3,239          | 1,571             | 130               | LGA1366 | Server    |
| <a href="#">Intel Xeon X3210 @ 2.13GHz</a>                    | 4 | 1,599          | 875               | 105               | LGA775  | Server    |
| <a href="#">Intel Xeon X3220 @ 2.40GHz</a>                    | 4 | 1,819          | 942               | 105               | LGA775  | Server    |
| <a href="#">Intel Xeon X3230 @ 2.66GHz</a>                    | 4 | 2,060          | 1,092             | 95                | LGA775  | Server    |
| <a href="#">Intel Xeon X3320 @ 2.50GHz</a>                    | 4 | 1,986          | 1,097             | 95                | LGA775  | Server    |
| <a href="#">Intel Xeon X3323 @ 2.50GHz</a>                    | 4 | 1,837          | 1,059             | 80                | LGA775  | Server    |
| <a href="#">Intel Xeon X3330 @ 2.66GHz</a>                    | 4 | 1,928          | 1,160             | 95                | LGA775  | Server    |
| <a href="#">Intel Xeon X3350 @ 2.66GHz</a>                    | 4 | 2,158          | 1,156             | 95                | LGA775  | Server    |
| <a href="#">Intel Xeon X3353 @ 2.66GHz</a>                    | 4 | 2,229          | 1,173             | 80                | LGA775  | Server    |
| <a href="#">Intel Xeon X3360 @ 2.83GHz</a>                    | 4 | 2,288          | 1,245             | 95                | LGA775  | Server    |
| <a href="#">Intel Xeon X3363 @ 2.83GHz</a>                    | 4 | 2,255          | 1,240             | 80                | LGA771  | Server    |
| <a href="#">Intel Xeon X3370 @ 3.00GHz</a>                    | 4 | 2,446          | 1,311             | 95                | LGA775  | Server    |
| <a href="#">Intel Xeon X3380 @ 3.16GHz</a>                    | 4 | 2,308          | 1,335             | 95                | LGA775  | Server    |
| <a href="#">Intel Xeon X3430 @ 2.40GHz</a>                    | 4 | 2,226          | 1,019             | 95                | LGA1156 | Server    |
| <a href="#">Intel Xeon X3440 @ 2.53GHz</a>                    | 4 | 2,635          | 1,146             | 95                | LGA1156 | Server    |
| <a href="#">Intel Xeon X3450 @ 2.67GHz</a>                    | 4 | 2,798          | 1,234             | 95                | LGA1156 | Server    |
| <a href="#">Intel Xeon X3460 @ 2.80GHz</a>                    | 4 | 2,744          | 1,237             | 95                | LGA1156 | Server    |
| <a href="#">Intel Xeon X3470 @ 2.93GHz</a>                    | 4 | 3,179          | 1,413             | 95                | LGA1156 | Server    |
| <a href="#">Intel Xeon X3480 @ 3.07GHz</a>                    | 4 | 3,261          | 1,470             | 95                | LGA1156 | Server    |
| <a href="#">Intel Xeon X5260 @ 3.33GHz</a>                    | 2 | 1,238          | 1,406             | 80                | LGA771  | Server    |
| <a href="#">Intel Xeon X5270 @ 3.50GHz</a>                    | 2 | 1,524          | 1,485             | 80                | LGA771  | Server    |
| <a href="#">Intel Xeon X5272 @ 3.40GHz</a>                    | 2 | 1,451          | 1,411             | 80                | LGA771  | Server    |
| <a href="#">Intel Xeon X5355 @ 2.66GHz</a>                    | 4 | 1,979          | 1,060             | 120               | LGA771  | Server    |
| <a href="#">Intel Xeon X5365 @ 3.00GHz</a>                    | 4 | 2,198          | 1,207             | 150               | LGA771  | Server    |
| <a href="#">Intel Xeon X5450 @ 3.00GHz</a>                    | 4 | 2,383          | 1,263             | 120               | LGA771  | Server    |
| <a href="#">Intel Xeon X5460 @ 3.16GHz</a>                    | 4 | 2,550          | 1,380             | 120               | LGA771  | Server    |
| <a href="#">Intel Xeon X5470 @ 3.33GHz</a>                    | 4 | 2,709          | 1,454             | 120               | LGA771  | Server    |
| <a href="#">Intel Xeon X5472 @ 3.00GHz</a>                    | 4 | 2,340          | 1,273             | 120               | LGA771  | Server    |
| <a href="#">Intel Xeon X5482 @ 3.20GHz</a>                    | 4 | 2,636          | 1,394             | 150               | LGA771  | Server    |
| <a href="#">Intel Xeon X5492 @ 3.40GHz</a>                    | 4 | 2,705          | 1,446             | 150               | LGA771  | Server    |
| <a href="#">Intel Xeon X5550 @ 2.67GHz</a>                    | 4 | 2,988          | 1,317             | 95                | LGA1366 | Server    |
| <a href="#">Intel Xeon X5560 @ 2.80GHz</a>                    | 4 | 3,045          | 1,374             | 95                | LGA1366 | Server    |
| <a href="#">Intel Xeon X5570 @ 2.93GHz</a>                    | 4 | 3,260          | 1,410             | 95                | LGA1366 | Server    |
| <a href="#">Intel Xeon X5647 @ 2.93GHz</a>                    | 4 | 4,522          | 1,368             | 130               | LGA1366 | Server    |
| <a href="#">Intel Xeon X5650 @ 2.67GHz</a>                    | 6 | 5,817          | 1,306             | 95                | LGA1366 | Server    |
| <a href="#">Intel Xeon X5660 @ 2.80GHz</a>                    | 6 | 6,208          | 1,391             | 95                | LGA1366 | Server    |
| <a href="#">Intel Xeon X5667 @ 3.07GHz</a>                    | 4 | 4,534          | 1,452             | 95                | LGA1366 | Server    |
| <a href="#">Intel Xeon X5670 @ 2.93GHz</a>                    | 6 | 6,139          | 1,390             | 95                | LGA1366 | Server    |
| <a href="#">Intel Xeon X5672 @ 3.20GHz</a>                    | 4 | 5,117          | 1,570             | 95                | LGA1366 | Server    |



| <a href="#">Intel Xeon X5675 @ 3.07GHz</a><br>Nazwa procesora |  | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|---|--|----------------|-------------------|-------------------|---------|-----------|
|---|--|----------------|-------------------|-------------------|---------|-----------|

## 🏠 CPU Benchmarks ▼

|   |   |       |       |     |         |                 |
|---|---|-------|-------|-----|---------|-----------------|
| <a href="#">Intel Xeon X5680 @ 3.33GHz</a>                      | 6 | 6,783 | 1,501 | 130 | LGA1366 | Server          |
| <a href="#">Intel Xeon X5687 @ 3.60GHz</a>                      | 4 | 5,272 | 1,617 | 130 | LGA1366 | Server          |
| <a href="#">Intel Xeon X5690 @ 3.47GHz</a>                      | 6 | 6,985 | 1,608 | 130 | LGA1366 | Server          |
| <a href="#">Intel Xeon X5698 @ 4.40GHz</a>                      | 2 | 3,447 | 1,922 | 130 | LGA1366 | Server          |
| <a href="#">Intel Xeon X6550 @ 2.00GHz</a>                      | 4 | 1,936 | 390   | 130 | LGA1567 | Server          |
|   |   |       |       |     |         |                 |
| <a href="#">lisa based Qualcomm Technologies, Inc. SM7325</a>   | 8 | 4,300 | 2,008 | NA  | Unknown | Mobile/Embedded |
| <a href="#">M7221</a>   | 4 | 646   | 661   | NA  | Unknown | Mobile/Embedded |
| <a href="#">Manta</a>   | 2 | 356   | 426   | NA  | Unknown | Mobile/Embedded |
| <a href="#">Mars based on Qualcomm Technologies, Inc SM8350</a> | 8 | 4,592 | 1,986 | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6735</a>                                 | 4 | 497   | 299   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6737</a>                                 | 4 | 429   | 256   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6737M</a>                                | 4 | 355   | 196   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6737T</a>                                | 4 | 568   | 397   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6739WA</a>                               | 4 | 338   | 225   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6739WW</a>                               | 4 | 401   | 264   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6750</a>                                 | 8 | 958   | 351   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6750T</a>                                | 8 | 1,095 | 473   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6750V/WT</a>                             | 8 | 1,068 | 403   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6753</a>                                 | 8 | 920   | 331   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6753T</a>                                | 8 | 1,100 | 428   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6757CD</a>                               | 8 | 1,388 | 594   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6757V</a>                                | 8 | 1,479 | 583   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6761V/WBB</a>                            | 4 | 594   | 397   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6761V/WE</a>                             | 4 | 690   | 437   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762G</a>                                | 8 | 1,023 | 387   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/CA</a>                             | 8 | 934   | 380   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/CB</a>                             | 8 | 1,215 | 476   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/CN</a>                             | 4 | 503   | 350   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/WA</a>                             | 8 | 1,069 | 406   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/WB</a>                             | 8 | 1,200 | 448   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/WD</a>                             | 8 | 1,333 | 474   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6762V/WR</a>                             | 8 | 1,356 | 522   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6763V/CE</a>                             | 8 | 2,129 | 1,106 | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6763V/V</a>                              | 8 | 1,393 | 546   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6765G</a>                                | 8 | 1,259 | 480   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6765V/CA</a>                             | 8 | 1,625 | 616   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6765V/CB</a>                             | 8 | 1,594 | 589   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6768V/CA</a>                             | 8 | 1,988 | 1,017 | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6769T</a>                                | 8 | 2,158 | 1,092 | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6769V/CB</a>                             | 8 | 2,084 | 1,103 | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6769V/CU</a>                             | 8 | 2,183 | 1,089 | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6769V/WB</a>                             | 8 | 2,192 | 1,118 | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6769Z</a>                                | 8 | 2,151 | 1,080 | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6771V/C</a>                              | 8 | 2,164 | 867   | NA  | Unknown | Mobile/Embedded |
| <a href="#">MediaTek MT6771V/CT</a>                             | 8 | 2,210 | 810   | NA  | Unknown | Mobile/Embedded |

| <a href="#">MediaTek MT6771V/CI</a> |          |                |            |         |         |           |
|-------------------------------------|----------|----------------|------------|---------|---------|-----------|
| <a href="#">MediaTek MT6771V/W</a>  |          |                |            |         |         |           |
| Nazwa procesora                     | Procesor | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria |
|                                     |          |                | Min        | Min...  |         |           |

## 🏠 CPU Benchmarks ▼

|  |    |       |       |      |                  |                         |
|--|----|-------|-------|------|------------------|-------------------------|
| <a href="#">MediaTek MT6779V/CE</a>          | 8  | 2,573 | 1,213 | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT6779V/CU</a>          | 8  | 2,369 | 1,154 | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT6779V/CV</a>          | 8  | 2,227 | 1,022 | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT6785V/CC</a>          | 8  | 2,855 | 1,259 | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT6785V/CD</a>          | 8  | 2,837 | 1,293 | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT6797</a>              | 10 | 1,616 | 666   | NA   | Unknown          | Mobile/Embedded         |
|  |    |       |       |      |                  |                         |
| <a href="#">MediaTek MT6797T</a>             | 10 | 1,723 | 533   | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT6797X</a>             | 10 | 1,793 | 570   | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT6853T</a>             | 8  | 3,150 | 1,481 | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT6873</a>              | 8  | 3,622 | 1,314 | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT8163</a>              | 4  | 506   | 324   | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT8166B</a>             | 4  | 844   | 517   | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT8167B</a>             | 4  | 332   | 242   | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT8168A</a>             | 4  | 537   | 376   | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT8183</a>              | 8  | 1,713 | 837   | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT8735B</a>             | 4  | 294   | 181   | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT8768CT</a>            | 8  | 1,666 | 611   | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT8768WA</a>            | 8  | 1,429 | 535   | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">MediaTek MT8768WT</a>            | 8  | 1,619 | 607   | NA   | Unknown          | Mobile/Embedded         |
| <a href="#">Microsoft ARM SQ1 @ 3.0 GHz</a>  | 8  | 4,004 | 1,855 | 15   | Unknown          | Laptop                  |
| <a href="#">Microsoft SQ2 @ 3.15 GHz</a>     | 8  | 4,205 | 1,911 | NA   | Unknown          | Unknown                 |
| <a href="#">Mobile AMD Athlon 2500+</a>      | 1  | 241   | 365   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon 4 2400+</a>    | 1  | 233   | 358   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon 64 3200+</a>   | 1  | 326   | 400   | 81.5 | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon 64 3400+</a>   | 1  | 333   | 432   | 81.5 | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon 64 3700+</a>   | 1  | 356   | 485   | 81.5 | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon 64 4000+</a>   | 1  | 313   | 338   | 62   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon MP-M 1800+</a> | 1  | 173   | 262   | 35   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon MP-M 2400+</a> | 1  | 192   | 314   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 1600+</a> | 1  | 169   | 274   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 1800+</a> | 1  | 193   | 291   | 45   | Socket A         | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 2000+</a> | 1  | 196   | 301   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 2200+</a> | 1  | 237   | 363   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 2400+</a> | 1  | 225   | 355   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 2500+</a> | 1  | 226   | 355   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 2600+</a> | 1  | 241   | 375   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 2800+</a> | 1  | 238   | 385   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Athlon XP-M 3000+</a> | 1  | 238   | 365   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 2100+</a>     | 1  | 164   | 203   | 8    | S1               | Laptop, Mobile/Embedded |
| <a href="#">Mobile AMD Sempron 2600+</a>     | 1  | 256   | 316   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 2800+</a>     | 1  | 237   | 299   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 3000+</a>     | 1  | 269   | 350   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 3100+</a>     | 1  | 277   | 359   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 3200+</a>     | 1  | 245   | 525   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 3300+</a>     | 1  | 294   | 391   | NA   | Unknown          | Laptop                  |
| <a href="#">Mobile AMD Sempron 3400+</a>     | 1  | 321   | 455   | 25   | Socket S1 (S1g1) | Laptop                  |
| <a href="#">Mobile AMD Sempron 3500+</a>     | 1  | 290   | 654   | NA   | Unknown          | Laptop                  |

| <a href="#">Mobile AMD Sempron 3600+</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo         | Kategoria       |
|---|---|----------------|-------------------|-------------------|-----------------|-----------------|
| <a href="#">Mobile Intel Celeron 1.80GHz</a>                | 1 | 121            | 280               | 66.1              | PPGA478         | Laptop          |
| <a href="#">Mobile Intel Celeron 1333MHz</a>                | 1 | 183            | 248               | NA                | Unknown         | Laptop          |
| <a href="#">Mobile Intel Celeron 2.00GHz</a>                | 1 | 133            | 290               | NA                | Unknown         | Laptop          |
| <a href="#">Mobile Intel Celeron 2.20GHz</a>                | 1 | 147            | 355               | NA                | Unknown         | Laptop          |
| <a href="#">Mobile Intel Celeron 2.40GHz</a>                | 1 | 154            | 376               | NA                | Unknown         | Laptop          |
|   |   |                |                   |                   |                 |                 |
| <a href="#">Mobile Intel Pentium 4 - M 1.70GHz</a>          | 1 | 121            | 297               | NA                | Unknown         | Laptop          |
| <a href="#">Mobile Intel Pentium 4 - M 1.80GHz</a>          | 1 | 119            | 297               | NA                | Unknown         | Laptop          |
| <a href="#">Mobile Intel Pentium 4 - M 2.00GHz</a>          | 1 | 138            | 345               | NA                | Unknown         | Laptop          |
| <a href="#">Mobile Intel Pentium 4 - M 2.20GHz</a>          | 1 | 143            | 388               | NA                | Unknown         | Laptop          |
| <a href="#">Mobile Intel Pentium 4 - M 2.40GHz</a>          | 1 | 139            | 317               | NA                | Unknown         | Laptop          |
| <a href="#">Mobile Intel Pentium 4 2.66GHz</a>              | 1 | 182            | 425               | 66.1              | PGA478          | Desktop         |
| <a href="#">Mobile Intel Pentium 4 2.80GHz</a>              | 1 | 205            | 397               | 69.7              | PGA478          | Desktop         |
| <a href="#">Mobile Intel Pentium 4 3.06GHz</a>              | 1 | 220            | 423               | 81.8              | PGA478          | Desktop         |
| <a href="#">Mobile Intel Pentium 4 3.20GHz</a>              | 1 | 232            | 468               | 82                | PGA478          | Desktop         |
| <a href="#">Mobile Intel Pentium 4 3.33GHz</a>              | 1 | 344            | 552               | NA                | Unknown         | Laptop          |
| <a href="#">Mobile Intel Pentium III - M 1200MHz</a>        | 1 | 146            | 185               | 22                | BGA2, microPGA2 | Laptop          |
| <a href="#">Mobile Intel Pentium III - M 933MHz</a>         | 1 | 130            | 177               | 20.1              | BGA2, microPGA2 | Laptop          |
| <a href="#">msm8960dt</a>                                   | 2 | 252            | 279               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6592</a>                                      | 8 | 521            | 211               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6592T</a>                                     | 8 | 243            | 180               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6735M</a>                                     | 4 | 308            | 190               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6735P</a>                                     | 4 | 326            | 218               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6738</a>                                      | 8 | 692            | 430               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6739CH</a>                                    | 4 | 530            | 370               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6739WM</a>                                    | 4 | 291            | 193               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6750V/W</a>                                   | 8 | 640            | 254               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6752</a>                                      | 8 | 1,370          | 467               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6755</a>                                      | 8 | 1,278          | 536               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6755BM</a>                                    | 8 | 1,070          | 520               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6755M</a>                                     | 8 | 1,229          | 501               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6755V/B</a>                                   | 8 | 1,404          | 551               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6755V/BM</a>                                  | 8 | 1,219          | 520               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6755V/CM</a>                                  | 8 | 1,172          | 334               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6755V/W</a>                                   | 8 | 1,390          | 543               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6755V/WM</a>                                  | 8 | 981            | 383               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6755V/WS</a>                                  | 8 | 1,389          | 538               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6757W</a>                                     | 8 | 1,489          | 586               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6757WD</a>                                    | 8 | 1,452          | 611               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6757WH</a>                                    | 8 | 1,161          | 419               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6761V/CAB</a>                                 | 4 | 575            | 372               | NA                | Unknown         | Mobile/Embedded |
| <a href="#">MT6761V/CBB</a>                                 | 4 | 846            | 536               | NA                | Unknown         | Mobile/Embedded |

| <a href="#">Nazwa procesora</a> |    | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria       |
|---------------------------------|----|----------------|-------------------|-------------------|---------|-----------------|
| <a href="#">MT6761V/CD</a>      |    |                |                   |                   |         |                 |
| <a href="#">MT6761V/WB</a>      |    |                |                   |                   |         |                 |
| <a href="#">MT6762V/CR</a>      | 8  | 857            | 359               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6763V/B</a>       | 8  | 1,495          | 552               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6763V/CT</a>      | 8  | 1,466          | 494               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6763V/WT</a>      | 8  | 1,313          | 621               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6765</a>          | 8  | 1,688          | 626               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6765V/WA</a>      | 8  | 1,556          | 617               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6765V/WB</a>      | 8  | 1,615          | 598               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6768G</a>         | 8  | 2,060          | 1,104             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6769H</a>         | 8  | 2,105          | 1,032             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6769V/CT</a>      | 8  | 2,121          | 1,073             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6769V/CZ</a>      | 8  | 1,934          | 1,029             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6771V/WL</a>      | 8  | 2,300          | 897               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6781V/CD</a>      | 8  | 3,006          | 1,427             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6785</a>          | 8  | 2,855          | 1,320             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6795</a>          | 8  | 1,088          | 436               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6795M</a>         | 8  | 968            | 377               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6795MM</a>        | 8  | 618            | 567               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6797D</a>         | 10 | 631            | 348               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6797M</a>         | 10 | 1,659          | 850               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6833</a>          | 8  | 2,895          | 1,421             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6833P</a>         | 8  | 3,311          | 1,593             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6833V/NZA</a>     | 8  | 2,994          | 1,405             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6833V/PNZA</a>    | 8  | 2,803          | 1,481             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6833V/ZA</a>      | 8  | 2,943          | 1,419             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6853V/NZA</a>     | 8  | 2,783          | 1,272             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6853V/TNZA</a>    | 8  | 3,127          | 1,508             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6853V/ZA</a>      | 8  | 3,058          | 1,293             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6875</a>          | 8  | 3,561          | 1,168             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6877T</a>         | 8  | 3,341          | 1,673             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6877V/ZA</a>      | 8  | 3,512          | 1,907             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6883Z/CZA</a>     | 8  | 4,280          | 1,631             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6889Z/CZA</a>     | 8  | 4,214          | 1,900             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6891</a>          | 8  | 4,606          | 1,735             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6891Z/CZA</a>     | 8  | 4,988          | 1,916             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6893</a>          | 8  | 4,359          | 1,903             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6893Z/CZA</a>     | 8  | 4,748          | 1,982             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6893Z_A/CZA</a>   | 8  | 4,928          | 2,317             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6893Z_C/CZA</a>   | 8  | 5,059          | 1,801             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6893Z_D/CZA</a>   | 8  | 5,022          | 2,296             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT6969T</a>         | 8  | 2,228          | 1,125             | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT8161P</a>         | 4  | 434            | 259               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT8165</a>          | 4  | 781            | 480               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT8167A</a>         | 4  | 421            | 282               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT8167D</a>         | 4  | 450            | 320               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT8168B</a>         | 4  | 863            | 546               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT8173</a>          | 4  | 1,077          | 848               | NA                | Unknown | Mobile/Embedded |

| <a href="#">MT8176</a><br>Nazwa procesora                            |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria       |
|--|---|----------------|-------------------|-------------------|---------|-----------------|
| <a href="#">MT8735T</a>  | 4 | 602            | 365               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT8765WB</a>   | 4 | 328            | 207               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT8766A</a>  | 4 | 581            | 380               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT8766B</a>  | 4 | 775            | 502               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT8768WD</a>   | 8 | 905            | 382               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT8783</a>   | 8 | 1,039          | 353               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT8788</a>   | 8 | 1,961          | 893               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MT9950</a>   | 4 | 845            | 653               | NA                | Unknown | Mobile/Embedded |
| <a href="#">MTK6757</a>  | 8 | 1,158          | 709               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Nvidia Tegra T132</a>                                    | 2 | 990            | 1,056             | NA                | Unknown | Mobile/Embedded |
| <a href="#">Nvidia Tegra T210</a>                                    | 4 | 1,436          | 764               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Octa Core</a>  | 8 | 815            | 340               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Odin based on Qualcomm Technologies, Inc SM8350</a>      | 8 | 3,767          | 1,776             | NA                | Unknown | Mobile/Embedded |
| <a href="#">Pentium Dual-Core E6000 @ 3.46GHz</a>                    | 2 | 1,472          | 1,542             | NA                | Unknown | Unknown         |
| <a href="#">Pentium Dual-Core T4500 @ 2.30GHz</a>                    | 2 | 1,003          | 944               | NA                | Unknown | Unknown         |
| <a href="#">QCT APQ8064 AWIFI</a>                                    | 4 | 382            | 276               | NA                | Unknown | Mobile/Embedded |
| <a href="#">QCT APQ8064 DEB</a>                                      | 4 | 453            | 278               | NA                | Unknown | Mobile/Embedded |
| <a href="#">QCT APQ8064 FLO</a>                                      | 4 | 449            | 282               | NA                | Unknown | Mobile/Embedded |
| <a href="#">QCT APQ8064 MAKO</a>                                     | 4 | 399            | 254               | NA                | Unknown | Unknown         |
| <a href="#">Qualcomm APQ 8084 (Flattened Device Tree)</a>            | 4 | 734            | 396               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm APQ8026</a>                                     | 4 | 291            | 180               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm APQ8084</a>                                     | 4 | 555            | 324               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM 8939 HUAWEI KIW-L21</a>                     | 8 | 1,023          | 351               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM 8939 HUAWEI KIW-L24</a>                     | 8 | 1,065          | 344               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM 8939 HUAWEI TEXAS-A1</a>                    | 8 | 1,085          | 383               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tree)</a> | 4 | 566            | 219               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8226</a>                                     | 4 | 265            | 176               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8228</a>                                     | 4 | 332            | 214               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8626</a>                                     | 4 | 294            | 185               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8917</a>                                     | 4 | 582            | 373               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8926</a>                                     | 4 | 289            | 178               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8928</a>                                     | 4 | 337            | 206               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8937</a>                                     | 8 | 917            | 343               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8939</a>                                     | 8 | 1,013          | 461               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8953</a>                                     | 8 | 1,589          | 486               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8974</a>                                     | 4 | 624            | 386               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8974PRO-AA</a>                               | 4 | 587            | 352               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8974PRO-AB</a>                               | 4 | 625            | 349               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8974PRO-AC</a>                               | 4 | 607            | 374               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8992</a>                                     | 6 | 1,056          | 449               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm MSM8994</a>                                     | 8 | 805            | 440               | NA                | Unknown | Mobile/Embedded |



| <a href="#">Qualcomm MSM8996</a><br>Nazwa procesora |  | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|---|--|----------------|-------------------|-------------------|---------|-----------|
|---|--|----------------|-------------------|-------------------|---------|-----------|

## 🏠 CPU Benchmarks ▼

|  |   |       |       |    |         |                 |
|--|---|-------|-------|----|---------|-----------------|
| <a href="#">Qualcomm Snapdragon 8350</a>             | 8 | 4,593 | 2,482 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc APQ8009</a>   | 4 | 286   | 182   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc APQ8016</a>   | 4 | 330   | 208   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc APQ8017</a>   | 4 | 365   | 278   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc APQ8053</a>   | 8 | 1,712 | 557   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc APQ8076</a>   | 8 | 1,438 | 561   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc APQ8096</a>   | 4 | 1,394 | 1,131 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc ATOLL-AB</a>  | 8 | 2,759 | 1,539 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc BENGAL</a>    | 8 | 2,083 | 881   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc BENGALP</a>   | 8 | 2,137 | 948   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc KONA</a>      | 8 | 4,827 | 2,309 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc LAGOON</a>    | 8 | 2,910 | 1,640 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc LITO</a>      | 8 | 2,927 | 1,550 | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8216</a>   | 4 | 292   | 155   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8909</a>   | 4 | 264   | 170   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8916</a>   | 4 | 378   | 234   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8917</a>   | 4 | 435   | 275   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8920</a>   | 4 | 428   | 263   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8929</a>   | 8 | 560   | 252   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8937</a>   | 8 | 999   | 373   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8939</a>   | 8 | 819   | 332   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8940</a>   | 8 | 870   | 308   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8952</a>   | 8 | 767   | 345   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8953</a>   | 8 | 1,589 | 512   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8956</a>   | 6 | 1,266 | 721   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8976</a>   | 8 | 1,417 | 688   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8976SG</a> | 8 | 1,702 | 695   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc MSM8992</a>   | 6 | 756   | 582   | NA | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc</a>           | 8 | 919   | 519   | NA | Unknown | Mobile/Embedded |

| <a href="#">Qualcomm Technologies, Inc<br/>MSM8994</a><br>Nazwa procesora |   | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria       |
|---|---|----------------|-------------------|-------------------|---------|-----------------|
| <a href="#">Qualcomm Technologies, Inc<br/>MSM8996pro</a>                 |   |                |                   |                   |         |                 |
| <a href="#">Qualcomm Technologies, Inc<br/>MSM8998</a>                    | 8 | 2,362          | 1,021             | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>QCM2150</a>                    | 4 | 356            | 244               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>QM215</a>                      | 4 | 431            | 278               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDA450</a>                     | 8 | 1,455          | 465               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDA660</a>                     | 8 | 2,107          | 904               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM429</a>                     | 4 | 862            | 558               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM439</a>                     | 8 | 1,176          | 461               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM450</a>                     | 8 | 1,156          | 388               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM460</a>                     | 8 | 1,861          | 750               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM630</a>                     | 8 | 1,699          | 609               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM632</a>                     | 8 | 1,750          | 740               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM636</a>                     | 8 | 1,849          | 807               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM660</a>                     | 8 | 2,059          | 955               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM662</a>                     | 8 | 1,880          | 915               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM665</a>                     | 8 | 2,041          | 886               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM670</a>                     | 8 | 2,121          | 1,076             | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM710</a>                     | 8 | 2,161          | 1,165             | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM712</a>                     | 8 | 2,158          | 1,234             | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM720G</a>                    | 8 | 2,755          | 1,591             | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM730G AIE</a>                | 8 | 2,707          | 1,453             | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM765G 5G</a>                 | 8 | 2,824          | 1,602             | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDM778G</a>                    | 8 | 4,483          | 2,006             | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDMMAGPIE</a>                  | 8 | 2,754          | 1,445             | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SDMMAGPIEP</a>                 | 8 | 2,829          | 1,500             | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SM4250</a>                     | 8 | 1,828          | 718               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SM4350</a>                     | 8 | 2,100          | 1,279             | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc<br/>SM6115</a>                     | 8 | 2,049          | 888               | NA                | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc</a>                                | 8 | 2,041          | 872               | NA                | Unknown | Mobile/Embedded |

| <a href="#">Qualcomm Technologies, Inc SM6125</a>                 |   | Znak procesora | Znak wątku | TDP (W) | Gniazdo | Kategoria       |
|---|---|----------------|------------|---------|---------|-----------------|
| Nazwa procesora   |   |                | Min        | Min...  |         |                 |
| <a href="#">Qualcomm Technologies, Inc SM7125</a>                 |   |                |            |         |         |                 |
| <a href="#">Qualcomm Technologies, Inc SM7150</a>                 | 8 | 2,684          | 1,384      | NA      | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM7225</a>                 | 8 | 3,063          | 1,752      | NA      | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM7250</a>                 | 8 | 2,940          | 1,557      | NA      | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM8150</a>                 | 8 | 3,832          | 1,779      | NA      | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM8150_Plus</a>            | 8 | 3,431          | 1,644      | NA      | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM8150P</a>                | 8 | 3,795          | 1,874      | NA      | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM8250</a>                 | 8 | 5,014          | 2,234      | NA      | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM8250_AC</a>              | 8 | 4,815          | 2,513      | NA      | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM8350</a>                 | 8 | 4,706          | 2,090      | NA      | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc SM8350AC</a>               | 8 | 5,170          | 2,550      | NA      | Unknown | Mobile/Embedded |
| <a href="#">Qualcomm Technologies, Inc TRINKET</a>                | 8 | 2,078          | 896        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Renoir based on Qualcomm Technologies, Inc SM7350</a> | 8 | 4,180          | 1,724      | NA      | Unknown | Mobile/Embedded |
| <a href="#">Rockchip (Device Tree)</a>                            | 4 | 598            | 424        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK</a>                                       | 8 | 1,541          | 712        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3229</a>                                   | 4 | 234            | 141        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3288</a>                                   | 4 | 708            | 766        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3288 (Flattened Device Tree)</a>           | 4 | 508            | 403        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3326</a>                                   | 4 | 259            | 201        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3328</a>                                   | 4 | 356            | 252        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3368</a>                                   | 8 | 682            | 356        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3399</a>                                   | 8 | 2,493          | 1,081      | NA      | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3566 EVB1 DDR4 V10 Board</a>               | 4 | 751            | 466        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3566 EVB2 LP4X V10 Board</a>               | 4 | 843            | 517        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3566 RK817 TABLET LP4X Board</a>           | 4 | 741            | 487        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board</a>     | 4 | 795            | 508        | NA      | Unknown | Mobile/Embedded |
| <a href="#">rockchip,rk3368</a>                                   | 8 | 489            | 230        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 2100</a>                               | 8 | 4,487          | 2,024      | NA      | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7420</a>                               | 8 | 1,612          | 812        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7570</a>                               | 4 | 379            | 249        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7580</a>                               | 8 | 878            | 308        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7870</a>                               | 8 | 853            | 274        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7880</a>                               | 8 | 1,506          | 459        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7884</a>                               | 8 | 1,251          | 627        | NA      | Unknown | Mobile/Embedded |
| <a href="#">Samsung Exynos 7885</a>                               | 8 | 1,555          | 840        | NA      | Unknown | Mobile/Embedded |

| <a href="#">Nazwa procesora</a>                                    | <b>Znak procesora</b> | <b>Znak wątku</b><br>Min | <b>TDP (W)</b><br>Min... | <b>Gniazdo</b> | <b>Kategoria</b> |                 |
|--|-----------------------|--------------------------|--------------------------|----------------|------------------|-----------------|
| <a href="#">Samsung Exynos 7904</a>                                |                       |                          |                          |                |                  |                 |
| <a href="#">Samsung Exynos 8890</a>                                |                       |                          |                          |                |                  |                 |
| <a href="#">Samsung Exynos 9611</a>                                | 8                     | 1,908                    | 1,007                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Samsung Exynos 9810</a>                                | 8                     | 3,124                    | 1,307                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Samsung Exynos 9820</a>                                | 8                     | 3,190                    | 1,645                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Samsung Exynos 9825</a>                                | 8                     | 3,147                    | 1,603                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Samsung EXYNOS5420</a>                                 | 4                     | 633                      | 430                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Samsung EXYNOS5433</a>                                 | 8                     | 1,058                    | 463                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">SAMSUNG Exynos7420</a>                                 | 8                     | 1,688                    | 707                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">SAMSUNG Exynos7580</a>                                 | 8                     | 799                      | 222                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Samsung GrandPrimePlus LTE CIS rev04 board based o</a> | 4                     | 312                      | 213                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</a> | 4                     | 415                      | 179                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Samsung J7 Max LTE SWA board based on MT6757V/WL</a>   | 8                     | 950                      | 286                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">SAMSUNG JF</a>   | 4                     | 459                      | 323                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">SAMSUNG SERRANO</a>                                    | 2                     | 247                      | 327                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Samsung Technologies, Inc Exynos E1080</a>             | 8                     | 4,846                    | 2,029                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">SM7325</a>   | 8                     | 4,320                    | 2,072                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">SM8350</a>   | 8                     | 4,603                    | 2,422                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">SMDK4x12</a>   | 8                     | 3,006                    | 1,271                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Snapdragon 7c @ 2.40 GHz</a>                           | 8                     | 2,333                    | 1,417                    | 9              | Unknown          | Unknown         |
| <a href="#">Snapdragon 7c Gen 2 @ 2.55</a>                         | 8                     | 2,477                    | 1,508                    | 7              | Unknown          | Unknown         |
| <a href="#">Snapdragon 835</a>                                     | 8                     | 1,784                    | 1,016                    | 9              | Unknown          | Unknown         |
| <a href="#">Snapdragon 850 @ 2.96 GHz</a>                          | 8                     | 2,192                    | 1,374                    | 5              | Unknown          | Unknown         |
| <a href="#">Snapdragon 898</a>                                     | 4                     | 1,234                    | 1,138                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Snapdragon 8cx @ 2.84 GHz</a>                          | 8                     | 3,655                    | 1,757                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Snapdragon 8cx Gen 2 @ 3.1</a>                         | 8                     | 4,103                    | 1,946                    | 7              | Unknown          | Unknown         |
| <a href="#">Sony Mobile fusion3</a>                                | 4                     | 428                      | 234                      | NA             | Unknown          | Unknown         |
| <a href="#">Spreadtrum SC7731e</a>                                 | 4                     | 277                      | 183                      | NA             | Unknown          | Unknown         |
| <a href="#">Spreadtrum SC9853I-IA</a>                              | 8                     | 734                      | 465                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Star based on Qualcomm Technologies, Inc SM8350</a>    | 8                     | 4,588                    | 2,054                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">T610-Unisoc</a>  | 8                     | 1,978                    | 1,044                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">T618</a>   | 8                     | 1,817                    | 1,136                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">T700-Unisoc</a>  | 8                     | 1,995                    | 1,044                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">tn8</a>  | 4                     | 948                      | 584                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">UGOOS UT8 Board</a>                                    | 4                     | 894                      | 543                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Unisoc SC7731e</a>                                     | 4                     | 297                      | 200                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Unisoc SC9832e</a>                                     | 4                     | 451                      | 274                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Unisoc SC9863a</a>                                     | 8                     | 1,238                    | 465                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Unisoc T610</a>  | 8                     | 1,977                    | 1,044                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Unisoc T618</a>  | 8                     | 2,024                    | 1,135                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Unisoc T700</a>  | 8                     | 1,950                    | 1,027                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Unisoc UIS8581E</a>                                    | 8                     | 1,279                    | 498                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Unisoc ums312</a>                                      | 4                     | 958                      | 1,054                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Unisoc ums512</a>                                      | 8                     | 1,983                    | 1,091                    | NA             | Unknown          | Mobile/Embedded |
| <a href="#">Unisoc ums9230</a>                                     | 8                     | 926                      | 741                      | NA             | Unknown          | Mobile/Embedded |
| <a href="#">UNIVERSAL 0175</a>                                     | 4                     | 676                      | 476                      | NA             | Unknown          | Mobile/Embedded |

| <a href="#">UNIVERSAL3475</a><br>Nazwa procesora | Prędkość | Znak procesora | Znak wątku<br>Min | TDP (W)<br>Min... | Gniazdo | Kategoria |
|--|----------|----------------|-------------------|-------------------|---------|-----------|
|--|----------|----------------|-------------------|-------------------|---------|-----------|

## 🏠 CPU Benchmarks ▼

|  |   |       |       |      |          |                 |
|--|---|-------|-------|------|----------|-----------------|
| <a href="#">vendor Kirin990</a>                                  | 8 | 4,385 | 1,975 | NA   | Unknown  | Mobile/Embedded |
| <a href="#">Venus based on Qualcomm Technologies, Inc SM8350</a> | 8 | 4,761 | 2,234 | NA   | Unknown  | Mobile/Embedded |
| <a href="#">VIA C7-D 1800MHz</a>                                 | 1 | 150   | 147   | 20   | BGA400   | Desktop         |
| <a href="#">VIA C7-M 1200MHz</a>                                 | 1 | 112   | 93    | NA   | Unknown  | Unknown         |
| <a href="#">VIA C7-M 1600MHz</a>                                 | 1 | 116   | 124   | 15   | BGA400   | Laptop          |
| <a href="#">VIA C7-M 6300MHz</a>                                 | 1 | 145   | 121   | NA   | Unknown  | Unknown         |
| <a href="#">VIA Eden 1000MHz</a>                                 | 1 | 80    | 83    | 5    | NanoBGA2 | Laptop          |
| <a href="#">VIA Eden 1200MHz</a>                                 | 1 | 93    | 97    | 7    | NanoBGA2 | Laptop          |
| <a href="#">VIA Eden C1050@1.06GHz</a>                           | 1 | 263   | 283   | NA   | Unknown  | Unknown         |
| <a href="#">VIA Eden X2 U4200 @ 1.0+ GHz</a>                     | 2 | 315   | 281   | NA   | Unknown  | Unknown         |
| <a href="#">VIA Eden X4 C4250 @ 1.2+GHz</a>                      | 4 | 944   | 476   | NA   | Unknown  | Unknown         |
| <a href="#">VIA Esther 1000MHz</a>                               | 1 | 95    | 82    | NA   | Unknown  | Unknown         |
| <a href="#">VIA Esther 1500MHz</a>                               | 1 | 135   | 112   | NA   | Unknown  | Unknown         |
| <a href="#">VIA Nano L2007@1600MHz</a>                           | 1 | 254   | 242   | 25   | BGA400   | Laptop          |
| <a href="#">VIA Nano L2100@1800MHz</a>                           | 1 | 279   | 182   | 25   | BGA400   | Laptop          |
| <a href="#">VIA Nano L2207@1600MHz</a>                           | 1 | 165   | 191   | 17   | BGA400   | Laptop          |
| <a href="#">VIA Nano U2250 (1.6GHz Capable)</a>                  | 1 | 270   | 259   | 8    | BGA400   | Laptop          |
| <a href="#">VIA Nano U2250@1300+MHz</a>                          | 1 | 179   | 156   | 10   | BGA400   | Laptop          |
| <a href="#">VIA Nano U2500@1200MHz</a>                           | 1 | 199   | 184   | 7    | BGA400   | Laptop          |
| <a href="#">VIA Nano U3500@1000MHz</a>                           | 1 | 184   | 286   | 5    | BGA400   | Laptop          |
| <a href="#">VIA Nano X2 U4025 @ 1.2 GHz</a>                      | 2 | 393   | 213   | NA   | BGA400   | Laptop          |
| <a href="#">VIA Nehemiah</a>                                     | 1 | 101   | 75    | NA   | Unknown  | Unknown         |
| <a href="#">VIA QuadCore C4650@2.0GHz</a>                        | 4 | 1,323 | 557   | NA   | Unknown  | Unknown         |
| <a href="#">VIA QuadCore L4700 @ 1.2+ GHz</a>                    | 4 | 773   | 355   | 27.5 | Unknown  | Laptop          |
| <a href="#">VIA QuadCore U4650 @ 1.0+ GHz</a>                    | 4 | 666   | 296   | 27.5 | Unknown  | Desktop         |
| <a href="#">Vili based on Qualcomm Technologies, Inc SM8350</a>  | 8 | 4,443 | 1,625 | NA   | Unknown  | Mobile/Embedded |
| <a href="#">Virtual</a>  | 4 | 2,137 | 1,224 | NA   | Unknown  | Mobile/Embedded |
| <a href="#">ZHAOXIN KaiXian KX-6640MA@2.2+GHz</a>                | 4 | 1,565 | 715   | 70   | Unknown  | Unknown         |
| <a href="#">ZHAOXIN KaiXian KX-U6580@2.5GHz</a>                  | 8 | 3,066 | 745   | NA   | Unknown  | Unknown         |
| <a href="#">ZHAOXIN KaiXian KX-U6780A@2.7GHz</a>                 | 8 | 3,744 | 570   | NA   | Unknown  | Unknown         |
| <a href="#">ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</a>               | 4 | 1,547 | 556   | NA   | Unknown  | Unknown         |

Showing 1 to 3,688 of 3,688 entries

[Previous](#) **1** [Next](#)**Uwagi:**

- 1 Cena jest uzyskiwana od naszych oddziałów. \*\* po cenie oznacza ostatnią widzianą cenę produktów, które nie są już dostępne.
- 2 Wartość procesora jest obliczana na podstawie oceny procesora / ceny.
- 3 Wartość pojedynczego wątku jest obliczana na podstawie oceny / ceny procesora pojedynczego wątku.
- 4 Wydajność zasilania jest obliczana na podstawie oznaczenia CPU / TDP.
- 5 Data testu to data naszego pierwszego przesłania testu porównawczego.



[🏠 CPU Benchmarks](#) ▼

## Oprogramowanie

[BurnInTest](#)[Test wydajności](#)[OSForensics](#)[MemTest86](#)[BezprzewodoweMon](#)[Powiększ](#)[Wyszukiwarka](#)[Darmowe oprogramowanie](#)

## Sprzęt komputerowy

[Wtyczki pętli zwrotnej USB3.0](#)[Wtyki USB 2.0 z pętlą zwrotną](#)[Karty testowe PCIe](#)[Tester zasilania USB](#)[Szeregowe i równoległe wtyki z pętlą zwrotną](#)[Testery zwarć USB](#)

## Benchmarki

[Benchmarki procesora](#)[Testy kart graficznych](#)[Testy dysków twardych](#)[Testy pamięci RAM](#)[Testy systemów PC](#)[Testy Androida](#)[Testy iOS / iPhone](#)[Udział w rynku oprogramowania](#)[Przepustowość Internetu](#)

## O nas

[Spółka](#)[Skontaktuj się z nami](#)[Pokój prasowy](#)

## Usługi

[Sklep](#)[Wsparcie](#)[Forum](#)

## Międzynarodowy

[Zastrzeżenie](#)[Zwroty](#)[Prywatność](#)[Społeczny](#)

Copyright © 2022 Oprogramowanie PassMark®

